

SUMMARY OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:	Customer ID: 2161	Order ID: OR10451	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13130371724	Mass: 11g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 05/15/2023
License: ADH 113	License: 00065C	4032H20230405WCK-1	Date Received: 05/15/2023
Cultivar (Strain) or Sample Description: Wedding Cake			Date Completed: 05/18/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

12.9

Water Activity (aw)

0.490 @ 24.6°C

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
THCA	23.1	231
Δ9-THC	0.793	7.93
CBGA	0.354	3.54
TOTAL CBD	-	-
TOTAL THC	21.1	211
TOTAL CANNABINOIDS	24.5	245

Terpenes (Top 5)	(%)	µg/g
α-Ocimene	0.208	2080
d-Limonene	0.186	1860
β-Ocimene	0.103	1030
β-Myrcene	0.0823	823
Linalool	0.0562	562
TOTAL TERPENES	0.860	8600

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:	Customer ID: 2161	Order ID: OR10451	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13130371724	Mass: 11g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 05/15/2023
License: ADH 113	License: 00065C	4032H20230405WCK-1	Date Received: 05/15/2023
Cultivar (Strain) or Sample Description: Wedding Cake			Date Completed: 05/18/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 05/16/2023 1831

Method: HPLC/DAD


Moisture Content (%): 12.9

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): 0.490 @ 24.6°C

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>Result</u> (mg/g)	<u>LOD</u> (mg/g)	<u>LOQ</u> (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> <u>Serving</u> (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	ND	ND	0.197	0.459	-	-	-
CBCA	ND	ND	0.610	1.42	-	-	-
CBD	ND	ND	1.39	3.24	-	-	-
CBDV	ND	ND	0.510	1.19	-	-	-
CBDVA	ND	ND	0.593	1.38	-	-	-
CBG	ND	ND	0.900	2.10	-	-	-
CBGA	0.354	3.54	0.645	1.50	-	3.54	3.54
CBL	ND	ND	1.04	2.43	-	-	-
CBN	ND	ND	0.477	1.12	-	-	-
CBNA	ND	ND	0.515	1.20	-	-	-
Δ9-THC	0.793	7.93	0.572	1.33	-	7.93	7.93
Δ8-THC	ND	ND	0.893	2.08	-	-	-
THCA	23.1	231	0.310	0.726	-	231	231
THCV	ND	ND	0.745	1.74	-	-	-
THCVA	0.171	1.71	0.238	0.553	-	1.71	1.71
TOTAL	24.5	245			-	245	245
TOTAL CBC	-	-			-	-	-
TOTAL CBD	-	-			-	-	-
TOTAL CBDV	-	-			-	-	-
TOTAL CBG	0.310	3.10			-	3.10	3.10
TOTAL CBN	-	-			-	-	-
TOTAL THC	21.1	211			-	211	211
TOTAL THCVA	0.148	1.48			-	1.48	1.48



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDV x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCVA = (THCVA x 0.867) + THCVA

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:	Customer ID: 2161	Order ID: OR10451	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13130371724	Mass: 11g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 05/15/2023
License: ADH 113	License: 00065C	4032H20230405WCK-1	Date Received: 05/15/2023
Cultivar (Strain) or Sample Description: Wedding Cake			Date Completed: 05/18/2023

TERPENOID PROFILE

Analysis Date/Time: 05/17/2023 2238

Method: GC/MS


Deviations from SOP:

Analyst: KF

Instrument: Agilent 7890/5975

None

Terpene	Result (µg/g)	Result (%)	
α-Bisabolol	31.9	0.00319	
Camphene	106	0.0106	
δ-3-Carene	-	-	
β-Caryophyllene	8.42	0.000842	
Caryophyllene oxide	-	-	
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	-	-	
Guaiol	136	0.0136	
α-Humulene	561	0.0561	
Isopulegol	-	-	
d-Limonene	1860	0.186	
Linalool	562	0.0562	
β-Myrcene	823	0.0823	
cis-Nerolidol	-	-	
trans-Nerolidol	-	-	
α-Ocimene	2080	0.208	
β-Ocimene	1030	0.103	
α-Pinene	458	0.0458	
β-Pinene	530	0.0530	
α-Terpinene	387	0.0387	
γ-Terpinene	-	-	
Terpinolene	24.4	0.00244	
TOTAL	8600	0.860	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above RL.

Reporting Limit (µg/g): 179

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:

Arkansas
232 S. Broadview St.
Greenbrier, AR 72058
License: ADH 113

Customer ID: 2161

River Valley Relief Cultivation
5601 Old Greenwood Rd Suite C
Fort Smith, AR 72903
License: 00065C

Order ID: OR10451

Lot Number:
M00065C13130371724
Production Run:
4032H20230405WCK-1

Sample Type: Primary

Matrix: Flower
Mass: 11g
Date Collected: 05/15/2023
Date Received: 05/15/2023

Cultivar (Strain) or Sample Description: Wedding Cake

Date Completed: 05/18/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 05/17/2023 1710

Analyst: KF


Method: LC/MS/MS

Instrument: Shimadzu LC-8050

Deviations from SOP:

None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0429	0.343	0.5	Kresoxim-methyl (143390-89-0)	-	0.0429	0.343	0.4
Acephate (30560-19-1)	-	0.0429	0.343	0.4	Malathion (121-75-5)	-	0.0429	0.343	0.2
Acetaminophen (57960-19-7)	-	0.0429	0.343	2	Metalaxyl (57837-19-1)	-	0.0429	0.343	0.2
Acetamiprid (135410-20-7)	-	0.0429	0.343	0.2	Methiocarb (2032-65-7)	-	0.0429	0.343	0.2
Aldicarb (116-06-3)	-	0.0429	0.343	0.4	Methomyl (16752-77-5)	-	0.0429	0.343	0.4
Azoxystrobin (131860-33-8)	-	0.0429	0.343	0.2	Methyl parathion (298-0-0)	-	0.0429	0.343	0.2
Bifenazate (149877-41-8)	-	0.0429	0.343	0.2	MGK 264 (113-48-4)	-	0.0429	0.343	0.2
Bifenthrin (82657-04-3)	-	0.0429	0.343	0.2	Myclobutanil (88671-89-0)	-	0.0429	0.343	0.2
Boscalid (188425-85-6)	-	0.0429	0.343	0.4	Naled (300-76-5)	-	0.0429	0.343	0.5
Carbaryl (63-25-2)	-	0.0429	0.343	0.2	Oxamyl (23135-22-0)	-	0.0429	0.343	1
Carbofuran (1563-66-2)	-	0.0429	0.343	0.2	Paclobutrazol (76738-62-0)	-	0.0429	0.343	0.4
Chlorantraniliprole (800008-45-7)	-	0.0429	0.343	0.2	Permethrins (52645-53-1)	-	0.0429	0.343	0.2
Chlorfenapyr (122453-73-0)	-	0.0429	0.343	1	Phosmet (732-11-6)	-	0.0429	0.343	0.2
Chlorpyrifos (2921-88-2)	-	0.0429	0.343	0.2	Piperonyl butoxide (51-03-6)	-	0.0429	0.343	2
Clofentezine (74115-24-5)	-	0.0429	0.343	0.2	Prallethrin (2331-36-9)	-	0.0429	0.343	0.2
Cyfluthrin (68359-37-5)	-	0.0429	0.343	1	Propiconazole (60207-90-1)	-	0.0429	0.343	0.4
Cypermethrin (52315-07-8)	-	0.0429	0.343	1	Propoxur (114-26-1)	-	0.0429	0.343	0.2
Daminozide (1596-84-5)	-	0.0429	0.343	1	Pyrethrins (8003-34-7)	-	0.0429	0.343	1
DDVP (62-73-7)	-	0.0429	0.343	0.1	Pyridaben (96489-71-3)	-	0.0429	0.343	0.2
Diazinon (333-41-5)	-	0.0429	0.343	0.2	Spinosad (168316-95-8)	-	0.0429	0.343	0.2
Dimethoate (60-51-5)	-	0.0429	0.343	0.2	Spiromesifen (283594-90-1)	-	0.0429	0.343	0.2
Ethoprophos (13194-48-4)	-	0.0429	0.343	0.2	Spirotetramat (203313-25-1)	-	0.0429	0.343	0.2
Etofenprox (80844-07-1)	-	0.0429	0.343	0.4	Spiroxamine (118134-30-8)	-	0.0429	0.343	0.4
Etoxazole (153233-91-1)	-	0.0429	0.343	0.2	Tebuconazole (80443-41-0)	-	0.0429	0.343	0.4
Fenoxycarb (72490-01-8)	-	0.0429	0.343	0.2	Thiacloprid (111988-49-9)	-	0.0429	0.343	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0429	0.343	0.4	Thiamethoxam (153719-23-4)	-	0.0429	0.343	0.2
Fipronil (120068-37-3)	-	0.0429	0.343	0.4	Trifloxystrobin (141517-21-7)	-	0.0429	0.343	0.2
Flonicamid (158062-67-0)	-	0.0429	0.343	1					
Fludioxinil (131341-86-1)	-	0.0429	0.343	0.4					
Hexythiazox (78587-05-0)	-	0.0429	0.343	1					
Imazalil (35554-44-0)	-	0.0429	0.343	0.2					
Imidacloprid (138261-41-3)	-	0.0429	0.343	0.4					



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above
LOD

Permethrins measured as the
cumulative residue of the *cis*- and
trans- permethrin isomers.

Pyrethrins measured as the
cumulative residue of the
pyrethrin I, cinerin I, and jasmolin
I isomers.

Action levels are referenced from
the
State of Arkansas MMJ testing
guidelines.

A value of "-" for the action level
means that analyte is not
currently regulated by the
regulations referenced above.

Disclaimer: This information is
provided as a service and makes
no claims of efficacy and/or safety
of this product. Results are
applicable only for the sample(s)
analyzed and for the specific
analysis conducted. This report is
for informational purposes only
and should not be used to
diagnose, treat, or prevent any
medical-related symptoms. The
statements and results herein have
not been approved and/or
endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:	Customer ID: 2161	Order ID: OR10451	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13130371724	Mass: 11g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 05/15/2023
License: ADH 113	License: 00065C	4032H20230405WCK-1	Date Received: 05/15/2023
Cultivar (Strain) or Sample Description: Wedding Cake			Date Completed: 05/18/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 05/15/2023 1735 (ICP/OES)	Method: ICP/MS	Deviations from SOP:
Analysis Date/Time: - (DMA)	Instrument: Agilent 7500ce	None
Analyst: KF		

<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)
Arsenic (As)	-	58.5	92.7	200
Cadmium (Cd)	-	58.5	92.7	200
Lead (Pb)	-	58.5	92.7	500
Mercury (Hg)	-	58.5	92.7	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35198)

Testing Location:	Customer ID: 2161	Sample ID: SA35198	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13130371724	Mass: 11g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 05/15/2023
License: ADA 05_H273	License: 00065C	4032H20230405WCK-1	Date Received: 05/15/2023
Cultivar (Strain) or Sample Description: Wedding Cake			Date Completed: 05/18/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 05/16/2023 1213
Analyst: PW
Method: Hardy Diagnostics CompactDry
Instrument: Thermo Incubator
Deviations from SOP: None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	1
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

