







#### SUMMARY OF ANALYSIS (SAMPLE ID: SA35915)

Testing Location:	Customer ID: 2161	<b>Order ID:</b> OR10591	Sample Type: Primary		
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower		
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Grams		
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 08/28/2023		
License: ADH 113	License: 00065C	4039H20230807GBB-1	Date Received: 08/28/2023		
Cultivar (Strain) or Sample Description: Glitter BombDate Completed: 08/30/2023					

\*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture Content (%)	Water Activity (aw)	PASS/FAIL
12.8	0.497 @ 24.3°C	PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg</u> /g
THCA	34.8	348
CBGA	0.754	7.54
Δ9-ΤΗϹ	0.696	6.96
TOTAL CBD	-	-
TOTAL THC	31.2	312
TOTAL CANNABINOIDS	36.6	366
<u>Terpenes (Top 5)</u>	<u>(%)</u>	µg∕g
<u>Terpenes (Top 5)</u> β-Myrcene	<u>(%)</u> 0.322	<b>µg/g</b> 3220
β-Myrcene	0.322	3220
β-Myrcene β-Caryophyllene	0.322 0.0701	3220 701
β-Myrcene β-Caryophyllene trans-Nerolidol	0.322 0.0701 0.0541	3220 701 541

<b>Contaminants</b>	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









Testing Location:	Customer ID: 2161	<b>Order ID:</b> OR10591	Sample Type: Primary	
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower	
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Grams	
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 08/28/2023	
License: ADH 113	License: 00065C	4039H20230807GBB-1	Date Received: 08/28/2023	
Cultivar (Strain) or Sample Description: Glitter BombDate Completed: 08/30/				

#### **CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)**

Analysis Date/Time: 08/29/2023 1734 Analyst: PW

Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> ( <u>%)</u>	<u>Result</u> (mg/g)	<u>LOD</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> Serving (mg)	<u>Per</u> g <u>Unit</u> (mg)
CBC	ND	ND	0.0436	0.102	-	-	-
CBCA	ND	ND	0.135	0.316	-	-	-
CBD	ND	ND	0.307	0.717	-	-	-
CBDA	ND	ND	0.113	0.264	-	-	-
CBDV	ND	ND	0.0493	0.115	-	-	-
CBDVA	ND	ND	0.131	0.307	-	-	-
CBG	0.0724	0.724	0.200	0.466	-	0.632	0.632
CBGA	0.754	7.54	0.283	0.334	-	6.57	6.57
CBL	ND	ND	0.230	0.538	-	-	-
CBN	ND	ND	0.106	0.247	-	-	-
CBNA	ND	ND	0.114	0.266	-	-	-
Δ9-ΤΗC	0.696	6.96	0.127	0.296	-	6.06	6.06
Δ8-THC	ND	ND	0.198	0.462	-	-	-
THCA	34.8	348	0.0688	0.161	-	303	303
THCV	ND	ND	0.165	0.385	-	-	-
THCVA	0.304	3.04	0.0527	0.123	-	2.65	2.65
TOTAL	36.6	366				319	319
TOTAL CBC	-	-			-	-	-
TOTAL CBD	-	-			-	-	-
TOTAL CBDV	-	-			-	-	-
TOTAL CBG	0.734	7.34			-	6.40	6.40
TOTAL CBN	-	-			-	-	-
TOTAL THC	31.2	312			-	272	272
TOTAL THCV	0.263	2.63			-	2.30	2.30

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): 12.8 Water Activity (aw): 0.497 @ 24.3°C



SERVING MASS (g): 1.00 SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC =  $(CBCA \times 0.877) + CBC$ Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG =  $(CBGA \times 0.878) + CBG$ Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) +  $\Delta$ 9-THC Total THCV =  $(THCVA \times 0.867) + THCV$ 

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.













Testing Location:	Customer ID: 2161	<b>Order ID:</b> OR10591	Sample Type:
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flowe
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Gram
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collecte
License: ADH 113	License: 00065C	4039H20230807GBB-1	Date Received
Cultivar (Strain) or Sample Desc	Date Complet		


e: Primary ver ms ed: 08/28/2023 ed: 08/28/2023 eted: 08/30/2023


Analysis Date/Time:08/29/2023 2039 Analyst: KF

Kyle W. Felling, Ph.D. boratory Directo

TERPENOID PROFILE

Method: GC/MS Instrument: Agilent 7890/5975





Reporting Limit (µg/g): 79.6



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

"-" Not detected above LOD.







**Deviations from SOP:** 



## **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35915)**

Testing Location:	Customer ID: 2161	<b>Order ID:</b> OR10591	Sample Type: Primary
Arkansas	<b>River Valley Relief Cultivation</b>	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Grams
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 08/28/2023
License: ADH 113	License: 00065C	4039H20230807GBB-1	Date Received: 08/28/2023
Cultivar (Strain) or Sample I	Date Completed: 08/30/2023		

Analysis Date/Time: 08/29/2023 1751 Analyst: KF

#### **PESTICIDES PROFILE (SOP: SOP-PEST-001)**

Method: LC/MS/MS Instrument: Shimadzu LC-8050

, <b>D acc</b> , <b>1</b> mici			-			-			20110	
Analyst: KF					Instrument: Shimadzu LC-8050			None		
<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	Pesticide	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0476	0.381	0.5	Kresoxim-methyl	-	0.0476	0.381	0.4	A Start
Acephate (30560-19-1)	-	0.0476	0.381	0.4	(143390-89-0)					and the second
Acequinocyl (57960-19-7)	-	0.0476	0.381	2	Malathion (121-75-5)	-	0.0476	0.381	0.2	
Acetamiprid (135410-20-7)	-	0.0476	0.381	0.2	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)	-	0.0476 0.0476	0.381 0.381	0.2 0.2	<u>Color Key</u>
Aldicarb (116-06-3)	-	0.0476	0.381	0.4	Methomyl (16752-77-5)	-	0.0476	0.381	0.4	<b>RESULT &lt; AL</b>
Azoxystrobin (131860-33-8)	-	0.0476	0.381	0.2	Methyl parathion (298-0-0)	-	0.0476	0.381	0.2	RESULT > AL
Bifenazate (149877-41-8)	-	0.0476	0.381	0.2	MGK 264 (113-48-4)	-	0.0476	0.381	0.2	"DET" detected less than LOQ
Bifenthrin (82657-04-3)	-	0.0476	0.381	0.2	Myclobutanil		0.0476	0.381	0.2	"-" not detected above
Boscalid (188425-85-6)	-	0.0476	0.381	0.4	(88671-89-0)					LOD
Carbaryl (63-25-2)	-	0.0476	0.381	0.2	Naled (300-76-5)	-	0.0476	0.381	0.5	Permethrins measured as the
Carbofuran (1563-66-2)	-	0.0476	0.381	0.2	Oxamyl (23135-22-0)	-	0.0476	0.381	1	cumulative residue of the <i>cis</i> - and
Chlorantraniliprole (800008-45-7)	-	0.0476	0.381	0.2	Paclobutrazol (76738-62-0)	-	0.0476	0.381	0.4	<i>trans</i> - permethrin isomers.
Chlorfenapyr		0.0476	0.381	1	Permethrins (52645-53-1)	-	0.0476	0.381	0.2	Pyrethrins measured as the cumulative residue of the
(122453-73-0)					Phosmet (732-11-6)	-	0.0476	0.381	0.2	pyrethrin I, cinerin I, and jasmolin
Chlorpyrifos (2921-88-2)	-	0.0476	0.381	0.2	Piperonyl butoxide (51-03-6)	-	0.0476	0.381	2	I isomers.
Clofentezine (74115-24-5)	-	0.0476	0.381	0.2	(31-03-0) Prallethrins (2331-36-9)		0.0476	0.381	0.2	Action levels are referenced from
Cyfluthrin (68359-37-5)	-	0.0476	0.381	1	Propiconazole					the <b>DR</b> U +
Cypermethrin (52315-07-8)	-	0.0476	0.381	1	(60207-90-1))	-	0.0476	0.381	0.4	State of Arkansas MMJ testing guidelines.
Daminozide (1596-84-5)	-	0.0476	0.381	1	Propoxur (114-26-1)	-	0.0476	0.381	0.2	A value of "-" for the action level
DDVP (62-73-7)	-	0.0476	0.381	0.1	Pyrethrins (8003-34-7)	-	0.0476	0.381	1	means that analyte is not
Diazinon (333-41-5)	-	0.0476	0.381	0.2	Pyridaben (96489-71-3)	-	0.0476	0.381	0.2	currently regulated by the regulations referenced above.
Dimethoate (60-51-5)	-	0.0476	0.381	0.2	Spinosad (168316-95-8)	-	0.0476	0.381	0.2	U
Ethoprophos (13194-48-4)	-	0.0476	0.381	0.2	Spiromesifen (283594-90-1)	-	0.0476	0.381	0.2	Disclaimer: This information is provided as a service and makes
Etofenprox (80844-07-1)	-	0.0476	0.381	0.4	Spirotetramat					no claims of efficacy and/or safety
Etoxazole (153233-91-1)	-	0.0476	0.381	0.2	(203313-25-1)	-	0.0476	0.381	0.2	of this product. Results are
Fenoxycarb (72490-01-8)	-	0.0476	0.381	0.2	Spiroxamine		0.0476	0.381	0.4	applicable only for the sample(s) analyzed and for the specific
(E)-Fenpyroximate (134098-61-6)	-	0.0476	0.381	0.4	(118134-30-8) Tebuconazole		0.0476	0.381	0.4	analysis conducted. This report is for informational purposes only
Fipronil (120068-37-3)	-	0.0476	0.381	0.4	(80443-41-0)	-	0.0476	0.501	0.4	and should not be used to
Flonicamid (158062-67-0)	-	0.0476	0.381	1	Thiacloprid	-	0.0476	0.381	0.2	diagnose, treat, or prevent any medical-related symptoms. The
Fludioxinil (131341-86-1)	-	0.0476	0.381	0.4	(111988-49-9)					statements and results herein have
Hexythiazox (78587-05-0)	-	0.0476	0.381	1	Thiamethoxam (153719-23-4)	-	0.0476	0.381	0.2	not been approved and/or
Imazalil (35554-44-0)	-	0.0476	0.381	0.2	Trifloxystrobin		0.0456	0.004	0.0	endorsed by the FDA.
Imidacloprid (138261-41-3)	-	0.0476	0.381	0.4	(141517-21-7)		0.0476	0.381	0.2	

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

**Pesticide** Synonym(s) Pesticide Synonym(s) **Pesticide** Synonym(s) Cyfluthrin Myclobutanil Baythroid Systhane Propiconazole Tilt DDVP Dichlorvos Naled Dibrom Propoxur Baygon Prophos Phosmet Imidan Ethoprophos



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









Testing Location:	Customer ID: 2161	<b>Order ID:</b> OR10591	Sample Type: Primary		
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower		
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Grams		
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 08/28/2023		
License: ADH 113	License: 00065C	4039H20230807GBB-1	Date Received: 08/28/2023		
Cultivar (Strain) or Sample Description: Glitter BombDate Completed: 08/30/2023					

#### HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/T Analysis Date/T Analyst: KF	<b>ïme:</b> 08/29/2023 1 <b>ïme:</b> - (DMA)	916 (ICP/OES)		thod: ICP/MS trument: Agilent 7500ce	<b>Deviations from SOP:</b> None
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	55.7	88.2	200	
Cadmium (Cd)	-	55.7	88.2	200	
Lead (Pb)	-	55.7	88.2	500	
Mercury (Hg)	-	55.7	88.2	100	

Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

# <u>Color Key</u>



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.


*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













Testing Location:	Customer ID: 2161	Sample ID: SA35915	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13131645253	Mass: 20Grams
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 08/28/2023
License: ADA 05_H273	License: 00065C	4039H20230807GBB-1	Date Received: 08/28/2023
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 08/30/2023

#### MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 08/30/20 Analyst: PW		Hardy Diagnostics CompactD nt: Thermo Incubator	ry <b>Deviations from SOP:</b> None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT	-	
Pseudomonas aeruginosa	NT	-	
Salmonella spp.	NT	-	Table State
Staphylococcus aureus	NT	-	

Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



