

SUMMARY OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location:	Customer ID: 2161	Order ID: OR12043	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13132039516	Mass: 18g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/04/2026
License: ADH 113	License: 00065C	5124H20260206GBB-2	Date Received: 03/05/2026
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 03/08/2026

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

*Where provided, statements of conformity (e.g. Pass/Fail) are made in accordance with ILAC G8, Binary Statement for Simple Acceptance Rule (w=0, AL=TL).
PASS: when the result is within the acceptance interval. FAIL: when the result is outside the acceptance interval

Moisture Content (%)

11.5

Water Activity (aw)

0.454 @ 24.5°C

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
THCA	27.6	276
CBGA	1.06	10.6
CBCA	0.680	6.80
TOTAL CBD	0.000	0.000
TOTAL THC	24.5	245
TOTAL CANNABINOIDS	30.3	303

Terpenes (Top 5)	(%)	ppm
β-Myrcene	0.683	6830
β-Caryophyllene	0.278	2780
Linalool	0.0934	934
α-Humulene	0.0851	851
trans-β-Ocimene	0.0675	675
TOTAL TERPENES	1.43	14300

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location:	Customer ID: 2161	Order ID: OR12043	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13132039516	Mass: 18g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/04/2026
License: ADH 113	License: 00065C	5124H20260206GBB-2	Date Received: 03/05/2026
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 03/08/2026

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 03/06/2026 1803

Method: HPLC/DAD

Moisture Content (%): 11.5

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): 0.454 @ 24.5°C

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.0393	0.0917	-	0.000	0.000
CBCA	0.680	6.80	0.122	0.285	-	6.02	6.02
CBD	ND	ND	0.277	0.647	-	0.000	0.000
CBDA	DET	DET	0.102	0.238	-	0.000	0.000
CBDV	0.0928	0.928	0.0445	0.104	-	0.821	0.821
CBDVA	ND	ND	0.119	0.277	-	0.000	0.000
CBG	0.111	1.11	0.180	0.420	-	0.982	0.982
CBGA	1.06	10.6	0.255	0.301	-	9.42	9.42
CBL	ND	ND	0.208	0.486	-	0.000	0.000
CBN	ND	ND	0.0955	0.223	-	0.000	0.000
CBNA	0.0955	0.955	0.103	0.240	-	0.845	0.845
Δ9-THC	0.377	3.77	0.115	0.267	-	3.34	3.34
Δ8-THC	ND	ND	0.179	0.417	-	0.000	0.000
THCA	27.6	276	0.0621	0.145	-	244	244
THCV	ND	ND	0.149	0.347	-	0.000	0.000
THCVA	0.339	3.39	0.0476	0.111	-	3.00	3.00
TOTAL	30.3	303			-	268	268
TOTAL CBC	0.597	5.97			-	5.28	5.28
TOTAL CBD	0.000	0.000			-	0.000	0.000
TOTAL CBDV	0.0928	0.928			-	0.821	0.821
TOTAL CBG	1.05	10.5			-	9.25	9.25
TOTAL CBN	0.0836	0.836			-	0.740	0.740
TOTAL THC	24.5	245			-	217	217
TOTAL THCV	0.294	2.94			-	2.60	2.60



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not reported for this sample.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.
Dry percent = Wet percent / (1-(Moisture Content/100))

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDA x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location:	Customer ID: 2161	Order ID: OR12043	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13132039516	Mass: 18g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/04/2026
License: ADH 113	License: 00065C	5124H20260206GBB-2	Date Received: 03/05/2026
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 03/08/2026

TERPENOID PROFILE

Analysis Date/Time: 03/07/2026 0114

Method: GC/MS

Deviations from SOP:

Analyst: KF

Instrument: Agilent 7890/5975

None

<u>Terpene</u>	<u>Result (ppm)</u>	<u>Result (%)</u>	<u>Terpene</u>	<u>Result (ppm)</u>	<u>Result (%)</u>
α-Bisabolol	266	0.0266	d-Limonene	553	0.0553
L-Borneol	ND	-	Linalool	934	0.0934
D-Borneol	ND	-	l-Menthone	ND	-
Camphene	ND	-	Menthol	ND	-
Camphor	ND	-	β-Myrcene	6830	0.683
δ-3-Carene	ND	-	Nerol	ND	-
Carvacrol	ND	-	cis-Nerolidol	63.1	0.00631
Carvone	ND	-	trans-Nerolidol	112	0.0112
β-Caryophyllene	2780	0.278	Nootkatone	ND	-
Caryophyllene oxide	172	0.0172	cis-β-Ocimene	ND	-
Cedrene	ND	-	trans-β-Ocimene	675	0.0675
Cedrol	ND	-	Octyl acetate	ND	-
cis-Citral	ND	-	α-Phellandrene	ND	-
trans-Citral	ND	-	Phytane	ND	-
Citronellol	ND	-	α-Pinene	115	0.0115
o-Cymene	ND	-	β-Pinene	185	0.0185
m-Cymene	ND	-	Piperitone	ND	-
p-Cymene	ND	-	Pulegone	ND	-
Eucalyptol	ND	-	Sabinene	115	0.0115
trans-β-Farnesene	69.5	0.00695	Sabinene hydrate	ND	-
Farnesol 1	96.8	0.00968	Safranal	ND	-
Farnesol 2	118	0.0118	Squalene	ND	-
Fenchone	ND	-	Terpinen-4-ol	ND	-
Fenchyl alcohol	98.9	0.00989	α-Terpinene	ND	-
Geraniol	ND	-	γ-Terpinene	ND	-
Geranyl acetate	ND	-	α-Terpineol	119	0.0119
Guaiol	ND	-	Terpinolene	ND	-
α-Humulene	851	0.0851	α-Thujone	ND	-
Isoborneol	ND	-	Thymol	ND	-
Isobornyl acetate	ND	-	Valencene	96.5	0.00965
d-Isomenthone	ND	-	d-Valerolactam	ND	-
Isopulegol	47.3	0.00473	Verbenone	ND	-



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above LOD.

TOTAL (ppm) 14300 (%) 1.43 **Reporting Limit (ppm):** 43.1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location:	Customer ID: 2161	Order ID: OR12043	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13132039516	Mass: 18g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/04/2026
License: ADH 113	License: 00065C	5124H20260206GBB-2	Date Received: 03/05/2026

Cultivar (Strain) or Sample Description: Glitter Bomb **Date Completed:** 03/08/2026

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 03/08/2026 0706

Method: LC/MS/MS

Deviations from SOP:

Analyst: KF

Instrument: Shimadzu LC-8050

None

Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)
Abamectin (71751-41-2)	-	0.0428	0.343	0.5	Kresoxim-methyl (143390-89-0)	-	0.0428	0.343	0.4
Acephate (30560-19-1)	-	0.0428	0.343	0.4	Malathion (121-75-5)	-	0.0428	0.343	0.2
Acetaminocyl (57960-19-7)	-	0.0428	0.343	2	Metalaxyl (57837-19-1)	-	0.0428	0.343	0.2
Acetamiprid (135410-20-7)	-	0.0428	0.343	0.2	Methiocarb (2032-65-7)	-	0.0428	0.343	0.2
Aldicarb (116-06-3)	-	0.0428	0.343	0.4	Methomyl (16752-77-5)	-	0.0428	0.343	0.4
Azoxystrobin (131860-33-8)	-	0.0428	0.343	0.2	Methyl parathion (298-0-0)	-	0.0428	0.343	0.2
Bifenazate (149877-41-8)	-	0.0428	0.343	0.2	MGK 264 (113-48-4)	-	0.0428	0.343	0.2
Bifenthrin (82657-04-3)	-	0.0428	0.343	0.2	Myclobutanil (88671-89-0)	-	0.0428	0.343	0.2
Boscalid (188425-85-6)	-	0.0428	0.343	0.4	Naled (300-76-5)	-	0.0428	0.343	0.5
Carbaryl (63-25-2)	-	0.0428	0.343	0.2	Oxamyl (23135-22-0)	-	0.0428	0.343	1
Carbofuran (1563-66-2)	-	0.0428	0.343	0.2	Paclobutrazol (76738-62-0)	-	0.0428	0.343	0.4
Chlorantraniliprole (800008-45-7)	-	0.0428	0.343	0.2	Permethrins (52645-53-1)	-	0.0428	0.343	0.2
Chlorfenapyr (122453-73-0)	-	0.0428	0.343	1	Phosmet (732-11-6)	-	0.0428	0.343	0.2
Chlorpyrifos (2921-88-2)	-	0.0428	0.343	0.2	Piperonyl butoxide (51-03-6)	-	0.0428	0.343	2
Clofentezine (74115-24-5)	-	0.0428	0.343	0.2	Prallethrin (2331-36-9)	-	0.0428	0.343	0.2
Cyfluthrin (68359-37-5)	-	0.0428	0.343	1	Propiconazole (60207-90-1)	-	0.0428	0.343	0.4
Cypermethrin (52315-07-8)	-	0.0428	0.343	1	Propoxur (114-26-1)	-	0.0428	0.343	0.2
Daminozide (1596-84-5)	-	0.0428	0.343	1	Pyrethrins (8003-34-7)	-	0.0428	0.343	1
DDVP (62-73-7)	-	0.0428	0.343	0.1	Pyridaben (96489-71-3)	-	0.0428	0.343	0.2
Diazinon (333-41-5)	-	0.0428	0.343	0.2	Spinosad (168316-95-8)	-	0.0428	0.343	0.2
Dimethoate (60-51-5)	-	0.0428	0.343	0.2	Spiromesifen (283594-90-1)	-	0.0428	0.343	0.2
Ethoprophos (13194-48-4)	-	0.0428	0.343	0.2	Spirotetramat (203313-25-1)	-	0.0428	0.343	0.2
Etofenprox (80844-07-1)	-	0.0428	0.343	0.4	Spiroxamine (118134-30-8)	-	0.0428	0.343	0.4
Etoxazole (153233-91-1)	-	0.0428	0.343	0.2	Tebuconazole (80443-41-0)	-	0.0428	0.343	0.4
Fenoxycarb (72490-01-8)	-	0.0428	0.343	0.2	Thiacloprid (111988-49-9)	-	0.0428	0.343	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0428	0.343	0.4	Thiamethoxam (153719-23-4)	-	0.0428	0.343	0.2
Fipronil (120068-37-3)	-	0.0428	0.343	0.4	Trifloxystrobin (141517-21-7)	-	0.0428	0.343	0.2
Flonicamid (158062-67-0)	-	0.0428	0.343	1					
Fludioxinil (131341-86-1)	-	0.0428	0.343	0.4					
Hexythiazox (78587-05-0)	-	0.0428	0.343	1					
Imazalil (35554-44-0)	-	0.0428	0.343	0.2					
Imidacloprid (138261-41-3)	-	0.0428	0.343	0.4					



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).



Kyle W. Felling, Ph.D.
Laboratory Director

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2161 River Valley Relief Cultivation 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR12043 Lot Number: M00065C13132039516 Production Run: 5124H20260206GBB-2	Sample Type: Primary Matrix: Flower/Trim Mass: 18g Date Collected: 03/04/2026 Date Received: 03/05/2026
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 03/08/2026

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 03/06/2026 1643

Method: ICP/MS

Deviations from SOP:

Instrument: Agilent 7700x

None

Analyst: KF

<u>Heavy Metal</u>	<u>Result (ppb)</u>	<u>LOD (ppb)</u>	<u>LOQ (ppb)</u>	<u>Action Level (ppb)</u>
Arsenic (As)	ND	59.3	93.9	200
Cadmium (Cd)	ND	59.3	93.9	200
Lead (Pb)	ND	59.3	93.9	500
Mercury (Hg)	ND	59.3	93.9	100



Abbreviations: ICP - Inductively-Coupled Plasma, MS - Mass Spectrometry,
RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"ND" not detected above LOD

Reporting limit is 1/2 the action level of each analyte.

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43434)

Testing Location:	Customer ID: 2161	Sample ID: SA43434	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13132039516	Mass: 18g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/04/2026
-	License: 00065C	5124H20260206GBB-2	Date Received: 03/05/2026
Cultivar (Strain) or Sample Description: Glitter Bomb			Date Completed: 03/08/2026

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 03/07/2026 1348	Method: Hardy Diagnostics CompactDry	Deviations from SOP:
Analyst: PW	Instrument: Thermo Incubator	None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Present	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

