

**SUMMARY OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Order ID:</b> OR10335	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADH 113	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

\*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

**Moisture Content (%)**

12.8

**Water Activity (aw)**

0.503 @ 24.1°C

**PASS/FAIL**

**PASS**

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<b>Cannabinoids (Top 3)</b>	<b>(%)</b>	<b>mg/g</b>
THCA	25.5	255
CBGA	0.936	9.36
Δ9-THC	0.519	5.19
TOTAL CBD	-	-
TOTAL THC	22.9	229
TOTAL CANNABINOIDS	27.4	274

<b>Terpenes (Top 5)</b>	<b>(%)</b>	<b>µg/g</b>
Caryophyllene oxide	0.513	5130
d-Limonene	0.218	2180
β-Caryophyllene	0.213	2130
Linalool	0.140	1400
α-Humulene	0.0805	805
TOTAL TERPENES	1.45	14500

<b>Contaminants</b>	<b>PASS/FAIL</b>
Heavy Metals:	<b>PASS</b>
Microbiology:	<b>PASS</b>
Pesticides:	<b>PASS</b>

**Sample Picture Upon Receipt**



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of  
Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

*Kyle W. Felling*  
Kyle W. Felling, Ph.D.  
Laboratory Director



**CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Order ID:</b> OR10335	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADH 113	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

**CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)**

**Analysis Date/Time:** 3/8/2023 1709 **Method:** HPLC/DAD **Moisture Content (%):** 12.8  
**Analyst:** PW **Instrument:** Agilent 1100 **Water Activity (aw):** 0.503 @ 24.11°C

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.217	0.507	-	-	-
CBCA	0.369	3.69	0.674	1.57	-	3.69	3.69
CBD	ND	ND	1.53	3.58	-	-	-
CBDV	ND	ND	0.564	1.32	-	-	-
CBDVA	ND	ND	0.246	0.573	-	-	-
CBG	ND	ND	0.655	1.53	-	-	-
CBGA	<LOQ	<LOQ	0.995	2.32	-	-	-
CBL	0.936	9.36	0.713	1.66	-	9.36	9.36
CBN	ND	ND	1.15	2.68	-	-	-
CBNA	ND	ND	0.528	1.23	-	-	-
Δ9-THC	ND	ND	0.570	1.33	-	-	-
Δ8-THC	0.519	5.19	0.633	1.47	-	5.19	5.19
THCA	ND	ND	0.987	2.30	-	-	-
THCV	25.5	255	0.343	0.802	-	255	255
THCVA	ND	ND	0.823	1.92	-	-	-
THCVA	0.111	1.11	0.263	0.612	-	1.11	1.11
<b>TOTAL</b>	27.4	274			-	274	274
<b>TOTAL CBC</b>	0.324	3.24			-	3.24	3.24
<b>TOTAL CBD</b>	-	-			-	-	-
<b>TOTAL CBDV</b>	-	-			-	-	-
<b>TOTAL CBG</b>	0.821	8.21			-	8.21	8.21
<b>TOTAL CBN</b>	-	-			-	-	-
<b>TOTAL THC</b>	22.9	229			-	229	229
<b>TOTAL THCV</b>	0.0959	0.959			-	0.959	0.959



**SERVING MASS (g):** 1.00  
**SERVINGS/UNIT:** 1

"-" Not detected above LOD.

*Deviations from standard operating procedure:*  
None

*Recoveries for all analyte standards:* 90-110%  
*Replicate Uncertainties:* <5% RSD, <20% RPD  
*Sample/Reagent Blanks:* <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC  
 Total CBD = (CBDV x 0.877) + CBD  
 Total CBDV = (CBDVA x 0.867) + CBDV  
 Total CBG = (CBGA x 0.878) + CBG  
 Total CBN = (CBNA x 0.876) + CBN  
 Total THC = (THCA x 0.877) + Δ9-THC  
 Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

\* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

*Abbreviations:* DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography,  
 RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation,  
 DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation,  
 UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product.  
 Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.  
 This report is for informational purposes only and should not be used to diagnose, treat, or prevent any  
 medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of  
 Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

*Kyle W. Felling*  
 Kyle W. Felling, Ph.D.  
 Laboratory Director



**CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Order ID:</b> OR10335	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADH 113	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

**TERPENOID PROFILE**

**Analysis Date/Time:** 03/12/2023 1843

**Analyst:** KF

**Method:** GC/MS

**Instrument:** Agilent 7890/5975

**Deviations from SOP:**

None

<b>Terpene</b>	<b>Result (µg/g)</b>	<b>Result (%)</b>	
α-Bisabolol	388	0.0388	
Camphene	254	0.0254	
δ-3-Carene	-	-	
β-Caryophyllene	2130	0.213	
Caryophyllene oxide	5130	0.513	
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	-	-	
Guaiol	-	-	
α-Humulene	805	0.0805	
Isopulegol	-	-	
d-Limonene	2180	0.218	
Linalool	1400	0.140	
β-Myrcene	505	0.0505	
cis-Nerolidol	-	-	
trans-Nerolidol	145	0.0145	
α-Ocimene	-	-	
β-Ocimene	289	0.0289	
α-Pinene	450	0.0450	
β-Pinene	617	0.0617	
α-Terpinene	-	-	
γ-Terpinene	-	-	
Terpinolene	237	0.0237	
<b>TOTAL</b>	<b>14500</b>	<b>1.45</b>	



**Abbreviations:** GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above RL.

**Reporting Limit (µg/g): 43.6**

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

*Kyle W. Felling*  
Kyle W. Felling, Ph.D.  
Laboratory Director



**CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Order ID:</b> OR10335	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADH 113	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

**PESTICIDES PROFILE (SOP: SOP-PEST-001)**

**Analysis Date/Time:** 03/08/2023 2257

**Analyst:** KF

**Method:** LC/MS/MS

**Instrument:** Shimadzu LC-8050

**Deviations from SOP:**

None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0436	0.349	0.5	Kresoxim-methyl (143390-89-0)	-	0.0436	0.349	0.4
Acephate (30560-19-1)	-	0.0436	0.349	0.4	Malathion (121-75-5)	-	0.0436	0.349	0.2
Acetaminophen (57960-19-7)	-	0.0436	0.349	2	Metalaxyl (57837-19-1)	-	0.0436	0.349	0.2
Acetamiprid (135410-20-7)	-	0.0436	0.349	0.2	Methiocarb (2032-65-7)	-	0.0436	0.349	0.2
Aldicarb (116-06-3)	-	0.0436	0.349	0.4	Methomyl (16752-77-5)	-	0.0436	0.349	0.4
Azoxystrobin (131860-33-8)	-	0.0436	0.349	0.2	Methyl parathion (298-0-0)	-	0.0436	0.349	0.2
Bifenazate (149877-41-8)	-	0.0436	0.349	0.2	MGK 264 (113-48-4)	-	0.0436	0.349	0.2
Bifenthrin (82657-04-3)	-	0.0436	0.349	0.2	Myclobutanil (88671-89-0)	-	0.0436	0.349	0.2
Boscalid (188425-85-6)	-	0.0436	0.349	0.4	Naled (300-76-5)	-	0.0436	0.349	0.5
Carbaryl (63-25-2)	-	0.0436	0.349	0.2	Oxamyl (23135-22-0)	-	0.0436	0.349	1
Carbofuran (1563-66-2)	-	0.0436	0.349	0.2	Paclobutrazol (76738-62-0)	-	0.0436	0.349	0.4
Chlorantraniliprole (800008-45-7)	-	0.0436	0.349	0.2	Permethrins (52645-53-1)	-	0.0436	0.349	0.2
Chlorfenapyr (122453-73-0)	-	0.0436	0.349	1	Phosmet (732-11-6)	-	0.0436	0.349	0.2
Chlorpyrifos (2921-88-2)	-	0.0436	0.349	0.2	Piperonyl butoxide (51-03-6)	-	0.0436	0.349	2
Clofentezine (74115-24-5)	-	0.0436	0.349	0.2	Prallethrin (2331-36-9)	-	0.0436	0.349	0.2
Cyfluthrin (68359-37-5)	-	0.0436	0.349	1	Propiconazole (60207-90-1)	-	0.0436	0.349	0.4
Cypermethrin (52315-07-8)	-	0.0436	0.349	1	Propoxur (114-26-1)	-	0.0436	0.349	0.2
Daminozide (1596-84-5)	-	0.0436	0.349	1	Pyrethrins (8003-34-7)	-	0.0436	0.349	1
DDVP (62-73-7)	-	0.0436	0.349	0.1	Pyridaben (96489-71-3)	-	0.0436	0.349	0.2
Diazinon (333-41-5)	-	0.0436	0.349	0.2	Spinosad (168316-95-8)	-	0.0436	0.349	0.2
Dimethoate (60-51-5)	-	0.0436	0.349	0.2	Spiromesifen (283594-90-1)	-	0.0436	0.349	0.2
Ethoprophos (13194-48-4)	-	0.0436	0.349	0.2	Spirotetramat (203313-25-1)	-	0.0436	0.349	0.2
Etofenprox (80844-07-1)	-	0.0436	0.349	0.4	Spiroxamine (118134-30-8)	-	0.0436	0.349	0.4
Etazoxole (153233-91-1)	-	0.0436	0.349	0.2	Tebuconazole (80443-41-0)	-	0.0436	0.349	0.4
Fenoxycarb (72490-01-8)	-	0.0436	0.349	0.2	Thiacloprid (111988-49-9)	-	0.0436	0.349	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0436	0.349	0.4	Thiamethoxam (153719-23-4)	-	0.0436	0.349	0.2
Fipronil (120068-37-3)	-	0.0436	0.349	0.4	Trifloxystrobin (141517-21-7)	-	0.0436	0.349	0.2
Flonicamid (158062-67-0)	-	0.0436	0.349	1					
Fludioxinil (131341-86-1)	-	0.0436	0.349	0.4					
Hexythiazox (78587-05-0)	-	0.0436	0.349	1					
Imazalil (35554-44-0)	-	0.0436	0.349	0.2					
Imidacloprid (138261-41-3)	-	0.0436	0.349	0.4					



**Color Key**

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

**Disclaimer:** This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

Kyle W. Felling  
Laboratory Director



**CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Order ID:</b> OR10335	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADH 113	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

**HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)**

<b>Analysis Date/Time:</b> 3/10/2023 0909 (ICP/OES)	<b>Method:</b> ICP/OES	<b>Deviations from SOP:</b>
<b>Analysis Date/Time:</b> - (DMA)	<b>Instrument:</b> Agilent 720-ES	None
<b>Analyst:</b> KF		

<b>Heavy Metal</b>	<b>Result (µg/kg)</b>	<b>LOD (µg/kg)</b>	<b>LOQ (µg/kg)</b>	<b>Action Level (µg/kg)</b>
Arsenic (As)	-	59.2	93.7	200
Cadmium (Cd)	-	59.2	93.7	200
Lead (Pb)	-	59.2	93.7	500
Mercury (Hg)	-	59.2	93.7	100



**Abbreviations:** ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,  
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

**Color Key**

<b>RESULT &lt; AL</b>
<b>RESULT &gt; AL</b>

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

**Disclaimer:** This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of  
Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

*Kyle W. Felling*  
Kyle W. Felling, Ph.D.  
Laboratory Director





**CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34612)**

<b>Testing Location:</b>	<b>Customer ID:</b> 2161	<b>Sample ID:</b> SA34612	<b>Sample Type:</b> Primary
Arkansas	River Valley Relief Cultivation	<b>Lot Number:</b>	<b>Matrix:</b> Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13133899038	<b>Mass:</b> 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	<b>Production Run:</b>	<b>Date Collected:</b> 03/06/2023
License: ADA 05_H273	License: 00065C	4025H20230202WCK-1	<b>Date Received:</b> 03/07/2023
<b>Cultivar (Strain) or Sample Description:</b> Wedding Cake			<b>Date Completed:</b> 03/13/2023

**MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)**

<b>Analysis Date/Time:</b> 20230309 113	<b>Method:</b> Hardy Diagnostics CompactDry	<b>Deviations from SOP:</b>
<b>Analyst:</b> PW	<b>Instrument:</b> Thermo Incubator	None

<b>Bacteria/Microbe</b>	<b>Result (CFU/g)</b>	<b>Action Level (CFU/g)</b>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	1
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



**Abbreviations:** EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested  
Absent - Not Detected Above RL, Present - Detected Above RL

**Color Key**

RESULT < AL

RESULT > AL

**Reporting Limit (CFU/g)**

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.  
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

**Disclaimer:** This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of  
Felling Analytical Services and Technology (F.A.S.T.), LLC

[www.FASTLaboratories.com](http://www.FASTLaboratories.com)

*Kyle W. Felling*  
Kyle W. Felling, Ph.D.  
Laboratory Director

