







SUMMARY OF ANALYSIS (SAMPLE ID: SA34608)

Testing Location:	Customer ID: 2161	Order ID: OR10335	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADH 113	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample Des	Date Completed: 03/13/2023		

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)	Water Activity (aw)	PASS/FAIL
14.4	0.467 @ 24.7°C	PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	<u>(%)</u>	<u>mg/g</u>
THCA	28.2	282
CBGA	1.32	13.2
Δ9-THC	0.791	7.91
TOTAL CBD	-	-
TOTAL THC	25.5	255
TOTAL CANNABINOIDS	30.8	308
<u>Terpenes (Top 5)</u>	<u>(%)</u>	µg∕g
<u>Terpenes (Top 5)</u> d-Limonene	<u>(%)</u> 0.214	µg/g 2140
d-Limonene	0.214	2140
d-Limonene β-Caryophyllene	0.214 0.173	2140 1730
d-Limonene β-Caryophyllene Linalool	0.214 0.173 0.137	2140 1730 1370

Contaminants	PASS/FAIL		
Heavy Metals:	PASS		
Microbiology:	PASS		
Pesticides:	PASS		





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34608)

Testing Location:	Customer ID: 2161	Order ID: OR10335	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADH 113	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample I	Date Completed: 03/13/2023		

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 3/8/2023 1624 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100 **Moisture Content (%):** 14.4 **Water Activity (aw):** 0.467 @ 24.74°C

<u>Cannabinoid</u>	<u>Result</u> (<u>%)</u>	<u>Result</u> (mg/g)	<u>LOD</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ s mL)	<u>Per</u> Serving (mg)	<u>Per</u> g <u>Unit</u> (mg)
CBC	ND	ND	0.229	0.533	-	-	-
CBCA	0.270	2.70	0.710	1.66	-	2.70	2.70
CBD	ND	ND	1.61	3.76	-	-	-
CBDA	ND	ND	0.593	1.39	-	-	-
CBDV	ND	ND	0.259	0.603	-	-	-
CBDVA	ND	ND	0.690	1.61	-	-	-
CBG	<loq< td=""><td><loq< td=""><td>1.05</td><td>2.44</td><td>-</td><td>-</td><td>-</td></loq<></td></loq<>	<loq< td=""><td>1.05</td><td>2.44</td><td>-</td><td>-</td><td>-</td></loq<>	1.05	2.44	-	-	-
CBGA	1.32	13.2	0.750	1.75	-	13.2	13.2
CBL	ND	ND	1.21	2.82	-	-	-
CBN	ND	ND	0.555	1.30	-	-	-
CBNA	ND	ND	0.599	1.40	-	-	-
Δ9-ΤΗC	0.791	7.91	0.666	1.55	-	7.91	7.91
$\Delta 8$ -THC	ND	ND	1.04	2.42	-	-	-
THCA	28.2	282	0.361	0.844	-	282	282
THCV	ND	ND	0.866	2.02	-	-	-
THCVA	0.169	1.69	0.277	0.644	-	1.69	1.69
TOTAL	30.8	308			-	308	308
TOTAL CBC	0.236	2.36			-	2.36	2.36
TOTAL CBD	-	-			-	-	-
TOTAL CBDV	-	-			-	-	-
TOTAL CBG	1.15	11.5			-	11.5	11.5
TOTAL CBN	-	-			-	-	-
TOTAL THC	25.5	255			-	255	255
TOTAL THCV	0.147	1.47			-	1.47	1.47

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



SERVING MASS (g): 1.00 SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) + Δ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Kyle W. Felling, Ph.D. atory Directo



www.FASTLaboratories.com









CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34608)


Testing Location:	Customer ID: 2161	Order ID: OR10335	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADH 113	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample	Date Completed: 03/13/2023		

Analysis Date/Time:03/12/2023 1719 Analyst: KF

TERPENOID PROFILE

Method: GC/MS Instrument: Agilent 7890/5975

Deviations from SOP: None















Deviations from SOP:

None

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34608)

Testing Location:	Customer ID: 2161	Order ID: OR10335	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADH 113	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample	Date Completed: 03/13/2023		

Analysis Date/Time: 03/08/2023 2155 Analyst: KF

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0452	0.362	0.5	Kresoxim-methyl		0.0453	0.262		
Acephate (30560-19-1)	-	0.0452	0.362	0.4	(143390-89-0)	-	0.0452	0.362	0.4	
Acequinocyl (57960-19-7)	-	0.0452	0.362	2	Malathion (121-75-5)	-	0.0452	0.362	0.2	
Acetamiprid		0.0450	0.262	0.2	Metalaxyl (57837-19-1)	-	0.0452	0.362	0.2	
(135410-20-7)	-	0.0452	0.362	0.2	Methiocarb (2032-65-7)	-	0.0452	0.362	0.2	<u>Color Key</u>
Aldicarb (116-06-3)	-	0.0452	0.362	0.4	Methomyl (16752-77-5)	-	0.0452	0.362	0.4	RESULT < AL
Azoxystrobin (131860-33-8)	-	0.0452	0.362	0.2	Methyl parathion (298-0-0)	-	0.0452	0.362	0.2	RESULT > AL
Bifenazate (149877-41-8)	-	0.0452	0.362	0.2	MGK 264 (113-48-4)	-	0.0452	0.362	0.2	"DET" detected less than LOQ
Bifenthrin (82657-04-3)	-	0.0452	0.362	0.2	Myclobutanil	_	0.0452	0.362	0.2	"-" not detected above
Boscalid (188425-85-6)	-	0.0452	0.362	0.4	(88671-89-0)					LOD
Carbaryl (63-25-2)	-	0.0452	0.362	0.2	Naled (300-76-5)	-	0.0452	0.362	0.5	Permethrins measured as the
Carbofuran (1563-66-2)	-	0.0452	0.362	0.2	Oxamyl (23135-22-0)	-	0.0452	0.362	1	cumulative residue of the <i>cis</i> - and
Chlorantraniliprole (800008-45-7)	-	0.0452	0.362	0.2	Paclobutrazol (76738-62-0)	-	0.0452	0.362	0.4	trans- permethrin isomers.
Chlorfenapyr		0.0452	0.262	1	Permethrins (52645-53-1)	-	0.0452	0.362	0.2	Pyrethrins measured as the cumulative residue of the
(122453-73-0)	-	0.0452	0.362	1	Phosmet (732-11-6)	-	0.0452	0.362	0.2	pyrethrin I, cinerin I, and jasmolin
Chlorpyrifos (2921-88-2)	-	0.0452	0.362	0.2	Piperonyl butoxide	_	0.0452	0.362	2	I isomers.
Clofentezine (74115-24-5)	-	0.0452	0.362	0.2	(51-03-6)			0.262	0.2	Action levels are referenced from
Cyfluthrin (68359-37-5)	-	0.0452	0.362	1	Prallethrins (2331-36-9)	-	0.0452	0.362	0.2	the
Cypermethrin (52315-07-8)	-	0.0452	0.362	1	Propiconazole (60207-90-1))	-	0.0452	0.362	0.4	State of Arkansas MMJ testing guidelines.
Daminozide (1596-84-5)	-	0.0452	0.362	1	Propoxur (114-26-1)	-	0.0452	0.362	0.2	A value of "-" for the action level
DDVP (62-73-7)	-	0.0452	0.362	0.1	Pyrethrins (8003-34-7)	-	0.0452	0.362	1	means that analyte is not
Diazinon (333-41-5)	-	0.0452	0.362	0.2	Pyridaben (96489-71-3)	-	0.0452	0.362	0.2	currently regulated by the regulations referenced above.
Dimethoate (60-51-5)	-	0.0452	0.362	0.2	Spinosad (168316-95-8)	-	0.0452	0.362	0.2	regulations referenced above.
Ethoprophos (13194-48-4)	-	0.0452	0.362	0.2	Spiromesifen (283594-90-1)	-	0.0452	0.362	0.2	Disclaimer: This information is
Etofenprox (80844-07-1)	-	0.0452	0.362	0.4	Spirotetramat					provided as a service and makes no claims of efficacy and/or safety
Etoxazole (153233-91-1)	-	0.0452	0.362	0.2	(203313-25-1)	-	0.0452	0.362	0.2	of this product. Results are
Fenoxycarb (72490-01-8)	-	0.0452	0.362	0.2	Spiroxamine	_	0.0452	0.362	0.4	applicable only for the sample(s) analyzed and for the specific
(E)-Fenpyroximate (134098-61-6)	-	0.0452	0.362	0.4	(118134-30-8) Tebuconazole		0.0432	0.362	0.4	analysis conducted. This report is for informational purposes only
Fipronil (120068-37-3)	-	0.0452	0.362	0.4	(80443-41-0)	-	0.0452	0.362	0.4	and should not be used to
Flonicamid (158062-67-0)	-	0.0452	0.362	1	Thiacloprid	_	0.0452	0.362	0.2	diagnose, treat, or prevent any medical-related symptoms. The
Fludioxinil (131341-86-1)	-	0.0452	0.362	0.4	(111988-49-9)					statements and results herein have
Hexythiazox (78587-05-0)	-	0.0452	0.362	1	Thiamethoxam (153719-23-4)	-	0.0452	0.362	0.2	not been approved and/or
Imazalil (35554-44-0)	-	0.0452	0.362	0.2	Trifloxystrobin		0.0	0.000	0.5	endorsed by the FDA.
Imidacloprid (138261-41-3)	-	0.0452	0.362	0.4	(141517-21-7)	-	0.0452	0.362	0.2	

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide Pesticide Synonym(s) Cyfluthrin Baythroid Myclobutanil DDVP Dichlorvos Naled Dibrom Ethoprophos Prophos Phosmet Imidan



Pesticide Propiconazole Propoxur

Synonym(s) Tilt Baygon



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34608)

Testing Location:	Customer ID: 2161	Order ID: OR10335	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADH 113	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample	Description: Race Fuel		Date Completed: 03/13/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/T Analysis Date/T Analyst: KF	ime: 3/10/2023 08 ime: - (DMA)	53 (ICP/OES)		nod: ICP/OES •ument: Agilent 720-E	Deviations from SOP:CSNone
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	58.8	93.2	200	
Cadmium (Cd)	-	58.8	93.2	200	an first s
Lead (Pb)	-	58.8	93.2	500	
Mercury (Hg)		58.8	93.2	100	

Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

<u>Color Key</u>



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34608)

Testing Location:	Customer ID: 2161	Sample ID: SA34608	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13135012495	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 03/06/2023
License: ADA 05_H273	License: 00065C	4025H20230202RFL-1	Date Received: 03/07/2023
Cultivar (Strain) or Sample I	Date Completed: 03/13/2023		

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 2023030 Analyst: PW		ardy Diagnostics CompactDry t: Thermo Incubator	Deviations from SOP: None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	Ann
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	A A CON
Mold/Yeast	NT	-	
Pseudomonas aeruginosa	NT	1	
Salmonella spp.	NT	-	
Staphylococcus aureus	NT	-	

Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



