

SUMMARY OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location:	Customer ID: 2161	Order ID: OR12017	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13136103504	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/19/2026
License: ADH 113	License: 00065C	3122H20260109KLP-1	Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

*Where provided, statements of conformity (e.g. Pass/Fail) are made in accordance with ILAC G8, Binary Statement for Simple Acceptance Rule (w=0, AL=TL).
PASS: when the result is within the acceptance interval. FAIL: when the result is outside the acceptance interval

Moisture Content (%)

12.0

Water Activity (aw)

0.436 @ 24.5°C

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
THCA	28.0	280
CBGA	1.23	12.3
Δ9-THC	0.430	4.30
TOTAL CBD	0.000	0.000
TOTAL THC	25.0	250
TOTAL CANNABINOIDS	29.7	297

<u>Terpenes (Top 5)</u>	<u>(%)</u>	<u>ppm</u>
β-Myrcene	0.716	7160
d-Limonene	0.423	4230
β-Caryophyllene	0.321	3210
Linalool	0.318	3180
α-Humulene	0.139	1390
TOTAL TERPENES	2.46	24600

<u>Contaminants</u>	<u>PASS/FAIL</u>
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location:	Customer ID: 2161	Order ID: OR12017	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13136103504	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/19/2026
License: ADH 113	License: 00065C	3122H20260109KLP-1	Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 02/20/2026 1516

Method: HPLC/DAD

Moisture Content (%): 12.0

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): 0.436 @ 24.5°C

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.0434	0.101	-	0.000	0.000
CBCA	ND	ND	0.135	0.314	-	0.000	0.000
CBD	ND	ND	0.306	0.714	-	0.000	0.000
CBDV	DET	DET	0.113	0.263	-	0.000	0.000
CBDVA	ND	ND	0.0491	0.115	-	0.000	0.000
CBDVA	ND	ND	0.131	0.306	-	0.000	0.000
CBG	ND	ND	0.199	0.464	-	0.000	0.000
CBGA	1.23	12.3	0.282	0.332	-	10.8	10.8
CBL	ND	ND	0.229	0.536	-	0.000	0.000
CBN	ND	ND	0.105	0.246	-	0.000	0.000
CBNA	ND	ND	0.114	0.265	-	0.000	0.000
Δ9-THC	0.430	4.30	0.126	0.295	-	3.78	3.78
Δ8-THC	ND	ND	0.197	0.460	-	0.000	0.000
THCA	28.0	280	0.0685	0.160	-	246	246
THCV	ND	ND	0.164	0.383	-	0.000	0.000
THCVA	0.0985	0.985	0.0525	0.122	-	0.867	0.867
TOTAL	29.7	297			-	261	261
TOTAL CBC	0.000	0.000			-	0.000	0.000
TOTAL CBD	0.000	0.000			-	0.000	0.000
TOTAL CBDV	0.000	0.000			-	0.000	0.000
TOTAL CBG	1.08	10.8			-	9.48	9.48
TOTAL CBN	0.000	0.000			-	0.000	0.000
TOTAL THC	25.0	250			-	220	220
TOTAL THCV	0.0855	0.855			-	0.752	0.752



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not reported for this sample.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.
Dry percent = Wet percent / (1-(Moisture Content/100))

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDV x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location:	Customer ID: 2161	Order ID: OR12017	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13136103504	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/19/2026
License: ADH 113	License: 00065C	3122H20260109KLP-1	Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

TERPENOID PROFILE

Analysis Date/Time: 02/20/2026 1709

Method: GC/MS


Deviations from SOP:

Analyst: KF

Instrument: Agilent 7890/5975

None

Terpene	Result (ppm)	Result (%)	Terpene	Result (ppm)	Result (%)
α-Bisabolol	551	0.0551	d-Limonene	4230	0.423
L-Borneol	ND	-	Linalool	3180	0.318
D-Borneol	133	0.0133	l-Menthone	ND	-
Camphene	168	0.0168	Menthol	ND	-
Camphor	ND	-	β-Myrcene	7160	0.716
δ-3-Carene	<LOQ	-	Nerol	ND	-
Carvacrol	ND	-	cis-Nerolidol	ND	-
Carvone	ND	-	trans-Nerolidol	279	0.0279
β-Caryophyllene	3210	0.321	Nootkatone	ND	-
Caryophyllene oxide	136	0.0136	cis-β-Ocimene	50.1	0.00501
Cedrene	ND	-	trans-β-Ocimene	<LOQ	-
Cedrol	ND	-	Octyl acetate	ND	-
cis-Citral	ND	-	α-Phellandrene	<LOQ	-
trans-Citral	ND	-	Phytane	ND	-
Citronellol	ND	-	α-Pinene	539	0.0539
o-Cymene	ND	-	β-Pinene	713	0.0713
m-Cymene	ND	-	Piperitone	ND	-
p-Cymene	ND	-	Pulegone	ND	-
Eucalyptol	ND	-	Sabinene	422	0.0422
trans-β-Farnesene	110	0.0110	Sabinene hydrate	<LOQ	-
Farnesol 1	ND	-	Safranal	ND	-
Farnesol 2	384	0.0384	Squalene	121	0.0121
Fenchone	<LOQ	-	Terpinen-4-ol	<LOQ	-
Fenchyl alcohol	659	0.0659	α-Terpinene	<LOQ	-
Geraniol	125	0.0125	γ-Terpinene	<LOQ	-
Geranyl acetate	99.6	0.00996	α-Terpineol	568	0.0568
Guaiol	87.0	0.00870	Terpinolene	58.5	0.00585
α-Humulene	1390	0.139	α-Thujone	ND	-
Isoborneol	<LOQ	-	Thymol	ND	-
Isobornyl acetate	ND	-	Valencene	104	0.0104
d-Isomenthone	ND	-	d-Valerolactam	ND	-
Isopulegol	87.2	0.00872	Verbenone	ND	-



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above LOD.

TOTAL (ppm) 24600 (%) 2.46 **Reporting Limit (ppm):** 47.6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2161 River Valley Relief Cultivation 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR12017 Lot Number: M00065C13136103504 Production Run: 3122H20260109KLP-1	Sample Type: Primary Matrix: Flower/Trim Mass: 23g Date Collected: 02/19/2026 Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 02/20/2026 2040

Analyst: KF

Method: LC/MS/MS

Instrument: Shimadzu LC-8050

Deviations from SOP:

None

Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)
Abamectin (71751-41-2)	-	0.0473	0.378	0.5	Kresoxim-methyl (143390-89-0)	-	0.0473	0.378	0.4
Acephate (30560-19-1)	-	0.0473	0.378	0.4	Malathion (121-75-5)	-	0.0473	0.378	0.2
Acetaminophen (57960-19-7)	-	0.0473	0.378	2	Metalaxyl (57837-19-1)	-	0.0473	0.378	0.2
Acetamiprid (135410-20-7)	-	0.0473	0.378	0.2	Methiocarb (2032-65-7)	-	0.0473	0.378	0.2
Aldicarb (116-06-3)	-	0.0473	0.378	0.4	Methomyl (16752-77-5)	-	0.0473	0.378	0.4
Azoxystrobin (131860-33-8)	-	0.0473	0.378	0.2	Methyl parathion (298-0-0)	-	0.0473	0.378	0.2
Bifenazate (149877-41-8)	-	0.0473	0.378	0.2	MGK 264 (113-48-4)	-	0.0473	0.378	0.2
Bifenthrin (82657-04-3)	-	0.0473	0.378	0.2	Myclobutanil (88671-89-0)	-	0.0473	0.378	0.2
Boscalid (188425-85-6)	-	0.0473	0.378	0.4	Naled (300-76-5)	-	0.0473	0.378	0.5
Carbaryl (63-25-2)	-	0.0473	0.378	0.2	Oxamyl (23135-22-0)	-	0.0473	0.378	1
Carbofuran (1563-66-2)	-	0.0473	0.378	0.2	Paclobutrazol (76738-62-0)	-	0.0473	0.378	0.4
Chlorantraniliprole (800008-45-7)	-	0.0473	0.378	0.2	Permethrins (52645-53-1)	-	0.0473	0.378	0.2
Chlorfenapyr (122453-73-0)	-	0.0473	0.378	1	Phosmet (732-11-6)	-	0.0473	0.378	0.2
Chlorpyrifos (2921-88-2)	-	0.0473	0.378	0.2	Piperonyl butoxide (51-03-6)	-	0.0473	0.378	2
Clofentezine (74115-24-5)	-	0.0473	0.378	0.2	Prallethrin (2331-36-9)	-	0.0473	0.378	0.2
Cyfluthrin (68359-37-5)	-	0.0473	0.378	1	Propiconazole (60207-90-1)	-	0.0473	0.378	0.4
Cypermethrin (52315-07-8)	-	0.0473	0.378	1	Propoxur (114-26-1)	-	0.0473	0.378	0.2
Daminozide (1596-84-5)	-	0.0473	0.378	1	Pyrethrins (8003-34-7)	-	0.0473	0.378	1
DDVP (62-73-7)	-	0.0473	0.378	0.1	Pyridaben (96489-71-3)	-	0.0473	0.378	0.2
Diazinon (333-41-5)	-	0.0473	0.378	0.2	Spinosad (168316-95-8)	-	0.0473	0.378	0.2
Dimethoate (60-51-5)	-	0.0473	0.378	0.2	Spiromesifen (283594-90-1)	-	0.0473	0.378	0.2
Ethoprophos (13194-48-4)	-	0.0473	0.378	0.2	Spirotetramat (203313-25-1)	-	0.0473	0.378	0.2
Etofenprox (80844-07-1)	-	0.0473	0.378	0.4	Spiroxamine (118134-30-8)	-	0.0473	0.378	0.4
Etiozazole (153233-91-1)	-	0.0473	0.378	0.2	Tebuconazole (80443-41-0)	-	0.0473	0.378	0.4
Fenoxycarb (72490-01-8)	-	0.0473	0.378	0.2	Thiacloprid (111988-49-9)	-	0.0473	0.378	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0473	0.378	0.4	Thiamethoxam (153719-23-4)	-	0.0473	0.378	0.2
Fipronil (120068-37-3)	-	0.0473	0.378	0.4	Trifloxystrobin (141517-21-7)	-	0.0473	0.378	0.2
Flonicamid (158062-67-0)	-	0.0473	0.378	1					
Fludioxinil (131341-86-1)	-	0.0473	0.378	0.4					
Hexythiazox (78587-05-0)	-	0.0473	0.378	1					
Imazalil (35554-44-0)	-	0.0473	0.378	0.2					
Imidacloprid (138261-41-3)	-	0.0473	0.378	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"- " not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.
Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2161 River Valley Relief Cultivation 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR12017 Lot Number: M00065C13136103504 Production Run: 3122H20260109KLP-1	Sample Type: Primary Matrix: Flower/Trim Mass: 23g Date Collected: 02/19/2026 Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 02/21/2026 1421

Method: ICP/MS

Deviations from SOP:

Instrument: Agilent 7700x

None

Analyst: KF

<u>Heavy Metal</u>	<u>Result (ppb)</u>	<u>LOD (ppb)</u>	<u>LOQ (ppb)</u>	<u>Action Level (ppb)</u>
Arsenic (As)	ND	56.3	89.2	200
Cadmium (Cd)	ND	56.3	89.2	200
Lead (Pb)	ND	56.3	89.2	500
Mercury (Hg)	ND	56.3	89.2	100



Abbreviations: ICP - Inductively-Coupled Plasma, MS - Mass Spectrometry,
RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"ND" not detected above LOD

Reporting limit is 1/2 the action level of each analyte.

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA43289)

Testing Location:	Customer ID: 2161	Sample ID: SA43289	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower/Trim
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13136103504	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/19/2026
-	License: 00065C	3122H20260109KLP-1	Date Received: 02/19/2026
Cultivar (Strain) or Sample Description: Key Lime Pie			Date Completed: 02/22/2026

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 02/21/2026 1114	Method: Hardy Diagnostics CompactDry	Deviations from SOP:
Analyst: PW	Instrument: Thermo Incubator	None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

