

SUMMARY OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Order ID: OR10291	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADH 113	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

13.0

Water Activity (aw)

0.480 @ 24.4°C

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
THCA	15.8	158
Δ9-THC	0.812	8.12
CBGA	0.753	7.53
TOTAL CBD	-	-
TOTAL THC	14.7	147
TOTAL CANNABINOIDS	18.0	180

Terpenes (Top 5)	(%)	µg/g
Terpinolene	0.196	1960
Caryophyllene oxide	0.181	1810
β-Caryophyllene	0.149	1490
Linalool	0.0899	899
β-Myrcene	0.0849	849
TOTAL TERPENES	0.886	8860

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Order ID: OR10291	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADH 113	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 2/8/2023 1344

Method: HPLC/DAD


Moisture Content (%): 13

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): 0.48 @ 24.44°C

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	<u>LOQ</u> (mg/g)	<u>Result</u> (mg/mL)	<u>Per</u> <u>Serving</u> (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	-	-	-	0.528	-	-	-
CBCA	-	-	-	1.64	-	-	-
CBD	-	-	-	3.73	-	-	-
CBDA	-	-	-	1.37	-	-	-
CBDV	-	-	-	0.598	-	-	-
CBDVA	-	-	-	1.59	-	-	-
CBG	-	-	-	2.42	-	-	-
CBGA	0.753	0.0677	7.53	1.73	-	7.53	7.53
CBL	-	-	-	2.80	-	-	-
CBN	-	-	-	1.28	-	-	-
CBNA	-	-	-	1.38	-	-	-
Δ9-THC	0.812	0.0731	8.12	1.54	-	8.12	8.12
Δ8-THC	-	-	-	2.40	-	-	-
THCA	15.8	1.42	158	0.836	-	158	158
THCV	-	-	-	2.00	-	-	-
THCVA	0.642	0.0193	6.42	0.637	-	6.42	6.42
TOTAL	18.0	1.58	180		-	180	180
TOTAL CBC	-	-	-		-	-	-
TOTAL CBD	-	-	-		-	-	-
TOTAL CBDV	-	-	-		-	-	-
TOTAL CBG	0.661	0.0595	6.61		-	6.61	6.61
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	14.7	1.32	147		-	147	147
TOTAL THCV	0.557	0.0167	5.57		-	5.57	5.57



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDA x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography,
RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation,
DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation,
UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
This report is for informational purposes only and should not be used to diagnose, treat, or prevent any
medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Order ID: OR10291	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADH 113	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

TERPENOID PROFILE

Analysis Date/Time: 02/08/2023 1325

Analyst: KF


Method: GC/MS

Instrument: Agilent 7890/5975

Deviations from SOP:

None

Terpene	Result (µg/g)	Result (%)	
α-Bisabolol	195	0.0195	
Camphene	-	-	
δ-3-Carene	-	-	
β-Caryophyllene	1490	0.149	
Caryophyllene oxide	1810	0.181	
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	-	-	
Guaiol	-	-	
α-Humulene	514	0.0514	
Isopulegol	-	-	
d-Limonene	390	0.0390	
Linalool	899	0.0899	
β-Myrcene	849	0.0849	
cis-Nerolidol	-	-	
trans-Nerolidol	-	-	
α-Ocimene	-	-	
β-Ocimene	439	0.0439	
α-Pinene	-	-	
β-Pinene	321	0.0321	
α-Terpinene	-	-	
γ-Terpinene	-	-	
Terpinolene	1960	0.196	
TOTAL	8860	0.886	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above RL.

Reporting Limit (µg/g): 45.0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Order ID: OR10291	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADH 113	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 02/08/2023 1303

Analyst: KF


Method: LC/MS/MS

Instrument: Shimadzu LC-8050

Deviations from SOP:

None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0450	0.360	0.5	Kresoxim-methyl (143390-89-0)	-	0.0450	0.360	0.4
Acephate (30560-19-1)	-	0.0450	0.360	0.4	Malathion (121-75-5)	-	0.0450	0.360	0.2
Acetaminophen (57960-19-7)	-	0.0450	0.360	2	Metalaxyl (57837-19-1)	-	0.0450	0.360	0.2
Acetamiprid (135410-20-7)	-	0.0450	0.360	0.2	Methiocarb (2032-65-7)	-	0.0450	0.360	0.2
Aldicarb (116-06-3)	-	0.0450	0.360	0.4	Methomyl (16752-77-5)	-	0.0450	0.360	0.4
Azoxystrobin (131860-33-8)	-	0.0450	0.360	0.2	Methyl parathion (298-0-0)	-	0.0450	0.360	0.2
Bifenazate (149877-41-8)	-	0.0450	0.360	0.2	MGK 264 (113-48-4)	-	0.0450	0.360	0.2
Bifenthrin (82657-04-3)	-	0.0450	0.360	0.2	Myclobutanil (88671-89-0)	-	0.0450	0.360	0.2
Boscalid (188425-85-6)	-	0.0450	0.360	0.4	Naled (300-76-5)	-	0.0450	0.360	0.5
Carbaryl (63-25-2)	-	0.0450	0.360	0.2	Oxamyl (23135-22-0)	-	0.0450	0.360	1
Carbofuran (1563-66-2)	-	0.0450	0.360	0.2	Paclobutrazol (76738-62-0)	-	0.0450	0.360	0.4
Chlorantraniliprole (800008-45-7)	-	0.0450	0.360	0.2	Permethrins (52645-53-1)	-	0.0450	0.360	0.2
Chlorfenapyr (122453-73-0)	-	0.0450	0.360	1	Phosmet (732-11-6)	-	0.0450	0.360	0.2
Chlorpyrifos (2921-88-2)	-	0.0450	0.360	0.2	Piperonyl butoxide (51-03-6)	-	0.0450	0.360	2
Clofentezine (74115-24-5)	-	0.0450	0.360	0.2	Prallethrin (2331-36-9)	-	0.0450	0.360	0.2
Cyfluthrin (68359-37-5)	-	0.0450	0.360	1	Propiconazole (60207-90-1)	-	0.0450	0.360	0.4
Cypermethrin (52315-07-8)	-	0.0450	0.360	1	Propoxur (114-26-1)	-	0.0450	0.360	0.2
Daminozide (1596-84-5)	-	0.0450	0.360	1	Pyrethrins (8003-34-7)	-	0.0450	0.360	1
DDVP (62-73-7)	-	0.0450	0.360	0.1	Pyridaben (96489-71-3)	-	0.0450	0.360	0.2
Diazinon (333-41-5)	-	0.0450	0.360	0.2	Spinosad (168316-95-8)	-	0.0450	0.360	0.2
Dimethoate (60-51-5)	-	0.0450	0.360	0.2	Spiromesifen (283594-90-1)	-	0.0450	0.360	0.2
Ethoprophos (13194-48-4)	-	0.0450	0.360	0.2	Spirotetramat (203313-25-1)	-	0.0450	0.360	0.2
Etofenprox (80844-07-1)	-	0.0450	0.360	0.4	Spiroxamine (118134-30-8)	-	0.0450	0.360	0.4
Etoazoxole (153233-91-1)	-	0.0450	0.360	0.2	Tebuconazole (80443-41-0)	-	0.0450	0.360	0.4
Fenoxycarb (72490-01-8)	-	0.0450	0.360	0.2	Thiacloprid (111988-49-9)	-	0.0450	0.360	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0450	0.360	0.4	Thiamethoxam (153719-23-4)	-	0.0450	0.360	0.2
Fipronil (120068-37-3)	-	0.0450	0.360	0.4	Trifloxystrobin (141517-21-7)	-	0.0450	0.360	0.2
Flonicamid (158062-67-0)	-	0.0450	0.360	1					
Fludioxinil (131341-86-1)	-	0.0450	0.360	0.4					
Hexythiazox (78587-05-0)	-	0.0450	0.360	1					
Imazalil (35554-44-0)	-	0.0450	0.360	0.2					
Imidacloprid (138261-41-3)	-	0.0450	0.360	0.4					



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Order ID: OR10291	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADH 113	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 02/08/2023 0826 (ICP/OES)	Method: ICP/OES	Deviations from SOP:
Analysis Date/Time: - (DMA)	Instrument: Agilent 720-ES	None
Analyst: KF		

<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)
Arsenic (As)	-	59.5	94.2	200
Cadmium (Cd)	-	59.5	94.2	200
Lead (Pb)	-	59.5	94.2	500
Mercury (Hg)	-	59.5	94.2	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34285)

Testing Location:	Customer ID: 2161	Sample ID: SA34285	Sample Type: Primary
Arkansas	River Valley Relief Cultivation	Lot Number:	Matrix: Flower
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13138568901	Mass: 23g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/06/2023
License: ADA 05_H273	License: 00065C	6020H20221201BBF-2	Date Received: 02/06/2023
Cultivar (Strain) or Sample Description: Ben's Buffalo			Date Completed: 02/09/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 20230208 1152	Method: Hardy Diagnostics CompactDry	Deviations from SOP:
Analyst: PW	Instrument: Thermo Incubator	None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	Absent	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	NT	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	1
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

