





SUMMARY OF ANALYSIS (SAMPLE ID: SA40895)

Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample Des	Date Completed:04/27/2025		

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines

*Where provided, statements of conformity (e.g. Pass/Fail) are made in accordance with ILAC G8, Binary Statement for Simple Acceptance Rule (w=0, AL=TL). PASS: when the result is within the acceptance interval. FAIL: when the result is outside the acceptance interval

Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines. Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabir	<u>noids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>	
Δ9	-THC	0.196	1.96	
Δ8	-THC	0.00684	0.0684	
(CBG	0.00379	0.0379	
TOT	AL CBD	0.000	0.000	
TOT	AL THC	0.196	1.96	
TOTAL CA	NNABINOIDS	0.207	2.07	
Terper	<u>es (Top 5)</u>	<u>(%)</u>	<u>ppm</u>	
α-Ηι	imulene	0.00644	64.4	
α-Bi	sabolol	0.00366	36.6	
d-Li	monene	0.000840	8.40	
α-Ι	linene	0.000718	7.18	
Car	nphene			
TOTAL	ΓERPENES	0.0117	117	
<u>Contaminants</u>	PASS/FAIL	Sample Picture Upon Receipt		
Heavy Metals:	PASS			
Microbiology:	PASS			





Pesticides:

Residual Solvents:

Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

PASS PASS

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Page 1 of 7 04/27/2025

W. Felling, Ph.D. tory Director

www.FASTLaboratories.com







Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample De	Date Completed:04/27/2025		

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 04/25/2025 1217 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>Result</u> (mg/g)	<u>LOD</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> Serving (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	ND	ND	0.00213	0.00497	-	0.000	0.000
CBCA	ND	ND	0.00661	0.0154	-	0.000	0.000
CBD	ND	ND	0.0150	0.0351	-	0.000	0.000
CBDA	ND	ND	0.00553	0.0129	-	0.000	0.000
CBDV	ND	ND	0.00241	0.00562	-	0.000	0.000
CBDVA	ND	ND	0.00643	0.0150	-	0.000	0.000
CBG	0.00379	0.0379	0.00975	0.0228	-	0.183	1.83
CBGA	ND	ND	0.0138	0.0163	-	0.000	0.000
CBL	ND	ND	0.0113	0.0263	-	0.000	0.000
CBN	ND	ND	0.00517	0.0121	-	0.000	0.000
CBNA	ND	ND	0.00559	0.0130	-	0.000	0.000
Δ9-ΤΗC	0.196	1.96	0.00620	0.0145	-	9.44	94.4
$\Delta 8$ -THC	0.00684	0.0684	0.00968	0.0226	-	0.330	3.30
THCA	ND	ND	0.00336	0.00786	-	0.000	0.000
THCV	ND	ND	0.00807	0.0188	-	0.000	0.000
THCVA	ND	ND	0.00258	0.00600	-	0.000	0.000
TOTAL	0.207	2.07			-	9.97	99.7
TOTAL CBC	0.000	0.000			-	0.000	0.000
TOTAL CBD	0.000	0.000			-	0.000	0.000
TOTAL CBDV	0.000	0.000			-	0.000	0.000
TOTAL CBG	0.00379	0.0379			-	0.183	1.83
TOTAL CBN	0.000	0.000			-	0.000	0.000
TOTAL THC	0.196	1.96			-	9.44	94.4
TOTAL THCV	0.000	0.000			-	0.000	0.000

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



SERVING MASS (g): 4.82 SERVINGS/UNIT: 10

"-" Not reported for this sample.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Dry percent = Wet percent / (1-(Moisture Content/ 100))

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) + Δ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

W. Felling, Ph.D. ry Dire

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).







Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample	Date Completed:04/27/2025		

TERPENOID PROFILE

Analysis Date/Time: Analyst: KF	:04/25/2025 1648			
<u>Terpene</u>	<u>Result</u> (ppm)	<u>Result</u> (%)		
α-Bisabolol	36.6	0.00366		
Camphene	ND	-		
δ-3-Carene	ND	-		
β-Caryophyllene	<loq< td=""><td>-</td><td></td><td>Wa</td></loq<>	-		Wa
Caryophyllene oxide	ND	-		SOUR GL
p-Cymene	ND	-		
Eucalyptol	<loq< td=""><td>-</td><td></td><td></td></loq<>	-		
Geraniol	ND	-		
Guaiol	ND	-		Abbreviatio
α-Humulene	64.4	0.00644		Chromatog
Isopulegol	ND	-		Spectromet Abbreviatio
d-Limonene	8.40	0.000840		LOD - Lim
Linalool	<loq< td=""><td>-</td><td></td><td>of Quantita</td></loq<>	-		of Quantita
β-Myrcene	ND	-		This inforn and makes
cis-Nerolidol	ND	-		safety of th
trans-Nerolidol	ND	-		Results are sample(s) a
α-Ocimene	<loq< td=""><td>-</td><td></td><td>analysis co</td></loq<>	-		analysis co
β-Ocimene	<loq< td=""><td>-</td><td></td><td>This report only and sh</td></loq<>	-		This report only and sh
α-Pinene	7.18	0.000718		treat, or pre
β-Pinene	ND	-		medical-rel
α-Terpinene	ND	-		The statem not been ap
γ-Terpinene	<loq< td=""><td>-</td><td></td><td>the FDA.</td></loq<>	-		the FDA.
Terpinolene	ND	-		
TOTAL	117	0.0117		



Deviations from SOP:



ions: GC - Gas graphy, MS - Mass etry, RL - Reporting Limit ions: ND - Not Detected. . mit of Detection, LOQ - Limit tation

mation is provided as a service s no claims of efficacy and/or this product.

re applicable only for the analyzed and for the specific onducted.

rt is for informational purposes should not be used to diagnose, revent any

elated symptoms.

nents and results herein have approved and/or endorsed by

Reporting Limit (ppm): 4.67

"-" Not detected above LOD.





www.FASTLaboratories.com







Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample	Date Completed:04/27/2025		

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 04/24/2025 1937		ľ	Method: HS/GC/MS			Deviations from SOP:				
Analyst: KF				1	nstrument: Agilent 78	90/5975	None			
<u>Solvent</u>	<u>Result</u> (ppm)	<u>LOD</u> (ppm)	<u>LOQ</u> (ppm)	<u>Action</u> Level (ppm)	<u>Solvent</u>	<u>Result</u> (ppm)	<u>LOD</u> (ppm)	<u>LOQ</u> (ppm)	<u>Action</u> <u>Level</u> (ppm)	
Acetone (67-64-1)	-	35.6	71.2	5000	n-Heptane (142-82-5)	-	35.6	71.2	5000	
Acetonitrile (75-5-8)	-	35.6	71.2	410	n-Hexane (110-54-3)	-	12.5	24.9	290	
Benzene (71-43-2)	-	0.356	0.712	2	Isobutane (75-28-5)	-	35.6	71.2	5000	
n-Butane (106-97-2)	-	35.6	71.2	5000	Isopropanol (67-63-0)	-	35.6	71.2	5000	Uana Sour Gummies
1-Butanol (71-36-3)	-	35.6	71.2	5000	Isopropyl acetate	_	35.6	71.2	5000	
2-Butanol (78-92-2)	-	35.6	71.2	5000	(108-21-4)		55.0	/1.2	5000	AM wrwither
2-Butanone (78-93-3)	-	35.6	71.2	5000	Isopropyl benzene (98-82-8)	-	3.56	7.12	70	
Cyclohexane (110-82-7)	-	35.6	71.2	3880	(98-62-8) Methanol (67-56-1)		35.6	71.2	3000	<u>Color Key</u>
1,2-Dimethoxyethane (110-71-4)	-	3.56	7.12	100	2-Methylbutane (78-78-4)	-	35.6	71.2	5000	RESULT < AL
N,N-Dimethylacetamide (127-19-5)	-	35.6	71.2	1090	Methylene chloride (75-9-2)	-	35.6	71.2	600	RESULT > AL
2,2-Dimethylbutane (75-83-2)	-	12.5	24.9	290	2-Methylpentane (107-83-5)	-	12.5	24.9	290	"-" not detected above 1/2 Action Level
2,3-Dimethylbutane		10 5	24.0	200	3-Methylpentane (96-10-0)	-	12.5	24.9	290	
(79-29-8)	-	12.5	24.9	290	n-Pentane (109-66-0)	-	35.6	71.2	5000	"*" - o,m,p-Xylene and
N,N-Dimethylformamide (68-12-2)	-	35.6	71.2	880	1-Pentanol (71-41-0) n-Propane (74-98-6)	-	35.6 35.6	71.2 71.2	5000 5000	Ethylbenzene Action levels are
Dimethylsulfoxide		35.6	71.2	5000	1-Propanol (71-23-8)		35.6	71.2	5000	referenced from the State of
(67-68-5)	-				Pyridine (110-86-1)		12.5	24.9	200	Arkansas
1,4-Dioxane (123-91-1)	-	35.6	71.2	380	Tetrahydrofuran (109-99-9)		35.6	71.2	720	MMJ testing
Ethanol (64-17-5)	-	35.6	71.2	5000	Tetramethylene sulfone					guidelines.
2-Ethoxyethanol (110-80-5)	-	12.5	24.9	160	(126-33-0)	-	12.5	24.9	160	A value of "-"
Ethyl ether (60-29-7)	-	35.6	71.2	5000	Toluene (108-88-3)	-	35.6	71.2	890	for the action level
Ethyl acetate (141-78-6)	-	35.6	71.2	5000	o-Xylene (95-47-6)	-	35.6	71.2	2170	means that analyte
Ethyl benzene (100-41-4)	-	35.6	71.2	2170	m,p-Xylene (108-38-3 or	_	35.6	71.2	2170	is not currently
Ethylene glycol (107-21-1)	-	35.6	71.2	620	106-42-3)					regulated by the regulations referenced above.
Ethylene oxide (75-21-8)	-	3.56	7.12	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170	regulations referenced above.
Solvent		Synonym(s	5)		Solvent	Sy	/nonym(s)			
Acetonitrile		Methyl Cya	nide, ACN		Ethylene glycol	1,2	2-Ethanediol			
1-Butanol		n-Butanol,	Butyl Alco	hol	Isobutane	2-	Methylpropa	ne		
2-Butanol		sec-Butyl a	lcohol		Isopropanol	2-	Propanol, IPA	1		
2-Butanone		Methyl ethy	yl ketone, N	ſΕK	Isopropyl Acetate	A	cetic acid iso	propyl ester		
1,2-Dimethoxyethane		Monoglym	e		Methanol	Μ	ethyl alcohol			
2,3-Dimethylbutane		Neohexane			2-Methylbutane	Ise	opentane			
2,3-Dimethylbutane		Diisopropy	1		Methylene chloride	Di	ichlorometha	ne		
N,N-Dimethylformamide		DMF			2-Methylpentane	Ise	ohexane			
Dimethysufoxide		DMSO			1-Pentanol	n-	Amyl alcoho	1		
2-Ethoxyethanol		Cellosolve,	Ethyl glyc	ol	1-Propanol	Pr	opyl alcohol			
Ethyl ether		Diethyl eth	er, Ether		Tetrahydrofuran	TI	HF			

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Tetramethylene sulfone

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Xylene



EtOAc

Phenylethane

Ethyl acetate

Ethyl benzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Page 4 of 7 04/27/2025

www.FASTLaboratories.com

Sulfolane

Dimethylbenzene

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).







Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample	Date Completed:04/27/2025		

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 04/25/2025 1310 Analyst: KF

Method: LC/MS/MS

Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (ppm)	<u>LOD</u> (ppm)	<u>LOQ</u> (ppm)	<u>Action</u> Level (ppm)	<u>Pesticide</u>	<u>Result</u> (ppm)	<u>LOD</u> (ppm)	<u>LOQ</u> (ppm)	<u>Action</u> Level (ppm)	
Abamectin (71751-41-2)	-	0.00933	0.0746	0.5	Kresoxim-methyl	_	0.00933	0.0746	0.4	
Acephate (30560-19-1)	-	0.00933	0.0746	0.4	(143390-89-0)					
Acequinocyl (57960-19-7)	-	0.00933	0.0746	2	Malathion (121-75-5)	-	0.00933	0.0746	0.2	
Acetamiprid (135410-20-7)	-	0.00933	0.0746	0.2	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)	-	0.00933 0.00933	0.0746 0.0746	0.2 0.2	Uana sour gunneles
Aldicarb (116-06-3)	-	0.00933	0.0746	0.4	Methomyl (16752-77-5)	-	0.00933	0.0746	0.4	AN million
Azoxystrobin (131860-33-8)	-	0.00933	0.0746	0.2	Methyl parathion (298-0-0)	-	0.00933	0.0746	0.2	(un a
Bifenazate (149877-41-8)	-	0.00933	0.0746	0.2	MGK 264 (113-48-4)	-	0.00933	0.0746	0.2	<u>Color Key</u>
Bifenthrin (82657-04-3)	-	0.00933	0.0746	0.2	Myclobutanil	_	0.00933	0.0746	0.2	RESULT < AL
Boscalid (188425-85-6)	-	0.00933	0.0746	0.4	(88671-89-0)					RESULT > AL
Carbaryl (63-25-2)	-	0.00933	0.0746	0.2	Naled (300-76-5)	-	0.00933	0.0746	0.5	
Carbofuran (1563-66-2)	-	0.00933	0.0746	0.2	Oxamyl (23135-22-0)	-	0.00933	0.0746	1	"DET" detected less than LOQ
Chlorantraniliprole (800008-45-7)	-	0.00933	0.0746	0.2	Paclobutrazol (76738-62-0)	-	0.00933	0.0746	0.4	"-" not detected above LOD
Chlorfenapyr (122453-73-0)	-	0.00933	0.0746	1	Permethrins (52645-53-1)	-	0.00933	0.0746	0.2	Permethrins measured as the cumulative residue of the <i>cis</i> - and
Chlorpyrifos (2921-88-2)	-	0.00933	0.0746	0.2	Phosmet (732-11-6)	-	0.00933	0.0746	0.2	<i>trans</i> - permethrin isomers.
Clofentezine (74115-24-5)	-	0.00933	0.0746	0.2	Piperonyl butoxide (51-03-6)	-	0.00933	0.0746	2	
Cyfluthrin (68359-37-5)	-	0.00933	0.0746	1	(31-03-0) Prallethrins (2331-36-9)		0.00933	0.0746	0.2	Pyrethrins measured as the cumulative residue of the
Cypermethrin (52315-07-8)	-	0.00933	0.0746	1	Propiconazole (60207-90-1))	-	0.00933	0.0746	0.2	pyrethrin I, cinerin I, and jasmolin I isomers.
Daminozide (1596-84-5)	-	0.00933	0.0746	1	(00207-50-1)) Propoxur (114-26-1)		0.00933	0.0746	0.2	Action levels are
DDVP (62-73-7)	-	0.00933	0.0746	0.1	Pyrethrins (8003-34-7)	-	0.00933	0.0746	0.2	referenced from the State of
Diazinon (333-41-5)	-	0.00933	0.0746	0.2	Pyridaben (96489-71-3)		0.00933	0.0746	0.2	Arkansas
Dimethoate (60-51-5)	-	0.00933	0.0746	0.2	Spinosad (168316-95-8)		0.00933	0.0746	0.2	MMJ testing guidelines.
Ethoprophos (13194-48-4)	-	0.00933	0.0746	0.2	Spiromesifen (283594-90-1)	-	0.00933	0.0746	0.2	A value of "-" for the action level
Etofenprox (80844-07-1)	-	0.00933	0.0746	0.4	Spirotetramat					means that analyte is not currently regulated by the
Etoxazole (153233-91-1)	-	0.00933	0.0746	0.2	(203313-25-1)	-	0.00933	0.0746	0.2	regulations referenced above.
Fenoxycarb (72490-01-8)	-	0.00933	0.0746	0.2	Spiroxamine		0.00933	0.0746	0.4	<i>Disclaimer</i> : This information is
(E)-Fenpyroximate (134098-61-6)	-	0.00933	0.0746	0.4	(118134-30-8) Tebuconazole	-	0.00933	0.0746	0.4	provided as a service and makes no claims of efficacy and/or safety
Fipronil (120068-37-3)	-	0.00933	0.0746	0.4	(80443-41-0)	-	0.00935	0.0740	0.4	of this product. Results are
Flonicamid (158062-67-0)	-	0.00933	0.0746	1	Thiacloprid	-	0.00933	0.0746	0.2	applicable only for the sample(s) analyzed and for the specific
Fludioxinil (131341-86-1)	-	0.00933	0.0746	0.4	(111988-49-9)					analysis conducted. This report is
Hexythiazox (78587-05-0)	-	0.00933	0.0746	1	Thiamethoxam (153719-23-4)	-	0.00933	0.0746	0.2	for informational purposes only
Imazalil (35554-44-0)	-	0.00933	0.0746	0.2	Trifloxystrobin		0.00000	0.0746	0.2	and should not be used to diagnose, treat, or prevent any
Imidacloprid (138261-41-3)	-	0.00933	0.0746	0.4	(141517-21-7)		0.00933	0.0746	0.2	medical-related symptoms. The statements and results herein have

Deviations from SOP:

None

not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	<u>Synonym(s)</u>	Pesticide	<u>Synonym(s)</u>	Pesticide	<u>Synonym(s)</u>
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).







Testing Location:	Customer ID: 2168	Order ID: OR11563	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
License: ADH 113	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample	Date Completed:04/27/2025		

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 04/25/2025 1604		Method: ICP/MS Instrument: Agilent 7700x		Deviations from SOP: None	
Analyst: KF					1.010
<u>Heavy Metal</u>	<u>Result</u> (ppb)	<u>LOD</u> (ppb)	<u>LOQ</u> (<u>ppb)</u>	<u>Action Level</u> <u>(ppb)</u>	
Arsenic (As)	<u>(ppo)</u> ND	(рро) 58.2	(1990) 92.1	200	
Cadmium (Cd)	ND	58.2	92.1	200	
Lead (Pb)	DET	58.2	92.1	500	
Mercury (Hg)	ND	58.2	92.1	100	DUR GUNNES SOUR GUNNES SOUR GUNNES

Abbreviations: ICP - Inductively-Coupled Plasma, MS - Mass Spectrometry,

RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL RESULT > AL

"DET" detected less than LOQ "ND" not detected above LOD Reporting limit is 1/2 the action level of each analyte.

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

W. Felling, Ph.D ry Dir

REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com







Testing Location:	Customer ID: 2168	Sample ID: SA40895	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13225296874	Mass: 1ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 04/24/2025
-	License: 00065C	P20250423MAN07	Date Received: 04/24/2025
Cultivar (Strain) or Sample	Date Completed:04/27/2025		

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 04/25/2025 Analyst: PW		fethod: Hardy Diagnostics CompactDry nstrument: Thermo Incubator	Deviations from SOP: None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> <u>(CFU/g)</u>	
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT	-	Wana
Pseudomonas aeruginosa	NT	-	
Salmonella spp.	NT	-	SOUR GUMMIES
Staphylococcus aureus	NT	-	
			AM NETWEISSAN (OF

Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).