

SUMMARY OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 09/27/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	0.786	7.86
CBD	0.0656	0.656
CBG	0.0279	0.279
TOTAL CBD	0.0656	0.656
TOTAL THC	0.786	7.86
TOTAL CANNABINOIDS	0.894	8.94

Terpenes (Top 5)	(%)	µg/g
α-Bisabolol		
Camphene		
δ-3-Carene		
β-Caryophyllene		
Caryophyllene oxide		
TOTAL TERPENES	-	-

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 09/27/2023


CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 09/26/2023 1431
Analyst: PW

Method: HPLC/DAD
Instrument: Agilent 1100

Moisture Content (%): -
Water Activity (aw): -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.00227	0.00530	-	-	-
CBCA	ND	ND	0.00705	0.0165	-	-	-
CBD	0.0656	0.656	0.0160	0.0374	-	0.784	23.5
CBDa	ND	ND	0.00590	0.0138	-	-	-
CBDV	ND	ND	0.00257	0.00600	-	-	-
CBDVA	ND	ND	0.00685	0.0160	-	-	-
CBG	0.0279	0.279	0.0104	0.0243	-	0.333	10.0
CBGA	ND	ND	0.0147	0.0174	-	-	-
CBL	ND	ND	0.0120	0.0281	-	-	-
CBN	0.00889	0.0889	0.00552	0.0129	-	0.106	3.19
CBNA	ND	ND	0.00596	0.0139	-	-	-
Δ9-THC	0.786	7.86	0.00661	0.0154	-	9.39	282
Δ8-THC	ND	ND	0.0103	0.0241	-	-	-
THCA	ND	ND	0.00359	0.00839	-	-	-
THCV	0.00570	0.0570	0.00861	0.0201	-	0.0681	2.04
THCVA	ND	ND	0.00275	0.00640	-	-	-
TOTAL	0.894	8.94				10.7	321
TOTAL CBC	-	-				-	-
TOTAL CBD	0.0656	0.656				0.784	23.5
TOTAL CBDV	-	-				-	-
TOTAL CBG	0.0279	0.279				0.333	10.0
TOTAL CBN	0.00889	0.0889				0.106	3.19
TOTAL THC	0.786	7.86				9.39	282
TOTAL THCv	0.00570	0.0570				0.0681	2.04



SERVING MASS (g): 1.19
SERVINGS/UNIT: 30

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDa x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCv = (THCVA x 0.867) + THCv

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 09/27/2023

TERPENOID PROFILE

Analysis Date/Time: 09/26/2023 1603
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>
α-Bisabolol	ND	-
Camphene	ND	-
δ-3-Carene	ND	-
β-Caryophyllene	ND	-
Caryophyllene oxide	ND	-
p-Cymene	ND	-
Eucalyptol	ND	-
Geraniol	ND	-
Guaiol	ND	-
α-Humulene	ND	-
Isopulegol	ND	-
d-Limonene	ND	-
Linalool	ND	-
β-Myrcene	ND	-
cis-Nerolidol	ND	-
trans-Nerolidol	ND	-
α-Ocimene	ND	-
β-Ocimene	ND	-
α-Pinene	ND	-
β-Pinene	ND	-
α-Terpinene	ND	-
γ-Terpinene	ND	-
Terpinolene	ND	-
TOTAL	0.000	0.000



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 7.25

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 09/27/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 09/25/2023 2042 **Method:** HS/GC/MS **Deviations from SOP:**
Analyst: KF **Instrument:** Agilent 7890/5975 **None**

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	152	305	5000	n-Heptane (142-82-5)	-	152	305	5000
Acetonitrile (75-5-8)	-	152	305	410	n-Hexane (110-54-3)	-	53.3	107	290
Benzene (71-43-2)	-	152	3.05	2	Isobutane (75-28-5)	-	152	305	5000
n-Butane (106-97-2)	-	152	305	5000	Isopropanol (67-63-0)	-	152	305	5000
1-Butanol (71-36-3)	-	152	305	5000	Isopropyl acetate (108-21-4)	-	152	305	5000
2-Butanol (78-92-2)	-	152	305	5000	Isopropyl benzene (98-82-8)	-	15.2	30.5	70
2-Butanone (78-93-3)	-	152	305	5000	Methanol (67-56-1)	600	152	305	3000
Cyclohexane (110-82-7)	-	152	305	3880	2-Methylbutane (78-78-4)	-	152	305	5000
1,2-Dimethoxyethane (110-71-4)	-	15.2	30.5	100	Methylene chloride (75-9-2)	-	152	305	600
N,N-Dimethylacetamide (127-19-5)	-	152	305	1090	2-Methylpentane (107-83-5)	-	53.3	107	290
2,2-Dimethylbutane (75-83-2)	-	53.3	107	290	3-Methylpentane (96-10-0)	-	53.3	107	290
2,3-Dimethylbutane (79-29-8)	-	53.3	107	290	n-Pentane (109-66-0)	-	152	305	5000
N,N-Dimethylformamide (68-12-2)	-	152	305	880	1-Pentanol (71-41-0)	-	152	305	5000
Dimethylsulfoxide (67-68-5)	-	152	305	5000	n-Propane (74-98-6)	-	152	305	5000
1,4-Dioxane (123-91-1)	-	152	305	380	1-Propanol (71-23-8)	-	152	305	5000
Ethanol (64-17-5)	1820	152	305	5000	Pyridine (110-86-1)	-	53.3	107	200
2-Ethoxyethanol (110-80-5)	-	53.3	107	160	Tetrahydrofuran (109-99-9)	-	152	305	720
Ethyl ether (60-29-7)	-	152	305	5000	Tetramethylene sulfone (126-33-0)	-	53.3	107	160
Ethyl acetate (141-78-6)	-	152	305	5000	Toluene (108-88-3)	-	152	305	890
Ethyl benzene (100-41-4)	-	152	305	2170	o-Xylene (95-47-6)	-	152	305	2170
Ethylene glycol (107-21-1)	-	152	305	620	m,p-Xylene (108-38-3 or 106-42-3)	-	152	305	2170
Ethylene oxide (75-21-8)	-	15.2	30.5	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL (Green background)
RESULT > AL (Red background)

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 09/27/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 09/26/2023 1358
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP: None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.00997	0.0798	0.5	Kresoxim-methyl (143390-89-0)	-	0.00997	0.0798	0.4
Acephate (30560-19-1)	-	0.00997	0.0798	0.4	Malathion (121-75-5)	-	0.00997	0.0798	0.2
Acequinocyl (57960-19-7)	-	0.00997	0.0798	2	Metalaxyl (57837-19-1)	-	0.00997	0.0798	0.2
Acetamiprid (135410-20-7)	-	0.00997	0.0798	0.2	Methiocarb (2032-65-7)	-	0.00997	0.0798	0.2
Aldicarb (116-06-3)	-	0.00997	0.0798	0.4	Methomyl (16752-77-5)	-	0.00997	0.0798	0.4
Azoxystrobin (131860-33-8)	DET	0.00997	0.0798	0.2	Methyl parathion (298-0-0)	-	0.00997	0.0798	0.2
Bifenazate (149877-41-8)	DET	0.00997	0.0798	0.2	MGK 264 (113-48-4)	-	0.00997	0.0798	0.2
Bifenthrin (82657-04-3)	-	0.00997	0.0798	0.2	Myclobutanil (88671-89-0)	-	0.00997	0.0798	0.2
Boscalid (188425-85-6)	-	0.00997	0.0798	0.4	Naled (300-76-5)	-	0.00997	0.0798	0.5
Carbaryl (63-25-2)	-	0.00997	0.0798	0.2	Oxamyl (23135-22-0)	-	0.00997	0.0798	1
Carbofuran (1563-66-2)	-	0.00997	0.0798	0.2	Paclobotrazol (76738-62-0)	-	0.00997	0.0798	0.4
Chlorantraniliprole (800008-45-7)	-	0.00997	0.0798	0.2	Permethrins (52645-53-1)	-	0.00997	0.0798	0.2
Chlorfenapyr (122453-73-0)	-	0.00997	0.0798	1	Phosmet (732-11-6)	-	0.00997	0.0798	0.2
Chlorpyrifos (2921-88-2)	-	0.00997	0.0798	0.2	Piperonyl butoxide (51-03-6)	-	0.00997	0.0798	2
Clofentezine (74115-24-5)	-	0.00997	0.0798	0.2	Prallethrin (2331-36-9)	-	0.00997	0.0798	0.2
Cyfluthrin (68359-37-5)	-	0.00997	0.0798	1	Propiconazole (60207-90-1)	-	0.00997	0.0798	0.4
Cypermethrin (52315-07-8)	-	0.00997	0.0798	1	Propoxur (114-26-1)	-	0.00997	0.0798	0.2
Daminozide (1596-84-5)	-	0.00997	0.0798	1	Pyrethrins (8003-34-7)	-	0.00997	0.0798	1
DDVP (62-73-7)	-	0.00997	0.0798	0.1	Pyridaben (96489-71-3)	-	0.00997	0.0798	0.2
Diazinon (333-41-5)	-	0.00997	0.0798	0.2	Spinosad (168316-95-8)	-	0.00997	0.0798	0.2
Dimethoate (60-51-5)	-	0.00997	0.0798	0.2	Spiromesifen (283594-90-1)	-	0.00997	0.0798	0.2
Ethoprophos (13194-48-4)	-	0.00997	0.0798	0.2	Spirotetramat (203313-25-1)	-	0.00997	0.0798	0.2
Etofenprox (80844-07-1)	-	0.00997	0.0798	0.4	Spiroxamine (118134-30-8)	-	0.00997	0.0798	0.4
Etoxazole (153233-91-1)	-	0.00997	0.0798	0.2	Tebuconazole (80443-41-0)	-	0.00997	0.0798	0.4
Fenoxycarb (72490-01-8)	-	0.00997	0.0798	0.2	Thiacloprid (111988-49-9)	-	0.00997	0.0798	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.00997	0.0798	0.4	Thiamethoxam (153719-23-4)	-	0.00997	0.0798	0.2
Fipronil (120068-37-3)	-	0.00997	0.0798	0.4	Trifloxystrobin (141517-21-7)	-	0.00997	0.0798	0.2
Flonicamid (158062-67-0)	-	0.00997	0.0798	1					
Fludioxinil (131341-86-1)	-	0.00997	0.0798	0.4					
Hexythiazox (78587-05-0)	-	0.00997	0.0798	1					
Imazalil (35554-44-0)	-	0.00997	0.0798	0.2					
Imidacloprid (138261-41-3)	-	0.00997	0.0798	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.
Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10621 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 09/27/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 09/26/2023 1744 (ICP/OES)	Method: ICP/MS	Deviations from SOP:
Analysis Date/Time: - (DMA)	Instrument: Agilent 7500ce	None
Analyst: KF		

<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)
Arsenic (As)	-	58.2	92.1	200
Cadmium (Cd)	-	58.2	92.1	200
Lead (Pb)	-	58.2	92.1	500
Mercury (Hg)	-	58.2	92.1	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36083)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA36083 Lot Number: M00065C13228769147 Production Run: 20230919STRAW21	Sample Type: Primary Matrix: Edible Mass: 1bag Date Collected: 09/25/2023 Date Received: 09/25/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 09/27/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 09/26/2023 1345 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

