

SUMMARY OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 10/04/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	0.551	5.51
CBD	0.0430	0.430
CBG	0.0194	0.194
TOTAL CBD	0.0430	0.430
TOTAL THC	0.551	5.51
TOTAL CANNABINOIDS	0.623	6.23

Terpenes (Top 5)	(%)	µg/g
α-Bisabolol		
Camphene		
δ-3-Carene		
β-Caryophyllene		
Caryophyllene oxide		
TOTAL TERPENES	-	-

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
--	--	---	---

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 10/04/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 10/03/2023 1454 **Method:** HPLC/DAD **Moisture Content (%):** -
Analyst: PW **Instrument:** Agilent 1100 **Water Activity (aw):** -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.00232	0.00542	-	-	-
BCA	ND	ND	0.00721	0.0168	-	-	-
CBD	0.0430	0.430	0.0164	0.0383	-	0.718	21.5
CBDa	ND	ND	0.00603	0.0141	-	-	-
CBDV	ND	ND	0.00263	0.00613	-	-	-
CBDVA	ND	ND	0.00701	0.0164	-	-	-
CBG	0.0194	0.194	0.0106	0.0248	-	0.324	9.72
CBGA	ND	ND	0.0151	0.0178	-	-	-
CBL	ND	ND	0.0123	0.0287	-	-	-
CBN	0.00571	0.0571	0.00565	0.0132	-	0.0953	2.86
CBNA	ND	ND	0.00609	0.0142	-	-	-
Δ9-THC	0.551	5.51	0.00677	0.0158	-	9.20	276
Δ8-THC	ND	ND	0.0106	0.0246	-	-	-
THCA	ND	ND	0.00367	0.00858	-	-	-
THCV	0.00432	0.0432	0.00880	0.0205	-	0.0722	2.17
THCVA	ND	ND	0.00281	0.00654	-	-	-
TOTAL	0.623	6.23				10.4	312
TOTAL CBC	-	-				-	-
TOTAL CBD	0.0430	0.430				0.718	21.5
TOTAL CBDV	-	-				-	-
TOTAL CBG	0.0194	0.194				0.324	9.72
TOTAL CBN	0.00571	0.0571				0.0953	2.86
TOTAL THC	0.551	5.51				9.20	276
TOTAL THCv	0.00432	0.0432				0.0722	2.17



SERVING MASS (g): 1.67
SERVINGS/UNIT: 30

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (BCA x 0.877) + CBC
Total CBD = (CBDA x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCv = (THCVA x 0.867) + THCv

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
--	--	---	---

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 10/04/2023

TERPENOID PROFILE

Analysis Date/Time: 10/04/2023 0056
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>
α-Bisabolol	ND	-
Camphene	<LOQ	-
δ-3-Carene	ND	-
β-Caryophyllene	<LOQ	-
Caryophyllene oxide	ND	-
p-Cymene	ND	-
Eucalyptol	ND	-
Geraniol	ND	-
Guaiol	ND	-
α-Humulene	<LOQ	-
Isopulegol	ND	-
d-Limonene	ND	-
Linalool	ND	-
β-Myrcene	ND	-
cis-Nerolidol	ND	-
trans-Nerolidol	ND	-
α-Ocimene	ND	-
β-Ocimene	ND	-
α-Pinene	<LOQ	-
β-Pinene	ND	-
α-Terpinene	ND	-
γ-Terpinene	ND	-
Terpinolene	ND	-
TOTAL	0.000	0.000



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 8.49

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
--	--	---	---

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 10/04/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 10/03/2023 2013 **Method:** HS/GC/MS **Deviations from SOP:**
Analyst: KF **Instrument:** Agilent 7890/5975 **None**

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	150	300	5000	n-Heptane (142-82-5)	-	150	300	5000
Acetonitrile (75-5-8)	-	150	300	410	n-Hexane (110-54-3)	-	52.5	105	290
Benzene (71-43-2)	-	1.50	3.00	2	Isobutane (75-28-5)	-	150	300	5000
n-Butane (106-97-2)	-	150	300	5000	Isopropanol (67-63-0)	-	150	300	5000
1-Butanol (71-36-3)	-	150	300	5000	Isopropyl acetate (108-21-4)	-	150	300	5000
2-Butanol (78-92-2)	-	150	300	5000	Isopropyl benzene (98-82-8)	-	15.0	30.0	70
2-Butanone (78-93-3)	-	150	300	5000	Methanol (67-56-1)	-	150	300	3000
Cyclohexane (110-82-7)	-	150	300	3880	2-Methylbutane (78-78-4)	-	150	300	5000
1,2-Dimethoxyethane (110-71-4)	-	15.0	30.0	100	Methylene chloride (75-9-2)	-	150	300	600
N,N-Dimethylacetamide (127-19-5)	-	150	300	1090	2-Methylpentane (107-83-5)	-	52.5	105	290
2,2-Dimethylbutane (75-83-2)	-	52.5	105	290	3-Methylpentane (96-10-0)	-	52.5	105	290
2,3-Dimethylbutane (79-29-8)	-	52.5	105	290	n-Pentane (109-66-0)	-	150	300	5000
N,N-Dimethylformamide (68-12-2)	-	150	300	880	1-Pentanol (71-41-0)	-	150	300	5000
Dimethylsulfoxide (67-68-5)	-	150	300	5000	n-Propane (74-98-6)	-	150	300	5000
1,4-Dioxane (123-91-1)	-	150	300	380	1-Propanol (71-23-8)	-	150	300	5000
Ethanol (64-17-5)	4070	150	300	5000	Pyridine (110-86-1)	-	52.5	105	200
2-Ethoxyethanol (110-80-5)	-	52.5	105	160	Tetrahydrofuran (109-99-9)	-	150	300	720
Ethyl ether (60-29-7)	-	150	300	5000	Tetramethylene sulfone (126-33-0)	-	52.5	105	160
Ethyl acetate (141-78-6)	-	150	300	5000	Toluene (108-88-3)	-	150	300	890
Ethyl benzene (100-41-4)	-	150	300	2170	o-Xylene (95-47-6)	-	150	300	2170
Ethylene glycol (107-21-1)	-	150	300	620	m,p-Xylene (108-38-3 or 106-42-3)	-	150	300	2170
Ethylene oxide (75-21-8)	-	15.0	30.0	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL (Green background)
RESULT > AL (Red background)

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
--	--	---	---

Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries **Date Completed:** 10/04/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 10/03/2023 1525
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0101	0.0810	0.5	Kresoxim-methyl (143390-89-0)	-	0.0101	0.0810	0.4
Acephate (30560-19-1)	-	0.0101	0.0810	0.4	Malathion (121-75-5)	-	0.0101	0.0810	0.2
Acequinocyl (57960-19-7)	-	0.0101	0.0810	2	Metalaxyl (57837-19-1)	-	0.0101	0.0810	0.2
Acetamiprid (135410-20-7)	-	0.0101	0.0810	0.2	Methiocarb (2032-65-7)	-	0.0101	0.0810	0.2
Aldicarb (116-06-3)	-	0.0101	0.0810	0.4	Methomyl (16752-77-5)	-	0.0101	0.0810	0.4
Azoxystrobin (131860-33-8)	-	0.0101	0.0810	0.2	Methyl parathion (298-0-0)	-	0.0101	0.0810	0.2
Bifenazate (149877-41-8)	DET	0.0101	0.0810	0.2	MGK 264 (113-48-4)	-	0.0101	0.0810	0.2
Bifenthrin (82657-04-3)	-	0.0101	0.0810	0.2	Myclobutanil (88671-89-0)	-	0.0101	0.0810	0.2
Boscalid (188425-85-6)	DET	0.0101	0.0810	0.4	Naled (300-76-5)	-	0.0101	0.0810	0.5
Carbaryl (63-25-2)	-	0.0101	0.0810	0.2	Oxamyl (23135-22-0)	-	0.0101	0.0810	1
Carbofuran (1563-66-2)	-	0.0101	0.0810	0.2	Pacllobutrazol (76738-62-0)	-	0.0101	0.0810	0.4
Chlorantraniliprole (800008-45-7)	-	0.0101	0.0810	0.2	Permethrins (52645-53-1)	-	0.0101	0.0810	0.2
Chlorfenapyr (122453-73-0)	-	0.0101	0.0810	1	Phosmet (732-11-6)	-	0.0101	0.0810	0.2
Chlorpyrifos (2921-88-2)	-	0.0101	0.0810	0.2	Piperonyl butoxide (51-03-6)	-	0.0101	0.0810	2
Clofentezine (74115-24-5)	-	0.0101	0.0810	0.2	Prallethrins (2331-36-9)	-	0.0101	0.0810	0.2
Cyfluthrin (68359-37-5)	-	0.0101	0.0810	1	Propiconazole (60207-90-1)	-	0.0101	0.0810	0.4
Cypermethrin (52315-07-8)	-	0.0101	0.0810	1	Propoxur (114-26-1)	-	0.0101	0.0810	0.2
Daminozide (1596-84-5)	-	0.0101	0.0810	1	Pyrethrins (8003-34-7)	-	0.0101	0.0810	1
DDVP (62-73-7)	-	0.0101	0.0810	0.1	Pyridaben (96489-71-3)	-	0.0101	0.0810	0.2
Diazinon (333-41-5)	-	0.0101	0.0810	0.2	Spinosad (168316-95-8)	-	0.0101	0.0810	0.2
Dimethoate (60-51-5)	-	0.0101	0.0810	0.2	Spiromesifen (283594-90-1)	-	0.0101	0.0810	0.2
Ethoprophos (13194-48-4)	DET	0.0101	0.0810	0.2	Spirotetramat (203313-25-1)	-	0.0101	0.0810	0.2
Etofenprox (80844-07-1)	-	0.0101	0.0810	0.4	Spiroxamine (118134-30-8)	-	0.0101	0.0810	0.4
Etoxazole (153233-91-1)	-	0.0101	0.0810	0.2	Tebuconazole (80443-41-0)	-	0.0101	0.0810	0.4
Fenoxycarb (72490-01-8)	-	0.0101	0.0810	0.2	Thiacloprid (111988-49-9)	-	0.0101	0.0810	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0101	0.0810	0.4	Thiamethoxam (153719-23-4)	-	0.0101	0.0810	0.2
Fipronil (120068-37-3)	-	0.0101	0.0810	0.4	Trifloxystrobin (141517-21-7)	-	0.0101	0.0810	0.2
Fonicamid (158062-67-0)	-	0.0101	0.0810	1					
Fludioxinil (131341-86-1)	-	0.0101	0.0810	0.4					
Hexythiazox (78587-05-0)	-	0.0101	0.0810	1					
Imazalil (35554-44-0)	-	0.0101	0.0810	0.2					
Imidacloprid (138261-41-3)	-	0.0101	0.0810	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.
Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10628 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 10/04/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 10/03/2023 1826 (ICP/OES) **Method:** ICP/MS **Deviations from SOP:**
Analysis Date/Time: - (DMA) **Instrument:** Agilent 7500ce None
Analyst: KF

<u>Heavy Metal</u>	<u>Result (µg/kg)</u>	<u>LOD (µg/kg)</u>	<u>LOQ (µg/kg)</u>	<u>Action Level (µg/kg)</u>
Arsenic (As)	DET	59.7	94.5	200
Cadmium (Cd)	-	59.7	94.5	200
Lead (Pb)	-	59.7	94.5	500
Mercury (Hg)	-	59.7	94.5	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
 DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
 Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA36123)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA36123 Lot Number: M00065C13229275793 Production Run: 20230925STRAW22	Sample Type: Primary Matrix: Edible Mass: 1ea Date Collected: 10/02/2023 Date Received: 10/03/2023
Cultivar (Strain) or Sample Description: ARV-Provisions Strawberries			Date Completed: 10/04/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 10/04/2023 0838 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

