







### SUMMARY OF ANALYSIS (SAMPLE ID: SA31906)

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022
Cultivar (Strain) or Sample De	<b>Date Completed:</b> 07/15/2022		

\*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	N/A

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
CBD	0.500	5.00
Δ9-ТНС	0.0219	0.219
CBDV	0.00319	0.0319
TOTAL CBD	0.500	5.00
TOTAL THC	0.0219	0.219
TOTAL CANNABINOIDS	0.526	5.26
<u>Terpenes (Top 5)</u>	<u>(%)</u>	µg∕g
<u>Terpenes (Top 5)</u> cis-Nerolidol	<u>(%)</u> 0.0124	<b>μg/g</b> 124
cis-Nerolidol	0.0124	124
cis-Nerolidol d-Limonene	0.0124 0.0122	124 122
cis-Nerolidol d-Limonene trans-Nerolidol	0.0124 0.0122 0.0103	124 122 103

<u>Contaminants</u>	PASS/FAIL				
Heavy Metals:	PASS				
Microbiology:	PASS				
Pesticides:	PASS				
Residual Solvents:	PASS				





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Wana Mandatory & CBD Non-Mandatory



**REPORT OF LABORATORY ANALYSIS** rt shall not be reproduced, except in full, without the written c

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











## **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary				
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Edible				
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g				
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022				
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022				
Cultivar (Strain) or Sample Description: Blood Orange Classic Sour Gummies Date Completed: 07/15/2022							

### CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 7/15/2022 1132 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	<u>LOQ</u> (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> Serving (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	-	-	-	0.0246	-	-	-
CBCA	-	-	-	0.0246	-	-	-
CBD	0.500	0.0450	5.00	0.0246	-	22.5	225
CBDA	DET	-	DET	0.0246	-	-	-
CBDV	0.00319	0.000510	0.0319	0.0246	-	0.144	1.44
CBDVA	-	-	-	0.0246	-	-	-
CBG	DET	-	DET	0.0246	-	-	-
CBGA	-	-	-	0.0246	-	-	-
CBL	-	-	-	0.0246	-	-	-
CBN	-	-	-	0.0246	-	-	-
CBNA	-	-	-	0.0246	-	-	-
Δ9-ΤΗϹ	0.0219	0.00373	0.219	0.0246	-	0.986	9.86
Δ8-ΤΗΟ	-	-	-	0.0246	-	-	-
THCA	-	-	-	0.0246	-	-	-
THCV	DET	-	DET	0.0246	-	-	-
THCVA	-	-	-	0.0246	-	-	-
TOTAL	0.526	0.0493	5.26		-	23.6	236
TOTAL CBC	-	-	-		-	-	-
TOTAL CBD	0.500	0.0450	5.00		-	22.5	225
TOTAL CBDV	0.00319	0.000510	0.0319		-	0.144	1.44
TOTAL CBG	-	-	-		-	-	-
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	0.0219	0.00373	0.219		-	0.986	9.86
TOTAL THCV	-	-	-		-	-	-

\* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

*Abbreviations:* DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



#### SERVING MASS (g): 4.50 SERVINGS/UNIT: 10

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) +  $\Delta$ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Kyle W. Felling, Ph.D. atory Directo

**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC







Method: GC/MS



Analyzed on behalf of:



**Deviations from SOP:** 

# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary			
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Edible			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022			
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022			
Cultivar (Strain) or Sample Description: Blood Orange Classic Sour Gummies Date Completed: 07/15/2022						

Analysis Date/Time:7/15/2022
Analyst: KF

Analyst: KF		Instrument: Agilent 7890/5975	None
<u>Terpene</u>	<u>Result</u> (µg/g)	<u>Result</u> (%)	
α-Bisabolol	70.7	0.00707	
Camphene	-	-	
δ-3-Carene	-	-	
β-Caryophyllene	-	-	Wana M
Caryophyllene oxide	44.4	0.00444	SOUR OURANES Calific Saution
p-Cymene	-	-	
Eucalyptol	-	-	Airi month
Geraniol	-	-	
Guaiol	-	-	
α-Humulene	-	-	<i>Abbreviations:</i> GC - Gas Chromatography, MS - Mass
Isopulegol	-	-	Spectrometry, RL - Reporting Limit
d-Limonene	122	0.0122	This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Linalool	-	-	Results are applicable only for the
β-Myrcene cis-Nerolidol	- 124	- 0.0124	sample(s) analyzed and for the specific analysis conducted.
trans-Nerolidol	103	0.0103	This report is for informational purposes
α-Ocimene	40.3	0.00403	only and should not be used to diagnose, treat, or prevent any
β-Ocimene	-	. –	medical-related symptoms.
α-Pinene	-	-	The statements and results herein have
β-Pinene	-	-	not been approved and/or endorsed by the FDA.
α-Terpinene	-	-	
γ-Terpinene	-	-	
Terpinolene	22.6	0.00226	"-" Not detected above RL.
TOTAL	527	0.0527	<b>Reporting Limit (µg/g):</b> 9.













# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022
Cultivar (Strain) or Sample	Date Completed: 07/15/2022		

### **RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)**

Analysis Date/Time: 7/13/2022 2235			Method: HS/GC/MS				<b>Deviations from SOP:</b>			
Analyst: KF		Instrument: Agilent 7890/5975		None						
<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u> (μg/g)	
Acetone (67-64-1)	-	33.5	66.9	5000	n-Heptane (142-82-5)	-	33.5	66.9	5000	
Acetonitrile (75-5-8)	-	33.5	66.9	410	n-Hexane (110-54-3)	-	11.7	23.4	290	
Benzene (71-43-2)	-	0.335	0.669	2	Isobutane (75-28-5)	-	33.5	66.9	5000	
n-Butane (106-97-2)	-	33.5	66.9	5000	Isopropanol (67-63-0)	-	33.5	66.9	5000	Wana source of the source of t
1-Butanol (71-36-3)	-	33.5	66.9	5000	Isopropyl acetate	_	33.5	66.9	5000	
2-Butanol (78-92-2)	-	33.5	66.9	5000	(108-21-4)		55.5	00.5	5000	AM winiam
2-Butanone (78-93-3)	-	33.5	66.9	5000	Isopropyl benzene (98-82-8)	-	3.35	6.69	70	
Cyclohexane (110-82-7)	-	33.5	66.9	3880	(98-82-8) Methanol (67-56-1)		33.5	66.9	3000	Color Key
1,2-Dimethoxyethane		3.35	6.69	100	. ,	-		66.9 66.9		
(110-71-4) N,N-Dimethylacetamide		33.5	66.9	100	2-Methylbutane (78-78-4) Methylene chloride (75-9-2)		33.5 33.5	66.9	5000 600	RESULT < AL RESULT > AL
(127-19-5) 2,2-Dimethylbutane	_	11.7	23.4	290	(73-3-2) 2-Methylpentane (107-83-5)	-	11.7	23.4	290	"DET" detected less than LOC
(75-83-2)			20.4 250		3-Methylpentane (96-10-0)		11.7	23.4	290	"-" not detected above
2,3-Dimethylbutane (79-29-8)	-	11.7	23.4	290	n-Pentane (109-66-0)		33.5	66.9	5000	LOD
N.N-Dimethylformamide					1-Pentanol (71-41-0)		33.5	66.9	5000	
(68-12-2)	-	33.5	66.9	880	n-Propane (74-98-6)		33.5	66.9	5000	"*" - o,m,p-Xylene and
Dimethylsulfoxide (67-68-5)	-	33.5	66.9	5000	1-Propanol (71-23-8)	-	33.5	66.9	5000	Ethylbenzene Action levels are
1,4-Dioxane (123-91-1)	-	33.5	66.9	380	Pyridine (110-86-1)	-	11.7	23.4	200	referenced from the State of
Ethanol (64-17-5)	323	33.5	66.9	5000	Tetrahydrofuran (109-99-9)	-	33.5	66.9	720	Arkansas
2-Ethoxyethanol (110-80-5)	_	11.7	23.4	160	Tetramethylene sulfone (126-33-0)	-	11.7	23.4	160	MMJ testing
Ethyl ether (60-29-7)	-	33.5	66.9	5000	(120-33-0) Toluene (108-88-3)		33.5	66.9	890	guidelines.
Ethyl acetate (141-78-6)	-	33.5	66.9	5000	o-Xylene (95-47-6)	-	33.5	66.9	2170	A value of "-"
Ethyl benzene (100-41-4)	-	33.5	66.9	2170	m,p-Xylene (108-38-3 or	-	33.5	00.9	2170	for the action level
Ethylene glycol (107-21-1)	-	33.5	66.9	620	106-42-3)	-	33.5	66.9	2170	means that analyte
Ethylene oxide (75-21-8)	-	3.35	6.69	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170	is not currently regulated by the regulations referenced above.
Solvent		Synonym(s	5)		Solvent	S	ynonym(s)			regulations referenced above.
Acetonitrile		Methyl Cya	anide, ACN		Ethylene glycol	1,	,2-Ethanedio	l		
1-Butanol		n-Butanol,	Butyl Alco	hol	Isobutane	2.	-Methylpropa	ane		
2-Butanol		sec-Butyl a	lcohol		Isopropanol	2.	-Propanol, IP	A		
2-Butanone		Methyl ethy	yl ketone, N	1EK	Isopropyl Acetate	А	cetic acid iso	propyl este	r	
1,2-Dimethoxyethane		Monoglym	e		Methanol	Ν	fethyl alcoho	1		
2,3-Dimethylbutane		Neohexane		2-Methylbutane	Is	Isopentane				
2,3-Dimethylbutane		Diisopropy	7l		Methylene chloride	D	Dichloromethane			
N,N-Dimethylformamide		DMF			2-Methylpentane	Is	Isohexane			
Dimethysufoxide		DMSO			1-Pentanol	n·	-Amyl alcoho	ol		
2-Ethoxyethanol		Cellosolve,	, Ethyl glyc	ol	1-Propanol		ropyl alcohol			
Ethyl ether		Diethyl eth			Tetrahydrofuran		ΉF			
Ethyl acetate	5 / 5		ulfolane							
Ethyl benzene		Phenyletha	ne		Xylene		imethylbenz	ene		

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022
Cultivar (Strain) or Sample	Date Completed: 07/15/2022		

### Analysis Date/Time: 7/15/2022 1321 Analyst: KF

### **PESTICIDES PROFILE (SOP: SOP-PEST-001)**

### Method: LC/MS/MS Instrument: Shimadzu LC-8050

**Deviations from SOP:** None

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u>	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u>	
Abarrantia (71751 41 2)	125/5/	0.00985	0.0788	<u>(µg/g)</u> 0.5	Kresoxim-methyl	4-5/8/	188.87	169.81	<u>(µg/g)</u>	
Abamectin (71751-41-2) Acephate (30560-19-1)	-	0.00985	0.0788	0.5 0.4	(143390-89-0)	-	0.00985	0.0788	0.4	
Acequinocyl (57960-19-7)	-	0.00985	0.0788	2	Malathion (121-75-5)	-	0.00985	0.0788	0.2	
Acetamiprid					Metalaxyl (57837-19-1)	-	0.00985	0.0788	0.2	
(135410-20-7)	-	0.00985	0.0788	0.2	Methiocarb (2032-65-7)	-	0.00985	0.0788	0.2	SOUR GAMMAN
Aldicarb (116-06-3)	-	0.00985	0.0788	0.4	Methomyl (16752-77-5)	-	0.00985	0.0788	0.4	A AM artesta
Azoxystrobin (131860-33-8)	-	0.00985	0.0788	0.2	Methyl parathion (298-0-0)	-	0.00985	0.0788	0.2	
Bifenazate (149877-41-8)	-	0.00985	0.0788	0.2	MGK 264 (113-48-4)	-	0.00985	0.0788	0.2	<u>Color Key</u>
Bifenthrin (82657-04-3)	-	0.00985	0.0788	0.2	Myclobutanil	_	0.00985	0.0788	0.2	<b>RESULT &lt; AL</b>
Boscalid (188425-85-6)	-	0.00985	0.0788	0.4	(88671-89-0)					<b>RESULT &gt; AL</b>
Carbaryl (63-25-2)	-	0.00985	0.0788	0.2	Naled (300-76-5)	-	0.00985	0.0788	0.5	
Carbofuran (1563-66-2)	-	0.00985	0.0788	0.2	Oxamyl (23135-22-0)	-	0.00985	0.0788	1	"DET" detected less than LOQ
Chlorantraniliprole (800008-45-7)	-	0.00985	0.0788	0.2	Paclobutrazol (76738-62-0)	-	0.00985	0.0788	0.4	"-" not detected above LOD
Chlorfenapyr (122453-73-0)	-	0.00985	0.0788	1	Permethrins (52645-53-1)	-	0.00985	0.0788	0.2	Permethrins measured as the
Chlorpyrifos (2921-88-2)	-	0.00985	0.0788	0.2	Phosmet (732-11-6)	-	0.00985	0.0788	0.2	cumulative residue of the <i>cis</i> - and <i>trans</i> - permethrin isomers.
Clofentezine (74115-24-5)	-	0.00985	0.0788	0.2	Piperonyl butoxide (51-03-6)	-	0.00985	0.0788	2	
Cyfluthrin (68359-37-5)	-	0.00985	0.0788	1	(51-03-0) Prallethrins (2331-36-9)		0.00985	0.0788	0.2	Pyrethrins measured as the cumulative residue of the
Cypermethrin (52315-07-8)	-	0.00985	0.0788	1	Propiconazole (60207-90-1))	_	0.00985	0.0788	0.2	pyrethrin I, cinerin I, and jasmolin I isomers.
Daminozide (1596-84-5)	-	0.00985	0.0788	1	(00207-50-1)) Propoxur (114-26-1)		0.00985	0.0788	0.2	Action levels are referenced from
DDVP (62-73-7)	-	0.00985	0.0788	0.1	Pyrethrins (8003-34-7)		0.00985	0.0788	1	the
Diazinon (333-41-5)	-	0.00985	0.0788	0.2	Pyridaben (96489-71-3)		0.00985	0.0788	0.2	State of Arkansas MMJ testing
Dimethoate (60-51-5)	-	0.00985	0.0788	0.2	Spinosad (168316-95-8)		0.00985	0.0788	0.2	guidelines.
Ethoprophos (13194-48-4)	-	0.00985	0.0788	0.2	Spiromesifen (283594-90-1)	-	0.00985	0.0788	0.2	A value of "-" for the action level means that analyte is not
Etofenprox (80844-07-1)	-	0.00985	0.0788	0.4	Spirotetramat					currently regulated by the regulations referenced above.
Etoxazole (153233-91-1)	-	0.00985	0.0788	0.2	(203313-25-1)	-	0.00985	0.0788	0.2	0
Fenoxycarb (72490-01-8)	-	0.00985	0.0788	0.2	Spiroxamine		0.00985	0.0788	0.4	<i>Disclaimer:</i> This information is provided as a service and makes
(E)-Fenpyroximate (134098-61-6)	-	0.00985	0.0788	0.4	(118134-30-8) Tebuconazole	-	0.00985	0.0788	0.4	no claims of efficacy and/or safety of this product. Results are
Fipronil (120068-37-3)	-	0.00985	0.0788	0.4	(80443-41-0)	-	0.00985	0.0788	0.4	applicable only for the sample(s)
Flonicamid (158062-67-0)	-	0.00985	0.0788	1	Thiacloprid	_	0.00985	0.0788	0.2	analyzed and for the specific analysis conducted. This report is
Fludioxinil (131341-86-1)	-	0.00985	0.0788	0.4	(111988-49-9)					for informational purposes only
Hexythiazox (78587-05-0)	-	0.00985	0.0788	1	Thiamethoxam (153719-23-4)	-	0.00985	0.0788	0.2	and should not be used to
Imazalil (35554-44-0) Imidacloprid	-	0.00985	0.0788	0.2	Trifloxystrobin (141517-21-7)	-	0.00985	0.0788	0.2	diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have
(138261-41-3)	-	0.00985	0.0788	0.4	(1-1101/-21-/)					not been approved and/or

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Ouantification

Pesticide	Synonym(s)	Pesticide	<u>Synonym(s)</u>	Pesticide	<u>Synonym(s)</u>
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



endorsed by the FDA.









# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**

Testing Location:	Customer ID: 2168	Order ID: OR9923	Sample Type: Primary		
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Edible		
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g		
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022		
License: ADH 113	License: 00065C	20220711BLD008	Date Received: 07/13/2022		
Cultivar (Strain) or Sample Description: Blood Orange Classic Sour Gummies Date Completed: 07/15/2022					

### HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 07/15/2022 1352 (ICP/OES) Analysis Date/Time: - (DMA) Analyst: KF			-	thod: ICP/OES trument: Agilent 720-ES	<b>Deviations from SO</b> None
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	44.7	70.8	200	
Cadmium (Cd)	-	44.7	70.8	200	
Lead (Pb)	-	44.7	70.8	500	
Mercury (Hg)	-	44.7	70.8	100	With the second se

*Abbreviations:* ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

# <u>Color Key</u>



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA31906)**


Testing Location:	Customer ID: 2168	Sample ID: SA31906	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Edible
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13229573437	<b>Mass:</b> 10g
Greenbrier, AR 72058	Fort Smith, AR 72903	Batch Number:	Date Collected: 07/13/2022
License: ADA 05_H273	License: 00065C	20220711BLD008	Date Received: 07/13/2022
Cultivar (Strain) or Sample	<b>Date Completed:</b> 07/15/2022		

### MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

<b>Analysis Date/Time:</b> 07/14/2022 1047 <b>Analyst:</b> PW		<b>nod:</b> Hardy Diagnostics CompactDry rument: Thermo Incubator	<b>Deviations from SOI</b> None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	
Aerobic Plate Count	NT		
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT		Wana
Salmonella spp.	NT		SOUR GUMMIES ECONOLAXE Desmission
Staphylococcus aureus	NT		SOUR GUNAN
			AM HIVEISE

*Abbreviations*: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



