

SUMMARY OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape			Date Completed: 09/03/2024

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	65.5	655
Δ8-THC	2.97	29.7
THCV	0.781	7.81
TOTAL CBD	-	-
TOTAL THC	65.5	655
TOTAL CANNABINOIDS	70.4	704

Terpenes (Top 5)	(%)	µg/g
d-Limonene	1.41	14100
β-Myrcene	0.530	5300
β-Caryophyllene	0.523	5230
Linalool	0.334	3340
α-Pinene	0.152	1520
TOTAL TERPENES	3.74	37400

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLlaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
--	--	---	--

Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape **Date Completed:** 09/03/2024

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 08/30/2024 1243
Analyst: PW

Method: HPLC/DAD
Instrument: Agilent 1100

Moisture Content (%): -
Water Activity (aw): -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.106	0.247	-	-	-
CBCA	ND	ND	0.328	0.766	-	-	-
CBD	ND	ND	0.746	1.74	-	-	-
CBDa	ND	ND	0.275	0.641	-	-	-
CBDV	ND	ND	0.120	0.279	-	-	-
CBDVA	ND	ND	0.319	0.745	-	-	-
CBG	0.635	6.35	0.484	1.13	-	6.35	6.35
CBGA	ND	ND	0.686	0.810	-	-	-
CBL	ND	ND	0.559	1.31	-	-	-
CBN	0.474	4.74	0.257	0.600	-	4.74	4.74
CBNA	ND	ND	0.277	0.647	-	-	-
Δ9-THC	65.5	655	0.308	0.718	-	655	655
Δ8-THC	2.97	29.7	0.481	1.12	-	29.7	29.7
THCA	ND	ND	0.167	0.391	-	-	-
THCV	0.781	7.81	0.401	0.934	-	7.81	7.81
THCVA	ND	ND	0.128	0.298	-	-	-
TOTAL	70.4	704				704	704
TOTAL CBC	-	-				-	-
TOTAL CBD	-	-				-	-
TOTAL CBDV	-	-				-	-
TOTAL CBG	0.635	6.35				6.35	6.35
TOTAL CBN	0.474	4.74				4.74	4.74
TOTAL THC	65.5	655				655	655
TOTAL THCv	0.781	7.81				7.81	7.81



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDa x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCv = (THCVA x 0.867) + THCv

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
--	--	---	--

Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape **Date Completed:** 09/03/2024

TERPENOID PROFILE

Analysis Date/Time: 08/30/2024 1915
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>	
α-Bisabolol	1140	0.114	█
Camphene	538	0.0538	█
δ-3-Carene	ND	-	
β-Caryophyllene	5230	0.523	█
Caryophyllene oxide	689	0.0689	█
p-Cymene	151	0.0151	█
Eucalyptol	894	0.0894	█
Geraniol	716	0.0716	█
Guaiol	ND	-	
α-Humulene	537	0.0537	█
Isopulegol	ND	-	
d-Limonene	14100	1.41	█
Linalool	3340	0.334	█
β-Myrcene	5300	0.530	█
cis-Nerolidol	ND	-	
trans-Nerolidol	ND	-	
α-Ocimene	62.3	0.00623	█
β-Ocimene	ND	-	
α-Pinene	1520	0.152	█
β-Pinene	1370	0.137	█
α-Terpinene	54.8	0.00548	█
γ-Terpinene	469	0.0469	█
Terpinolene	1300	0.130	█
TOTAL	37400	3.74	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 46.4

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
--	--	---	--

Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape **Date Completed:** 09/03/2024

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 08/30/2024 0411 **Method:** HS/GC/MS **Deviations from SOP:**
Analyst: KF **Instrument:** Agilent 7890/5975 **None**

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	37.9	75.8	5000	n-Heptane (142-82-5)	-	37.9	75.8	5000
Acetonitrile (75-5-8)	-	37.9	75.8	410	n-Hexane (110-54-3)	-	13.3	26.5	290
Benzene (71-43-2)	-	0.379	0.758	2	Isobutane (75-28-5)	-	37.9	75.8	5000
n-Butane (106-97-2)	-	37.9	75.8	5000	Isopropanol (67-63-0)	-	37.9	75.8	5000
1-Butanol (71-36-3)	-	37.9	75.8	5000	Isopropyl acetate (108-21-4)	-	37.9	75.8	5000
2-Butanol (78-92-2)	-	37.9	75.8	5000	Isopropyl benzene (98-82-8)	-	3.79	7.58	70
2-Butanone (78-93-3)	-	37.9	75.8	5000	Methanol (67-56-1)	-	37.9	75.8	3000
Cyclohexane (110-82-7)	-	37.9	75.8	3880	2-Methylbutane (78-78-4)	-	37.9	75.8	5000
1,2-Dimethoxyethane (110-71-4)	-	3.79	7.58	100	Methylene chloride (75-9-2)	-	37.9	75.8	600
N,N-Dimethylacetamide (127-19-5)	-	37.9	75.8	1090	2-Methylpentane (107-83-5)	-	13.3	26.5	290
2,2-Dimethylbutane (75-83-2)	-	13.3	26.5	290	3-Methylpentane (96-10-0)	-	13.3	26.5	290
2,3-Dimethylbutane (79-29-8)	-	13.3	26.5	290	n-Pentane (109-66-0)	-	37.9	75.8	5000
N,N-Dimethylformamide (68-12-2)	-	37.9	75.8	880	1-Pentanol (71-41-0)	-	37.9	75.8	5000
Dimethylsulfoxide (67-68-5)	-	37.9	75.8	5000	n-Propane (74-98-6)	-	37.9	75.8	5000
1,4-Dioxane (123-91-1)	-	37.9	75.8	380	1-Propanol (71-23-8)	-	37.9	75.8	5000
Ethanol (64-17-5)	-	37.9	75.8	5000	Pyridine (110-86-1)	-	13.3	26.5	200
2-Ethoxyethanol (110-80-5)	-	13.3	26.5	160	Tetrahydrofuran (109-99-9)	-	37.9	75.8	720
Ethyl ether (60-29-7)	-	37.9	75.8	5000	Tetramethylene sulfone (126-33-0)	-	13.3	26.5	160
Ethyl acetate (141-78-6)	-	37.9	75.8	5000	Toluene (108-88-3)	-	37.9	75.8	890
Ethyl benzene (100-41-4)	-	37.9	75.8	2170	o-Xylene (95-47-6)	-	37.9	75.8	2170
Ethylene glycol (107-21-1)	-	37.9	75.8	620	m,p-Xylene (108-38-3 or 106-42-3)	-	37.9	75.8	2170
Ethylene oxide (75-21-8)	-	3.79	7.58	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL

RESULT > AL

"-" not detected above 1/2 Action Level

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
--	--	---	--

Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape **Date Completed:** 09/03/2024

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 08/30/2024 1340
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0461	0.369	0.5	Kresoxim-methyl (143390-89-0)	-	0.0461	0.369	0.4
Acephate (30560-19-1)	-	0.0461	0.369	0.4	Malathion (121-75-5)	-	0.0461	0.369	0.2
Acetaminocyl (57960-19-7)	-	0.0461	0.369	2	Metalaxyl (57837-19-1)	-	0.0461	0.369	0.2
Acetamiprid (135410-20-7)	-	0.0461	0.369	0.2	Methiocarb (2032-65-7)	-	0.0461	0.369	0.2
Aldicarb (116-06-3)	-	0.0461	0.369	0.4	Methomyl (16752-77-5)	-	0.0461	0.369	0.4
Azoxystrobin (131860-33-8)	-	0.0461	0.369	0.2	Methyl parathion (298-0-0)	-	0.0461	0.369	0.2
Bifenazate (149877-41-8)	-	0.0461	0.369	0.2	MGK 264 (113-48-4)	-	0.0461	0.369	0.2
Bifenthrin (82657-04-3)	-	0.0461	0.369	0.2	Myclobutanil (88671-89-0)	-	0.0461	0.369	0.2
Boscalid (188425-85-6)	-	0.0461	0.369	0.4	Naled (300-76-5)	-	0.0461	0.369	0.5
Carbaryl (63-25-2)	-	0.0461	0.369	0.2	Oxamyl (23135-22-0)	-	0.0461	0.369	1
Carbofuran (1563-66-2)	-	0.0461	0.369	0.2	Pacllobutrazol (76738-62-0)	-	0.0461	0.369	0.4
Chlorantraniliprole (800008-45-7)	-	0.0461	0.369	0.2	Permethrins (52645-53-1)	-	0.0461	0.369	0.2
Chlorfenapyr (122453-73-0)	-	0.0461	0.369	1	Phosmet (732-11-6)	-	0.0461	0.369	0.2
Chlorpyrifos (2921-88-2)	-	0.0461	0.369	0.2	Piperonyl butoxide (51-03-6)	-	0.0461	0.369	2
Clofentezine (74115-24-5)	-	0.0461	0.369	0.2	Prallethrins (2331-36-9)	-	0.0461	0.369	0.2
Cyfluthrin (68359-37-5)	-	0.0461	0.369	1	Propiconazole (60207-90-1))	-	0.0461	0.369	0.4
Cypermethrin (52315-07-8)	-	0.0461	0.369	1	Propoxur (114-26-1)	-	0.0461	0.369	0.2
Daminozide (1596-84-5)	-	0.0461	0.369	1	Pyrethrins (8003-34-7)	-	0.0461	0.369	1
DDVP (62-73-7)	-	0.0461	0.369	0.1	Pyridaben (96489-71-3)	-	0.0461	0.369	0.2
Diazinon (333-41-5)	-	0.0461	0.369	0.2	Spinosad (168316-95-8)	-	0.0461	0.369	0.2
Dimethoate (60-51-5)	-	0.0461	0.369	0.2	Spiromesifen (283594-90-1)	-	0.0461	0.369	0.2
Ethoprophos (13194-48-4)	-	0.0461	0.369	0.2	Spirotetramat (203313-25-1)	-	0.0461	0.369	0.2
Etofenprox (80844-07-1)	-	0.0461	0.369	0.4	Spiroxamine (118134-30-8)	-	0.0461	0.369	0.4
Etoxazole (153233-91-1)	-	0.0461	0.369	0.2	Tebuconazole (80443-41-0)	-	0.0461	0.369	0.4
Fenoxycarb (72490-01-8)	-	0.0461	0.369	0.2	Thiacloprid (111988-49-9)	-	0.0461	0.369	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0461	0.369	0.4	Thiamethoxam (153719-23-4)	-	0.0461	0.369	0.2
Fipronil (120068-37-3)	-	0.0461	0.369	0.4	Trifloxystrobin (141517-21-7)	-	0.0461	0.369	0.2
Fonicamid (158062-67-0)	-	0.0461	0.369	1					
Fludioxinil (131341-86-1)	-	0.0461	0.369	0.4					
Hexythiazox (78587-05-0)	-	0.0461	0.369	1					
Imazalil (35554-44-0)	-	0.0461	0.369	0.2					
Imidacloprid (138261-41-3)	-	0.0461	0.369	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11179 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape			Date Completed: 09/03/2024

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 08/30/2024 1715	Method: ICP/MS	Deviations from SOP:
Analyst: KF	Instrument: Agilent 7500ce	None

<u>Heavy Metal</u>	<u>Result (µg/kg)</u>	<u>LOD (µg/kg)</u>	<u>LOQ (µg/kg)</u>	<u>Action Level (µg/kg)</u>
Arsenic (As)	-	58.2	92.2	200
Cadmium (Cd)	-	58.2	92.2	200
Lead (Pb)	-	58.2	92.2	500
Mercury (Hg)	-	58.2	92.2	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA38771)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA38771 Lot Number: M00065C13240252316 Production Run: E20240829SSDV01	Sample Type: Primary Matrix: Concentrate Mass: 8ea Date Collected: 08/29/2024 Date Received: 08/29/2024
Cultivar (Strain) or Sample Description: Sideline Skunk Hybrid Disposable Distillate .5g Vape			Date Completed: 09/03/2024

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 08/30/2024 1101 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
 Absent - Not Detected Above RL, Present - Detected Above RL

Color Key



Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
 A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
 Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director

