

SUMMARY OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar			Date Completed: 04/21/2025

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.
*Where provided, statements of conformity (e.g. Pass/Fail) are made in accordance with ILAC G8, Binary Statement for Simple Acceptance Rule (w=0, AL=TL).
PASS: when the result is within the acceptance interval. FAIL: when the result is outside the acceptance interval

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL


PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.
Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
THCA	84.7	847
CBGA	0.941	9.41
Δ9-THC	0.403	4.03
TOTAL CBD	0.000	0.000
TOTAL THC	74.7	747
TOTAL CANNABINOIDS	86.4	864

Terpenes (Top 5)	(%)	ppm
β-Caryophyllene	2.52	25200
β-Myrcene	1.54	15400
d-Limonene	0.950	9500
Linalool	0.786	7860
α-Humulene	0.665	6650
TOTAL TERPENES	7.02	70200

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.
The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
--	--	--	--

Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar **Date Completed:** 04/21/2025

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 04/18/2025 1240
Analyst: PW

Method: HPLC/DAD
Instrument: Agilent 1100

Moisture Content (%): -
Water Activity (aw): -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	ND	ND	0.104	0.242	-	0.000	0.000
CBCA	ND	ND	0.323	0.753	-	0.000	0.000
CBD	ND	ND	0.733	1.71	-	0.000	0.000
CBDV	ND	ND	0.118	0.274	-	0.000	0.000
CBDVA	ND	ND	0.314	0.732	-	0.000	0.000
CBG	ND	ND	0.476	1.11	-	0.000	0.000
CBGA	0.941	9.41	0.674	0.796	-	9.41	9.41
CBL	ND	ND	0.550	1.28	-	0.000	0.000
CBN	ND	ND	0.252	0.590	-	0.000	0.000
CBNA	ND	ND	0.272	0.635	-	0.000	0.000
Δ9-THC	0.403	4.03	0.303	0.705	-	4.03	4.03
Δ8-THC	ND	ND	0.472	1.10	-	0.000	0.000
THCA	84.7	847	0.164	0.384	-	847	847
THCV	ND	ND	0.394	0.918	-	0.000	0.000
THCVA	0.315	3.15	0.126	0.293	-	3.15	3.15
TOTAL	86.4	864				864	864
TOTAL CBC	0.000	0.000				0.000	0.000
TOTAL CBD	0.000	0.000				0.000	0.000
TOTAL CBDV	0.000	0.000				0.000	0.000
TOTAL CBG	0.826	8.26				8.26	8.26
TOTAL CBN	0.000	0.000				0.000	0.000
TOTAL THC	74.7	747				747	747
TOTAL THCVA	0.273	2.73				2.73	2.73



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not reported for this sample.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.
Dry percent = Wet percent / (1-(Moisture Content/100))

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDV x 0.867) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCVA = (THCVA x 0.867) + THCVA

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
--	--	--	--

Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar **Date Completed:** 04/21/2025


TERPENOID PROFILE

Analysis Date/Time: 04/18/2025 1311
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (ppm)</u>	<u>Result (%)</u>	
α-Bisabolol	388	0.0388	
Camphene	213	0.0213	
δ-3-Carene	ND	-	
β-Caryophyllene	25200	2.52	█
Caryophyllene oxide	146	0.0146	
p-Cymene	47.8	0.00478	
Eucalyptol	<LOQ	-	
Geraniol	ND	-	
Guaiol	ND	-	
α-Humulene	6650	0.665	█
Isopulegol	ND	-	
d-Limonene	9500	0.950	█
Linalool	7860	0.786	█
β-Myrcene	15400	1.54	█
cis-Nerolidol	ND	-	
trans-Nerolidol	ND	-	
α-Ocimene	129	0.0129	
β-Ocimene	531	0.0531	
α-Pinene	1800	0.180	
β-Pinene	2140	0.214	█
α-Terpinene	<LOQ	-	
γ-Terpinene	<LOQ	-	
Terpinolene	186	0.0186	
TOTAL	70200	7.02	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (ppm): 45.6

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)


Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
--	--	--	--

Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar **Date Completed:** 04/21/2025

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 04/17/2025 2241 **Method:** HS/GC/MS **Deviations from SOP:**
Analyst: KF **Instrument:** Agilent 7890/5975 **None**

Solvent	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Solvent	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)
Acetone (67-64-1)	-	39.3	78.6	5000	n-Heptane (142-82-5)	-	39.3	78.6	5000
Acetonitrile (75-5-8)	-	39.3	78.6	410	n-Hexane (110-54-3)	-	13.8	27.5	290
Benzene (71-43-2)	-	0.393	0.786	2	Isobutane (75-28-5)	-	39.3	78.6	5000
n-Butane (106-97-2)	-	39.3	78.6	5000	Isopropanol (67-63-0)	-	39.3	78.6	5000
1-Butanol (71-36-3)	-	39.3	78.6	5000	Isopropyl acetate (108-21-4)	-	39.3	78.6	5000
2-Butanol (78-92-2)	-	39.3	78.6	5000	Isopropyl benzene (98-82-8)	-	3.93	7.86	70
2-Butanone (78-93-3)	-	39.3	78.6	5000	Methanol (67-56-1)	-	39.3	78.6	3000
Cyclohexane (110-82-7)	-	39.3	78.6	3880	2-Methylbutane (78-78-4)	-	39.3	78.6	5000
1,2-Dimethoxyethane (110-71-4)	-	3.93	7.86	100	Methylene chloride (75-9-2)	-	39.3	78.6	600
N,N-Dimethylacetamide (127-19-5)	-	39.3	78.6	1090	2-Methylpentane (107-83-5)	-	13.8	27.5	290
2,2-Dimethylbutane (75-83-2)	-	13.8	27.5	290	3-Methylpentane (96-10-0)	-	13.8	27.5	290
2,3-Dimethylbutane (79-29-8)	-	13.8	27.5	290	n-Pentane (109-66-0)	-	39.3	78.6	5000
N,N-Dimethylformamide (68-12-2)	-	39.3	78.6	880	1-Pentanol (71-41-0)	-	39.3	78.6	5000
Dimethylsulfoxide (67-68-5)	-	39.3	78.6	5000	n-Propane (74-98-6)	-	39.3	78.6	5000
1,4-Dioxane (123-91-1)	-	39.3	78.6	380	1-Propanol (71-23-8)	-	39.3	78.6	5000
Ethanol (64-17-5)	-	39.3	78.6	5000	Pyridine (110-86-1)	-	13.8	27.5	200
2-Ethoxyethanol (110-80-5)	-	13.8	27.5	160	Tetrahydrofuran (109-99-9)	-	39.3	78.6	720
Ethyl ether (60-29-7)	-	39.3	78.6	5000	Tetramethylene sulfone (126-33-0)	-	13.8	27.5	160
Ethyl acetate (141-78-6)	-	39.3	78.6	5000	Toluene (108-88-3)	-	39.3	78.6	890
Ethyl benzene (100-41-4)	-	39.3	78.6	2170	o-Xylene (95-47-6)	-	39.3	78.6	2170
Ethylene glycol (107-21-1)	-	39.3	78.6	620	m,p-Xylene (108-38-3 or 106-42-3)	-	39.3	78.6	2170
Ethylene oxide (75-21-8)	-	3.93	7.86	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL

RESULT > AL

"-" not detected above 1/2 Action Level

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
--	--	--	--

Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar **Date Completed:** 04/21/2025


PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 04/18/2025 1324
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Pesticide	Result (ppm)	LOD (ppm)	LOQ (ppm)	Action Level (ppm)
Abamectin (71751-41-2)	-	0.0454	0.363	0.5	Kresoxim-methyl (143390-89-0)	-	0.0454	0.363	0.4
Acephate (30560-19-1)	-	0.0454	0.363	0.4	Malathion (121-75-5)	-	0.0454	0.363	0.2
Acetaminocyl (57960-19-7)	-	0.0454	0.363	2	Metalaxyl (57837-19-1)	-	0.0454	0.363	0.2
Acetamiprid (135410-20-7)	-	0.0454	0.363	0.2	Methiocarb (2032-65-7)	-	0.0454	0.363	0.2
Aldicarb (116-06-3)	-	0.0454	0.363	0.4	Methomyl (16752-77-5)	-	0.0454	0.363	0.4
Azoxystrobin (131860-33-8)	-	0.0454	0.363	0.2	Methyl parathion (298-0-0)	-	0.0454	0.363	0.2
Bifenazate (149877-41-8)	-	0.0454	0.363	0.2	MGK 264 (113-48-4)	-	0.0454	0.363	0.2
Bifenthrin (82657-04-3)	-	0.0454	0.363	0.2	Myclobutanil (88671-89-0)	-	0.0454	0.363	0.2
Boscalid (188425-85-6)	-	0.0454	0.363	0.4	Naled (300-76-5)	-	0.0454	0.363	0.5
Carbaryl (63-25-2)	-	0.0454	0.363	0.2	Oxamyl (23135-22-0)	-	0.0454	0.363	1
Carbofuran (1563-66-2)	-	0.0454	0.363	0.2	Pacllobutrazol (76738-62-0)	-	0.0454	0.363	0.4
Chlorantraniliprole (800008-45-7)	-	0.0454	0.363	0.2	Permethrins (52645-53-1)	-	0.0454	0.363	0.2
Chlorfenapyr (122453-73-0)	-	0.0454	0.363	1	Phosmet (732-11-6)	-	0.0454	0.363	0.2
Chlorpyrifos (2921-88-2)	-	0.0454	0.363	0.2	Piperonyl butoxide (51-03-6)	-	0.0454	0.363	2
Clofentezine (74115-24-5)	-	0.0454	0.363	0.2	Prallethrins (2331-36-9)	-	0.0454	0.363	0.2
Cyfluthrin (68359-37-5)	-	0.0454	0.363	1	Propiconazole (60207-90-1)	-	0.0454	0.363	0.4
Cypermethrin (52315-07-8)	-	0.0454	0.363	1	Propoxur (114-26-1)	-	0.0454	0.363	0.2
Daminozide (1596-84-5)	-	0.0454	0.363	1	Pyrethrins (8003-34-7)	-	0.0454	0.363	1
DDVP (62-73-7)	-	0.0454	0.363	0.1	Pyridaben (96489-71-3)	-	0.0454	0.363	0.2
Diazinon (333-41-5)	-	0.0454	0.363	0.2	Spinosad (168316-95-8)	-	0.0454	0.363	0.2
Dimethoate (60-51-5)	-	0.0454	0.363	0.2	Spiromesifen (283594-90-1)	-	0.0454	0.363	0.2
Ethoprophos (13194-48-4)	-	0.0454	0.363	0.2	Spirotetramat (203313-25-1)	-	0.0454	0.363	0.2
Etofenprox (80844-07-1)	-	0.0454	0.363	0.4	Spiroxamine (118134-30-8)	-	0.0454	0.363	0.4
Etoxazole (153233-91-1)	-	0.0454	0.363	0.2	Tebuconazole (80443-41-0)	-	0.0454	0.363	0.4
Fenoxycarb (72490-01-8)	-	0.0454	0.363	0.2	Thiacloprid (111988-49-9)	-	0.0454	0.363	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0454	0.363	0.4	Thiamethoxam (153719-23-4)	-	0.0454	0.363	0.2
Fipronil (120068-37-3)	-	0.0454	0.363	0.4	Trifloxystrobin (141517-21-7)	-	0.0454	0.363	0.2
Fonicamid (158062-67-0)	-	0.0454	0.363	1					
Fludioxinil (131341-86-1)	-	0.0454	0.363	0.4					
Hexythiazox (78587-05-0)	-	0.0454	0.363	1					
Imazalil (35554-44-0)	-	0.0454	0.363	0.2					
Imidacloprid (138261-41-3)	-	0.0454	0.363	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR11556 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
--	--	--	--


Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar **Date Completed:** 04/21/2025

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 04/18/2025 1430	Method: ICP/MS Instrument: Agilent 7700x	Deviations from SOP: None
--	---	-------------------------------------

Analyst: KF

<u>Heavy Metal</u>	<u>Result (ppb)</u>	<u>LOD (ppb)</u>	<u>LOQ (ppb)</u>	<u>Action Level (ppb)</u>
Arsenic (As)	ND	58.8	93.0	200
Cadmium (Cd)	ND	58.8	93.0	200
Lead (Pb)	DET	58.8	93.0	500
Mercury (Hg)	ND	58.8	93.0	100



Abbreviations: ICP - Inductively-Coupled Plasma, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key



"DET" detected less than LOQ

"ND" not detected above LOD

Reporting limit is 1/2 the action level of each analyte.

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40844)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 -	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA40844 Lot Number: M00065C13240440102 Production Run: E20250415RTZLB01	Sample Type: Primary Matrix: Concentrate Mass: 4ea Date Collected: 04/17/2025 Date Received: 04/17/2025
Cultivar (Strain) or Sample Description: Runtz Hybrid Live Badder 1g Jar			Date Completed: 04/21/2025

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 04/18/2025 1134 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

F.A.S.T. Personnel perform sampling following the Sampling SOP (SOP-02).

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

