

SUMMARY OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart			Date Completed: 12/21/2022

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	29.9	299
THCA	28.4	284
CBGA	3.69	36.9
TOTAL CBD	0.342	3.42
TOTAL THC	54.8	548
TOTAL CANNABINOIDS	64.0	640

Terpenes (Top 5)	(%)	µg/g
Terpinolene	2.92	29200
β-Myrcene	2.15	21500
d-Limonene	0.925	9250
β-Caryophyllene	0.485	4850
β-Pinene	0.418	4180
TOTAL TERPENES	8.59	85900

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)


Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
--	--	---	---

Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart **Date Completed:** 12/21/2022

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 12/15/2022 2053 **Method:** HPLC/DAD **Moisture Content (%):** -
Analyst: PW **Instrument:** Agilent 1100 **Water Activity (aw):** -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>UM (+/-%)</u>	<u>Result (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	-	-	-	2.30	-	-	-
CBCA	-	-	-	2.30	-	-	-
CBD	-	-	-	2.30	-	-	-
CBDA	0.390	0.0351	3.90	2.30	-	3.90	3.90
CBDV	-	-	-	2.30	-	-	-
CBDVA	-	-	-	2.30	-	-	-
CBG	1.55	0.139	15.5	2.30	-	15.5	15.5
CBGA	3.69	0.332	36.9	2.30	-	36.9	36.9
CBL	-	-	-	2.30	-	-	-
CBN	-	-	-	2.30	-	-	-
CBNA	-	-	-	2.30	-	-	-
Δ9-THC	29.9	2.69	299	2.30	-	299	299
Δ8-THC	-	-	-	2.30	-	-	-
THCA	28.4	2.56	284	2.30	-	284	284
THCV	-	-	-	2.30	-	-	-
THCVA	-	-	-	2.30	-	-	-
TOTAL	64.0	5.76	640			640	640
TOTAL CBC	-	-	-			-	-
TOTAL CBD	0.342	0.0308	3.42			3.42	3.42
TOTAL CBDV	-	-	-			-	-
TOTAL CBG	4.78	0.431	47.8			47.8	47.8
TOTAL CBN	-	-	-			-	-
TOTAL THC	54.8	4.94	548			548	548
TOTAL THCV	-	-	-			-	-



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
 Total CBD = (CBDA x 0.877) + CBD
 Total CBDV = (CBDVA x 0.867) + CBDV
 Total CBG = (CBGA x 0.878) + CBG
 Total CBN = (CBNA x 0.876) + CBN
 Total THC = (THCA x 0.877) + Δ9-THC
 Total THCV = (THCVA x 0.867) + THC

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
--	--	---	---

Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart **Date Completed:** 12/21/2022


TERPENOID PROFILE

Analysis Date/Time: 12/18/2022 1803
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>	
α-Bisabolol	680	0.0680	
Camphene	553	0.0553	
δ-3-Carene	1500	0.150	
β-Caryophyllene	4850	0.485	
Caryophyllene oxide	249	0.0249	
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	674	0.0674	
Guaiol	-	-	
α-Humulene	1460	0.146	
Isopulegol	-	-	
d-Limonene	9250	0.925	
Linalool	2020	0.202	
β-Myrcene	21500	2.15	
cis-Nerolidol	-	-	
trans-Nerolidol	352	0.0352	
α-Ocimene	-	-	
β-Ocimene	4040	0.404	
α-Pinene	2540	0.254	
β-Pinene	4180	0.418	
α-Terpinene	1650	0.165	
γ-Terpinene	1220	0.122	
Terpinolene	29200	2.92	
TOTAL	85900	8.59	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above RL.

Reporting Limit (µg/g): 85.9

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLaboratories.com




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart			Date Completed: 12/21/2022

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 12/16/2022 0247	Method: HS/GC/MS	Deviations from SOP:
Analyst: KF	Instrument: Agilent 7890/5975	None

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	39.6	79.3	5000	n-Heptane (142-82-5)	-	39.6	79.3	5000
Acetonitrile (75-5-8)	-	39.6	79.3	410	n-Hexane (110-54-3)	-	13.9	27.8	290
Benzene (71-43-2)	-	0.396	0.793	2	Isobutane (75-28-5)	-	39.6	79.3	5000
n-Butane (106-97-2)	1530	39.6	79.3	5000	Isopropanol (67-63-0)	-	39.6	79.3	5000
1-Butanol (71-36-3)	-	39.6	79.3	5000	Isopropyl acetate (108-21-4)	-	39.6	79.3	5000
2-Butanol (78-92-2)	-	39.6	79.3	5000	Isopropyl benzene (98-82-8)	-	3.96	7.93	70
2-Butanone (78-93-3)	-	39.6	79.3	5000	Methanol (67-56-1)	-	39.6	79.3	3000
Cyclohexane (110-82-7)	-	39.6	79.3	3880	2-Methylbutane (78-78-4)	-	39.6	79.3	5000
1,2-Dimethoxyethane (110-71-4)	-	3.96	7.93	100	Methylene chloride (75-9-2)	-	39.6	79.3	600
N,N-Dimethylacetamide (127-19-5)	-	39.6	79.3	1090	2-Methylpentane (107-83-5)	-	13.9	27.8	290
2,2-Dimethylbutane (75-83-2)	-	13.9	27.8	290	3-Methylpentane (96-10-0)	-	13.9	27.8	290
2,3-Dimethylbutane (79-29-8)	-	13.9	27.8	290	n-Pentane (109-66-0)	-	39.6	79.3	5000
N,N-Dimethylformamide (68-12-2)	-	39.6	79.3	880	1-Pentanol (71-41-0)	-	39.6	79.3	5000
Dimethylsulfoxide (67-68-5)	-	39.6	79.3	5000	n-Propane (74-98-6)	-	39.6	79.3	5000
1,4-Dioxane (123-91-1)	-	39.6	79.3	380	1-Propanol (71-23-8)	-	39.6	79.3	5000
Ethanol (64-17-5)	-	39.6	79.3	5000	Pyridine (110-86-1)	-	13.9	27.8	200
2-Ethoxyethanol (110-80-5)	-	13.9	27.8	160	Tetrahydrofuran (109-99-9)	-	39.6	79.3	720
Ethyl ether (60-29-7)	-	39.6	79.3	5000	Tetramethylene sulfone (126-33-0)	-	13.9	27.8	160
Ethyl acetate (141-78-6)	-	39.6	79.3	5000	Toluene (108-88-3)	-	39.6	79.3	890
Ethyl benzene (100-41-4)	-	39.6	79.3	2170	o-Xylene (95-47-6)	-	39.6	79.3	2170
Ethylene glycol (107-21-1)	-	39.6	79.3	620	m,p-Xylene (108-38-3 or 106-42-3)	-	39.6	79.3	2170
Ethylene oxide (75-21-8)	-	3.96	7.93	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart			Date Completed: 12/21/2022


PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 12/19/2022 1733
Analyst: KF


Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0190	0.152	0.5	Kresoxim-methyl (143390-89-0)	-	0.0190	0.152	0.4
Acephate (30560-19-1)	-	0.0190	0.152	0.4	Malathion (121-75-5)	-	0.0190	0.152	0.2
Acequinocyl (57960-19-7)	-	0.0190	0.152	2	Metalaxyl (57837-19-1)	-	0.0190	0.152	0.2
Acetamiprid (135410-20-7)	-	0.0190	0.152	0.2	Methiocarb (2032-65-7)	-	0.0190	0.152	0.2
Aldicarb (116-06-3)	-	0.0190	0.152	0.4	Methomyl (16752-77-5)	-	0.0190	0.152	0.4
Azoxystrobin (131860-33-8)	-	0.0190	0.152	0.2	Methyl parathion (298-0-0)	-	0.0190	0.152	0.2
Bifenazate (149877-41-8)	-	0.0190	0.152	0.2	MGK 264 (113-48-4)	-	0.0190	0.152	0.2
Bifenthrin (82657-04-3)	-	0.0190	0.152	0.2	Myclobutanil (88671-89-0)	-	0.0190	0.152	0.2
Boscalid (188425-85-6)	-	0.0190	0.152	0.4	Naled (300-76-5)	-	0.0190	0.152	0.5
Carbaryl (63-25-2)	-	0.0190	0.152	0.2	Oxamyl (23135-22-0)	-	0.0190	0.152	1
Carbofuran (1563-66-2)	-	0.0190	0.152	0.2	Paclitaxel (76738-62-0)	-	0.0190	0.152	0.4
Chlorantraniliprole (800008-45-7)	-	0.0190	0.152	0.2	Permethrins (52645-53-1)	-	0.0190	0.152	0.2
Chlorfenapyr (122453-73-0)	-	0.0190	0.152	1	Phosmet (732-11-6)	-	0.0190	0.152	0.2
Chlorpyrifos (2921-88-2)	-	0.0190	0.152	0.2	Piperonyl butoxide (51-03-6)	-	0.0190	0.152	2
Clofentezine (74115-24-5)	-	0.0190	0.152	0.2	Prallethrin (2331-36-9)	-	0.0190	0.152	0.2
Cyfluthrin (68359-37-5)	-	0.0190	0.152	1	Propiconazole (60207-90-1)	-	0.0190	0.152	0.4
Cypermethrin (52315-07-8)	-	0.0190	0.152	1	Propoxur (114-26-1)	-	0.0190	0.152	0.2
Daminozide (1596-84-5)	-	0.0190	0.152	1	Pyrethrins (8003-34-7)	-	0.0190	0.152	1
DDVP (62-73-7)	-	0.0190	0.152	0.1	Pyridaben (96489-71-3)	-	0.0190	0.152	0.2
Diazinon (333-41-5)	-	0.0190	0.152	0.2	Spinosad (168316-95-8)	-	0.0190	0.152	0.2
Dimethoate (60-51-5)	-	0.0190	0.152	0.2	Spiromesifen (283594-90-1)	-	0.0190	0.152	0.2
Ethoprophos (13194-48-4)	-	0.0190	0.152	0.2	Spirotetramat (203313-25-1)	-	0.0190	0.152	0.2
Etofenprox (80844-07-1)	-	0.0190	0.152	0.4	Spiroxamine (118134-30-8)	-	0.0190	0.152	0.4
Etoxazole (153233-91-1)	-	0.0190	0.152	0.2	Tebuconazole (80443-41-0)	-	0.0190	0.152	0.4
Fenoxycarb (72490-01-8)	-	0.0190	0.152	0.2	Thiacloprid (111988-49-9)	-	0.0190	0.152	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0190	0.152	0.4	Thiamethoxam (153719-23-4)	-	0.0190	0.152	0.2
Fipronil (120068-37-3)	-	0.0190	0.152	0.4	Trifloxystrobin (141517-21-7)	-	0.0190	0.152	0.2
Fonicamid (158062-67-0)	-	0.0190	0.152	1					
Fludioxinil (131341-86-1)	-	0.0190	0.152	0.4					
Hexythiazox (78587-05-0)	-	0.0190	0.152	1					
Imazalil (35554-44-0)	-	0.0190	0.152	0.2					
Imidacloprid (138261-41-3)	-	0.0190	0.152	0.4					



Color Key



"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.
Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10217 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart			Date Completed: 12/21/2022

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 12/21/2022 0805 (ICP/OES) **Method:** ICP/OES **Deviations from SOP:**
Analysis Date/Time: - (DMA) **Instrument:** Agilent 720-ES None
Analyst: KF

<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)
Arsenic (As)	-	56.4	89.2	200
Cadmium (Cd)	-	56.4	89.2	200
Lead (Pb)	-	56.4	89.2	500
Mercury (Hg)	-	56.4	89.2	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
 DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key



"DET" detected less than LOQ
 "-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
 Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33699)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA33699 Lot Number: M00065C13241008157 Production Run: E20221128O43HLR01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 12/14/2022 Date Received: 12/14/2022
Cultivar (Strain) or Sample Description: Orange 43 Hybrid Live Resin .5g Cart			Date Completed: 12/21/2022

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 20221216 1421 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	1
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

