







SUMMARY OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Sugar 1g Jar Date Completed: 12/21						

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg</u> /g
THCA	68.9	689
Δ9-ТНС	3.52	35.2
THCVA	3.15	31.5
TOTAL CBD	-	-
TOTAL THC	64.0	640
TOTAL CANNABINOIDS	78.5	785
<u>Terpenes (Top 5)</u>	<u>(%)</u>	µg∕g
<u>Terpenes (Top 5)</u> Terpinolene	<u>(%)</u> 2.53	µg/g 25300
Terpinolene	2.53	25300
Terpinolene β-Myrcene	2.53 1.37	25300 13700
Terpinolene β-Myrcene d-Limonene	2.53 1.37 0.829	25300 13700 8290

<u>Contaminants</u>	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Sugar 1g Jar Date Completed: 12/21/2022						

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 12/15/2022 1940 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> Serving (mg)	<u>Per</u> g <u>Unit</u> (mg)
CBC	-	-	-	2.31	-	-	-
CBCA	-	-	-	2.31	-	-	-
CBD	-	-	-	2.31	-	-	-
CBDA	-	-	-	2.31	-	-	-
CBDV	-	-	-	2.31	-	-	-
CBDVA	-	-	-	2.31	-	-	-
CBG	-	-	-	2.31	-	-	-
CBGA	2.89	0.260	28.9	2.31	-	28.9	28.9
CBL	-	-	-	2.31	-	-	-
CBN	-	-	-	2.31	-	-	-
CBNA	-	-	-	2.31	-	-	-
Δ9-ΤΗC	3.52	0.317	35.2	2.31	-	35.2	35.2
Δ8- THC	-	-	-	2.31	-	-	-
THCA	68.9	6.20	689	2.31	-	689	689
THCV	-	-	-	2.31	-	-	-
THCVA	3.15	0.284	31.5	2.31	-	31.5	31.5
TOTAL	78.5	7.06	785		-	785	785
TOTAL CBC	-	-	-		-	-	-
TOTAL CBD	-	-	-		-	-	-
TOTAL CBDV	-	-	-		-	-	-
TOTAL CBG	2.54	0.229	25.4		-	25.4	25.4
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	64.0	5.76	640		-	640	640
TOTAL THCV	2.73	0.246	27.3		-	27.3	27.3

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



SERVING MASS (g): 1.00 SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) + Δ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Kyle W. Felling, Ph.D. atory Dire











Deviations from SOP:

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Sugar 1g Jar Date Completed: 12/21/24						

Analysis Date/Time:12/18/2022 1614

TERPENOID PROFILE

Method: GC/MS

Analyst: KF Instrument: Agilent 7890/5975 None <u>Result</u> Terpene **Result** (%) $(\mu g/g)$ 5410 0.541 α-Bisabolol Camphene 484 0.0484 δ-3-Carene 1250 0.125 β-Caryophyllene 4600 0.460 Caryophyllene oxide p-Cymene Eucalyptol Geraniol 0.0564 564 Guaiol _ _ Abbreviations: GC - Gas α-Humulene 1740 0.174 Chromatography, MS - Mass Spectrometry, RL - Reporting Limit Isopulegol _ This information is provided as a service d-Limonene 8290 0.829 and makes no claims of efficacy and/or safety of this product. Linalool 3490 0.349 Results are applicable only for the β-Myrcene 13700 1.37 sample(s) analyzed and for the specific cis-Nerolidol analysis conducted. _ This report is for informational purposes 0.0446 trans-Nerolidol 446 only and should not be used to diagnose, α-Ocimene 272 0.0272 treat, or prevent any medical-related symptoms. β-Ocimene 6630 0.663 The statements and results herein have α-Pinene 1760 0.176 not been approved and/or endorsed by β-Pinene 3250 0.325 the FDA. α-Terpinene 1540 0.154 y-Terpinene 1050 0.105 Terpinolene 25300 2.53 "-" Not detected above RL TOTAL 79700 7.97 Reporting Limit (µg/g): 82.0













CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022
Cultivar (Strain) or Sample	Date Completed: 12/21/2022		

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 12/16/2022 0013		Ι	Method: HS/GC/MS			Deviations from SOP:				
Analyst: KF]	Instrument: Agilent 78	90/5975	5 None			
<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	LOQ (µg/g)	<u>Action</u> Level (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Acetone (67-64-1)	-	37.1	74.1	5000	n-Heptane (142-82-5)	-	37.1	74.1	5000	
Acetonitrile (75-5-8)	-	37.1	74.1	410	n-Hexane (110-54-3)	-	13.0	25.9	290	
Benzene (71-43-2)	-	0.371	0.741	2	Isobutane (75-28-5)	-	37.1	74.1	5000	and the state of the second
n-Butane (106-97-2)	162	37.1	74.1	5000	Isopropanol (67-63-0)	-	37.1	74.1	5000	
1-Butanol (71-36-3)	-	37.1	74.1	5000	Isopropyl acetate	_	37.1	74.1	5000	
2-Butanol (78-92-2)	-	37.1	74.1	5000	(108-21-4)		57.1	/ 4.1	5000	
2-Butanone (78-93-3)	-	37.1	74.1	5000	Isopropyl benzene (98-82-8)	-	3.71	7.41	70	
Cyclohexane (110-82-7)	-	37.1	74.1	3880	(56-62-6) Methanol (67-56-1)		37.1	74.1	3000	Color Key
1,2-Dimethoxyethane	_	3.71	7.41	100	2-Methylbutane (78-78-4)	-	37.1	74.1	5000	
(110-71-4)		5.71	7.41	100	Methylene chloride	-				RESULT < AL
N,N-Dimethylacetamide (127-19-5)	-	37.1	74.1	1090	(75-9-2)	-	37.1	74.1	600	RESULT > AL
2,2-Dimethylbutane (75-83-2)	-	13.0	25.9	290	2-Methylpentane (107-83-5)	-	13.0	25.9	290	"DET" detected less than LOQ
2,3-Dimethylbutane		12.0	25.0	200	3-Methylpentane (96-10-0)	-	13.0	25.9	290	"-" not detected above
(79-29-8)	-	13.0	25.9	290	n-Pentane (109-66-0)	-	37.1	74.1	5000	LOD
N,N-Dimethylformamide	_	37.1	74.1	880	1-Pentanol (71-41-0)	-	37.1	74.1	5000	"*" - o,m,p-Xylene and
(68-12-2)		5711	/ 111	000	n-Propane (74-98-6)	-	37.1	74.1	5000	Ethylbenzene
Dimethylsulfoxide (67-68-5)	-	37.1	74.1	5000	1-Propanol (71-23-8)	-	37.1	74.1	5000	Action levels are
1,4-Dioxane (123-91-1)	_	37.1	74.1	380	Pyridine (110-86-1)	-	13.0	25.9	200	referenced from the State of
Ethanol (64-17-5)	_	37.1	74.1	5000	Tetrahydrofuran (109-99-9)	-	37.1	74.1	720	Arkansas
2-Ethoxyethanol (110-80-5)	_	13.0	25.9	160	Tetramethylene sulfone	_	13.0	25.9	160	MMJ testing
Ethyl ether (60-29-7)	-	37.1	74.1	5000	(126-33-0) Toluene (108-88-3)		37.1	74.1	890	guidelines.
Ethyl acetate (141-78-6)	_	37.1	74.1	5000	o-Xylene (95-47-6)	-	37.1	74.1 74.1	2170	A value of "-"
Ethyl benzene (100-41-4)	-	37.1	74.1	2170	m,p-Xylene (108-38-3 or	-	37.1	/4.1	2170	for the action level
Ethylene glycol (107-21-1)	-	37.1	74.1	620	106-42-3)	-	37.1	74.1	2170	means that analyte
Ethylene oxide (75-21-8)	-	3.71	7.41	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170	is not currently regulated by the
Solvent		Synonym(s	3)		Solvent	S	ynonym(s)			regulations referenced above.
Acetonitrile		Methyl Cya			Ethylene glycol		2-Ethanedio			
1-Butanol			Butyl Alco	hol	Isobutane		-Methylpropa			
2-Butanol		sec-Butyl a	5		Isopropanol		-Propanol, IP			
2-Butanone		Methyl eth		/EK	Isopropyl Acetate		cetic acid iso		r	
1,2-Dimethoxyethane		Monoglym	-		Methanol		fethyl alcoho			
2,3-Dimethylbutane		Neohexane			2-Methylbutane		opentane			
2,3-Dimethylbutane		Diisopropy			Methylene chloride		opentane ichlorometha	ine		
N,N-Dimethylformamide		DMF	-		2-Methylpentane		ohexane			
Dimethysufoxide		DMSO			1-Pentanol		-Amyl alcoho	1		
2-Ethoxyethanol			, Ethyl glyc	ol	1-Propanol		ropyl alcohol			
Ethyl ether		Diethyl eth			Tetrahydrofuran		HF			
Ethyl acetate		EtOAc	, בנוכו		Tetramethylene sulfone		ulfolane			
Ethyl benzene		Phenyletha	ne		Xylene		imethylbenz	ne		
Lenyi Delizelle		1 neny retild	iic		2xy icite	D	methyroellz	inc		

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









Deviations from SOP:

None

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022
Cultivar (Strain) or Sample	Date Completed: 12/21/2022		

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 12/18/2022 1359 Analyst: KF

Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0196	0.156	0.5	Kresoxim-methyl	_	0.0196	0.156	0.4	
Acephate (30560-19-1)	-	0.0196	0.156	0.4	(143390-89-0)					
Acequinocyl (57960-19-7)	-	0.0196	0.156	2	Malathion (121-75-5)	-	0.0196	0.156	0.2	
Acetamiprid (135410-20-7)	-	0.0196	0.156	0.2	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)		0.0196 0.0196	0.156 0.156	0.2 0.2	<u>Color Key</u>
Aldicarb (116-06-3)	-	0.0196	0.156	0.4	Methomyl (16752-77-5)	-	0.0196	0.156	0.4	RESULT < AL
Azoxystrobin (131860-33-8)	-	0.0196	0.156	0.2	Methyl parathion (298-0-0)	-	0.0196	0.156	0.2	RESULT > AL
Bifenazate (149877-41-8)	_	0.0196	0.156	0.2	MGK 264 (113-48-4)	-	0.0196	0.156	0.2	"DET" detected less than LOQ
Bifenthrin (82657-04-3)	-	0.0196	0.156	0.2	Myclobutanil			0.450		
Boscalid (188425-85-6)	-	0.0196	0.156	0.4	(88671-89-0)	-	0.0196	0.156	0.2	"-" not detected above LOD
Carbaryl (63-25-2)	-	0.0196	0.156	0.2	Naled (300-76-5)	-	0.0196	0.156	0.5	
Carbofuran (1563-66-2)	-	0.0196	0.156	0.2	Oxamyl (23135-22-0)	-	0.0196	0.156	1	Permethrins measured as the cumulative residue of the <i>cis</i> - and
Chlorantraniliprole (800008-45-7)	-	0.0196	0.156	0.2	Paclobutrazol (76738-62-0)	-	0.0196	0.156	0.4	<i>trans-</i> permethrin isomers.
Chlorfenapyr					Permethrins (52645-53-1)	-	0.0196	0.156	0.2	Pyrethrins measured as the
(122453-73-0)	-	0.0196	0.156	1	Phosmet (732-11-6)	-	0.0196	0.156	0.2	cumulative residue of the pyrethrin I, cinerin I, and jasmolin
Chlorpyrifos (2921-88-2)	-	0.0196	0.156	0.2	Piperonyl butoxide	_	0.0196	0.156	2	I isomers.
Clofentezine (74115-24-5)	-	0.0196	0.156	0.2	(51-03-6)					Action levels are referenced from
Cyfluthrin (68359-37-5)	-	0.0196	0.156	1	Prallethrins (2331-36-9)	-	0.0196	0.156	0.2	the
Cypermethrin (52315-07-8)	-	0.0196	0.156	1	Propiconazole (60207-90-1))	-	0.0196	0.156	0.4	State of Arkansas MMJ testing guidelines.
Daminozide (1596-84-5)	-	0.0196	0.156	1	Propoxur (114-26-1)	-	0.0196	0.156	0.2	A value of "-" for the action level
DDVP (62-73-7)	-	0.0196	0.156	0.1	Pyrethrins (8003-34-7)	-	0.0196	0.156	1	means that analyte is not
Diazinon (333-41-5)	-	0.0196	0.156	0.2	Pyridaben (96489-71-3)	-	0.0196	0.156	0.2	currently regulated by the
Dimethoate (60-51-5)	-	0.0196	0.156	0.2	Spinosad (168316-95-8)	-	0.0196	0.156	0.2	regulations referenced above.
Ethoprophos (13194-48-4)	-	0.0196	0.156	0.2	Spiromesifen (283594-90-1)	-	0.0196	0.156	0.2	Disclaimer: This information is
Etofenprox (80844-07-1)	-	0.0196	0.156	0.4	Spirotetramat					provided as a service and makes no claims of efficacy and/or safety
Etoxazole (153233-91-1)	-	0.0196	0.156	0.2	(203313-25-1)	-	0.0196	0.156	0.2	of this product. Results are
Fenoxycarb (72490-01-8)	-	0.0196	0.156	0.2	Spiroxamine	_	0.0196	0.156	0.4	applicable only for the sample(s) analyzed and for the specific
(E)-Fenpyroximate (134098-61-6)	-	0.0196	0.156	0.4	(118134-30-8) Tebuconazole		0.0196			analysis conducted. This report is for informational purposes only
Fipronil (120068-37-3)	-	0.0196	0.156	0.4	(80443-41-0)	-	0.0196	0.156	0.4	and should not be used to
Flonicamid (158062-67-0)	-	0.0196	0.156	1	Thiacloprid	-	0.0196	0.156	0.2	diagnose, treat, or prevent any medical-related symptoms. The
Fludioxinil (131341-86-1)	-	0.0196	0.156	0.4	(111988-49-9)					statements and results herein have
Hexythiazox (78587-05-0)	-	0.0196	0.156	1	Thiamethoxam (153719-23-4)	-	0.0196	0.156	0.2	not been approved and/or
Imazalil (35554-44-0)	-	0.0196	0.156	0.2	Trifloxystrobin		0.0100	0.150	0.5	endorsed by the FDA.
Imidacloprid (138261-41-3)	-	0.0196	0.156	0.4	(141517-21-7)		0.0196	0.156	0.2	

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	<u>Synonym(s)</u>
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		



REPORT OF LABORATORY ANALYSIS This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



www.FASTLaboratories.com









CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADH 113	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022
Cultivar (Strain) or Sample	Date Completed: 12/21/2022		

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/T Analysis Date/T Analyst: KF	ïme: 12/21/2022 0 ïme: - (DMA)	745 (ICP/OES)		t hod: ICP/OES rument: Agilent 720	-ES None
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	55.0	87.0	200	
Cadmium (Cd)	-	55.0	87.0	200	
Lead (Pb)	-	55.0	87.0	500	
Mercury (Hg)	-	55.0	87.0	100	

Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

<u>Color Key</u>



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33694)


Testing Location:	Customer ID: 2168	Sample ID: SA33694	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13242785818	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADA 05_H273	License: 00065C	E20221128BBFHLS01	Date Received: 12/14/2022
Cultivar (Strain) or Sample	Date Completed: 12/21/2022		

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 2022121 Analyst: PW		lardy Diagnostics CompactDry nt: Thermo Incubator	Deviations from SOP: None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT		
Pseudomonas aeruginosa	NT	1	
Salmonella spp.	NT		
Staphylococcus aureus	NT		

Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



