

SUMMARY OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart			Date Completed: 07/20/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	64.5	645
CBD	20.6	206
THCV	1.45	14.5
TOTAL CBD	20.6	206
TOTAL THC	64.5	645
TOTAL CANNABINOIDS	88.0	880

Terpenes (Top 5)	(%)	µg/g
β-Caryophyllene	0.104	1040
α-Humulene	0.0379	379
α-Bisabolol		
Camphene		
δ-3-Carene		
TOTAL TERPENES	0.142	1420

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

www.FASTLaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
--	--	--	---

Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart **Date Completed:** 07/20/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 07/18/2023 1949 **Method:** HPLC/DAD **Moisture Content (%):** -
Analyst: PW **Instrument:** Agilent 1100 **Water Activity (aw):** -

<u>Cannabinoid</u>	<u>Result (%)</u>	<u>Result (mg/g)</u>	<u>LOD (mg/g)</u>	<u>LOQ (mg/g)</u>	<u>Result (mg/mL)</u>	<u>Per Serving (mg)</u>	<u>Per Unit (mg)</u>
CBC	0.103	1.03	0.108	0.252	-	1.03	1.03
CBCA	ND	ND	0.335	0.782	-	-	-
CBD	20.6	206	0.761	1.78	-	206	206
CBDA	ND	ND	0.280	0.654	-	-	-
CBDV	ND	ND	0.122	0.285	-	-	-
CBDVA	ND	ND	0.326	0.760	-	-	-
CBG	1.14	11.4	0.494	1.15	-	11.4	11.4
CBGA	ND	ND	0.700	0.826	-	-	-
CBL	ND	ND	0.571	1.33	-	-	-
CBN	0.259	2.59	0.262	0.612	-	2.59	2.59
CBNA	ND	ND	0.283	0.660	-	-	-
Δ9-THC	64.5	645	0.314	0.733	-	645	645
Δ8-THC	ND	ND	0.490	1.14	-	-	-
THCA	ND	ND	0.170	0.398	-	-	-
THCV	1.45	14.5	0.409	0.953	-	14.5	14.5
THCVA	ND	ND	0.131	0.304	-	-	-
TOTAL	88.0	880				880	880
TOTAL CBC	0.103	1.03				1.03	1.03
TOTAL CBD	20.6	206				206	206
TOTAL CBDV	-	-				-	-
TOTAL CBG	1.14	11.4				11.4	11.4
TOTAL CBN	0.259	2.59				2.59	2.59
TOTAL THC	64.5	645				645	645
TOTAL THCV	1.45	14.5				14.5	14.5



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
 Total CBD = (CBDA x 0.877) + CBD
 Total CBDV = (CBDVA x 0.867) + CBDV
 Total CBG = (CBGA x 0.878) + CBG
 Total CBN = (CBNA x 0.876) + CBN
 Total THC = (THCA x 0.877) + Δ9-THC
 Total THCV = (THCVA x 0.867) + THCVA

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
--	--	--	---

Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart **Date Completed:** 07/20/2023

TERPENOID PROFILE

Analysis Date/Time: 07/19/2023 1759
Analyst: KF

Method: GC/MS
Instrument: Agilent 7890/5975

Deviations from SOP:
None

<u>Terpene</u>	<u>Result (µg/g)</u>	<u>Result (%)</u>
α-Bisabolol	ND	-
Camphene	ND	-
δ-3-Carene	ND	-
β-Caryophyllene	1040	0.104
Caryophyllene oxide	ND	-
p-Cymene	ND	-
Eucalyptol	ND	-
Geraniol	ND	-
Guaiol	ND	-
α-Humulene	379	0.0379
Isopulegol	ND	-
d-Limonene	ND	-
Linalool	ND	-
β-Myrcene	ND	-
cis-Nerolidol	ND	-
trans-Nerolidol	ND	-
α-Ocimene	ND	-
β-Ocimene	ND	-
α-Pinene	<LOQ	-
β-Pinene	<LOQ	-
α-Terpinene	ND	-
γ-Terpinene	ND	-
Terpinolene	ND	-
TOTAL	1420	0.142



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit
Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 237

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
--	--	--	---

Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart **Date Completed:** 07/20/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 07/19/2023 0418 **Method:** HS/GC/MS **Deviations from SOP:**
Analyst: KF **Instrument:** Agilent 7890/5975 **None**

Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Solvent	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Acetone (67-64-1)	-	125	250	5000	n-Heptane (142-82-5)	-	125	250	5000
Acetonitrile (75-5-8)	-	125	250	410	n-Hexane (110-54-3)	-	43.7	87.5	290
Benzene (71-43-2)	-	1.25	2.50	2	Isobutane (75-28-5)	-	125	250	5000
n-Butane (106-97-2)	-	125	250	5000	Isopropanol (67-63-0)	-	125	250	5000
1-Butanol (71-36-3)	-	125	250	5000	Isopropyl acetate (108-21-4)	-	125	250	5000
2-Butanol (78-92-2)	-	125	250	5000	Isopropyl benzene (98-82-8)	-	12.5	25.0	70
2-Butanone (78-93-3)	-	125	250	5000	Methanol (67-56-1)	-	125	250	3000
Cyclohexane (110-82-7)	-	125	250	3880	2-Methylbutane (78-78-4)	-	125	250	5000
1,2-Dimethoxyethane (110-71-4)	-	12.5	25.0	100	Methylene chloride (75-9-2)	-	125	250	600
N,N-Dimethylacetamide (127-19-5)	-	125	250	1090	2-Methylpentane (107-83-5)	-	43.7	87.5	290
2,2-Dimethylbutane (75-83-2)	-	43.7	87.5	290	3-Methylpentane (96-10-0)	-	43.7	87.5	290
2,3-Dimethylbutane (79-29-8)	-	43.7	87.5	290	n-Pentane (109-66-0)	-	125	250	5000
N,N-Dimethylformamide (68-12-2)	-	125	250	880	1-Pentanol (71-41-0)	-	125	250	5000
Dimethylsulfoxide (67-68-5)	-	125	250	5000	n-Propane (74-98-6)	-	125	250	5000
1,4-Dioxane (123-91-1)	-	125	250	380	1-Propanol (71-23-8)	-	125	250	5000
Ethanol (64-17-5)	334	125	250	5000	Pyridine (110-86-1)	-	43.7	87.5	200
2-Ethoxyethanol (110-80-5)	-	43.7	87.5	160	Tetrahydrofuran (109-99-9)	-	125	250	720
Ethyl ether (60-29-7)	-	125	250	5000	Tetramethylene sulfone (126-33-0)	-	43.7	87.5	160
Ethyl acetate (141-78-6)	-	125	250	5000	Toluene (108-88-3)	-	125	250	890
Ethyl benzene (100-41-4)	-	125	250	2170	o-Xylene (95-47-6)	-	125	250	2170
Ethylene glycol (107-21-1)	-	125	250	620	m,p-Xylene (108-38-3 or 106-42-3)	-	125	250	2170
Ethylene oxide (75-21-8)	-	12.5	25.0	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL (Green background)
RESULT > AL (Red background)

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Solvent	Synonym(s)	Solvent	Synonym(s)
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
--	--	--	---

Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart **Date Completed:** 07/20/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 07/18/2023 2155
Analyst: KF

Method: LC/MS/MS
Instrument: Shimadzu LC-8050

Deviations from SOP:
None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0474	0.379	0.5	Kresoxim-methyl (143390-89-0)	-	0.0474	0.379	0.4
Acephate (30560-19-1)	-	0.0474	0.379	0.4	Malathion (121-75-5)	-	0.0474	0.379	0.2
Acetaminoyl (57960-19-7)	-	0.0474	0.379	2	Metalaxyl (57837-19-1)	-	0.0474	0.379	0.2
Acetamiprid (135410-20-7)	-	0.0474	0.379	0.2	Methiocarb (2032-65-7)	-	0.0474	0.379	0.2
Aldicarb (116-06-3)	-	0.0474	0.379	0.4	Methomyl (16752-77-5)	-	0.0474	0.379	0.4
Azoxystrobin (131860-33-8)	-	0.0474	0.379	0.2	Methyl parathion (298-0-0)	-	0.0474	0.379	0.2
Bifenazate (149877-41-8)	-	0.0474	0.379	0.2	MGK 264 (113-48-4)	-	0.0474	0.379	0.2
Bifenthrin (82657-04-3)	-	0.0474	0.379	0.2	Myclobutanil (88671-89-0)	-	0.0474	0.379	0.2
Boscalid (188425-85-6)	-	0.0474	0.379	0.4	Naled (300-76-5)	-	0.0474	0.379	0.5
Carbaryl (63-25-2)	-	0.0474	0.379	0.2	Oxamyl (23135-22-0)	-	0.0474	0.379	1
Carbofuran (1563-66-2)	-	0.0474	0.379	0.2	Paclotubrazol (76738-62-0)	-	0.0474	0.379	0.4
Chlorantraniliprole (800008-45-7)	-	0.0474	0.379	0.2	Permethrins (52645-53-1)	-	0.0474	0.379	0.2
Chlorfenapyr (122453-73-0)	-	0.0474	0.379	1	Phosmet (732-11-6)	-	0.0474	0.379	0.2
Chlorpyrifos (2921-88-2)	-	0.0474	0.379	0.2	Piperonyl butoxide (51-03-6)	-	0.0474	0.379	2
Clofentezine (74115-24-5)	-	0.0474	0.379	0.2	Prallethrins (2331-36-9)	-	0.0474	0.379	0.2
Cyfluthrin (68359-37-5)	-	0.0474	0.379	1	Propiconazole (60207-90-1)	-	0.0474	0.379	0.4
Cypermethrin (52315-07-8)	-	0.0474	0.379	1	Propoxur (114-26-1)	-	0.0474	0.379	0.2
Daminozide (1596-84-5)	-	0.0474	0.379	1	Pyrethrins (8003-34-7)	-	0.0474	0.379	1
DDVP (62-73-7)	-	0.0474	0.379	0.1	Pyridaben (96489-71-3)	-	0.0474	0.379	0.2
Diazinon (333-41-5)	-	0.0474	0.379	0.2	Spinosad (168316-95-8)	-	0.0474	0.379	0.2
Dimethoate (60-51-5)	-	0.0474	0.379	0.2	Spiromesifen (283594-90-1)	-	0.0474	0.379	0.2
Ethoprophos (13194-48-4)	-	0.0474	0.379	0.2	Spirotetramat (203313-25-1)	-	0.0474	0.379	0.2
Etofenprox (80844-07-1)	-	0.0474	0.379	0.4	Spiroxamine (118134-30-8)	-	0.0474	0.379	0.4
Etoxazole (153233-91-1)	-	0.0474	0.379	0.2	Tebuconazole (80443-41-0)	-	0.0474	0.379	0.4
Fenoxycarb (72490-01-8)	-	0.0474	0.379	0.2	Thiacloprid (111988-49-9)	-	0.0474	0.379	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0474	0.379	0.4	Thiamethoxam (153719-23-4)	-	0.0474	0.379	0.2
Fipronil (120068-37-3)	-	0.0474	0.379	0.4	Trifloxystrobin (141517-21-7)	-	0.0474	0.379	0.2
Fonicamid (158062-67-0)	-	0.0474	0.379	1					
Fludioxinil (131341-86-1)	-	0.0474	0.379	0.4					
Hexythiazox (78587-05-0)	-	0.0474	0.379	1					
Imazalil (35554-44-0)	-	0.0474	0.379	0.2					
Imidacloprid (138261-41-3)	-	0.0474	0.379	0.4					



Color Key

RESULT < AL (Green background)
RESULT > AL (Red background)

"DET" detected less than LOQ
"-." not detected above LOD
Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.
Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.
Action levels are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.
Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Sythane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC



Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10532 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart			Date Completed: 07/20/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 07/19/2023 1644 (ICP/OES) **Method:** ICP/MS **Deviations from SOP:**
Analysis Date/Time: - (DMA) **Instrument:** Agilent 7500ce None
Analyst: KF

<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)
Arsenic (As)	-	56.7	89.8	200
Cadmium (Cd)	-	56.7	89.8	200
Lead (Pb)	-	56.7	89.8	500
Mercury (Hg)	-	56.7	89.8	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
 DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key



"DET" detected less than LOQ
 "-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
 Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
 Kyle W. Felling, Ph.D.
 Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA35644)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADA 05_H273	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Sample ID: SA35644 Lot Number: M00065C13244991218 Production Run: E20230713ICCDC01	Sample Type: Primary Matrix: Concentrate Mass: 4grams Date Collected: 07/17/2023 Date Received: 07/17/2023
Cultivar (Strain) or Sample Description: Wedding Cake Hybrid Distillate .5g Cart			Date Completed: 07/20/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 07/19/2023 1237 **Method:** Hardy Diagnostics CompactDry **Deviations from SOP:**
Analyst: PW **Instrument:** Thermo Incubator None

<u>Bacteria/Microbe</u>	<u>Result (CFU/g)</u>	<u>Action Level (CFU/g)</u>
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)
1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

