

SUMMARY OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
Δ9-THC	76.2	762
THCA	6.14	61.4
CBN	0.332	3.32
TOTAL CBD	0.000	0.000
TOTAL THC	81.6	816
TOTAL CANNABINOIDS	82.9	829

Terpenes (Top 5)	(%)	µg/g
β-Caryophyllene	1.20	12000
β-Myrcene	0.670	6700
d-Limonene	0.598	5980
α-Humulene	0.351	3510
Caryophyllene oxide	0.333	3330
TOTAL TERPENES	4.58	45800

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024

Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape **Date Completed:** 12/14/2024

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 12/13/2024 1322

Method: HPLC/DAD


Moisture Content (%): -

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): -

Cannabinoid	Result (%)	Result (mg/g)	LOD (mg/g)	LOQ (mg/g)	Result (mg/mL)	Per Serving (mg)	Per Unit (mg)
CBC	ND	ND	0.104	0.242	-	0.000	0.000
CBCA	ND	ND	0.323	0.753	-	0.000	0.000
CBD	ND	ND	0.733	1.71	-	0.000	0.000
CBDa	ND	ND	0.270	0.630	-	0.000	0.000
CBDV	ND	ND	0.118	0.274	-	0.000	0.000
CBDVA	ND	ND	0.314	0.732	-	0.000	0.000
CBG	ND	ND	0.476	1.11	-	0.000	0.000
CBGA	ND	ND	0.674	0.796	-	0.000	0.000
CBL	ND	ND	0.550	1.28	-	0.000	0.000
CBN	0.332	3.32	0.252	0.590	-	3.32	3.32
CBNA	ND	ND	0.273	0.635	-	0.000	0.000
CBT	ND	ND	0.396	0.922	-	0.000	0.000
Δ9-THC	76.2	762	0.303	0.705	-	762	762
Δ8-THC	ND	ND	0.472	1.10	-	0.000	0.000
THCA	6.14	61.4	0.164	0.384	-	61.4	61.4
THCV	0.263	2.63	0.394	0.918	-	2.63	2.63
THCVA	ND	ND	0.126	0.293	-	0.000	0.000
TOTAL	82.9	829			-	829	829
TOTAL CBC	0.000	0.000			-	0.000	0.000
TOTAL CBD	0.000	0.000			-	0.000	0.000
TOTAL CBDV	0.000	0.000			-	0.000	0.000
TOTAL CBG	0.000	0.000			-	0.000	0.000
TOTAL CBN	0.332	3.32			-	3.32	3.32
TOTAL THC	81.6	816			-	816	816
TOTAL THCV	0.263	2.63			-	2.63	2.63



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not reported for this sample.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDa x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography,
RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation,
DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation,
ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

TERPENOID PROFILE

Analysis Date/Time: 12/13/2024 1532

Method: GC/MS


Deviations from SOP:

Analyst: KF

Instrument: Agilent 7890/5975

None

Terpene	Result (µg/g)	Result (%)	
α-Bisabolol	1680	0.168	■
Camphene	633	0.0633	■
δ-3-Carene	ND	-	
β-Caryophyllene	12000	1.20	■
Caryophyllene oxide	3330	0.333	■
p-Cymene	ND	-	
Eucalyptol	596	0.0596	■
Geraniol	638	0.0638	■
Guaiol	ND	-	
α-Humulene	3510	0.351	■
Isopulegol	<LOQ	-	
d-Limonene	5980	0.598	■
Linalool	2780	0.278	■
β-Myrcene	6700	0.670	■
cis-Nerolidol	ND	-	
trans-Nerolidol	722	0.0722	■
α-Ocimene	333	0.0333	■
β-Ocimene	78.5	0.00785	■
α-Pinene	1990	0.199	■
β-Pinene	3060	0.306	■
α-Terpinene	<LOQ	-	
γ-Terpinene	60.5	0.00605	■
Terpinolene	1720	0.172	■
TOTAL	45800	4.58	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

Abbreviations: ND - Not Detected, LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Reporting Limit (µg/g): 45.6

"-" Not detected above LOD.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 12/12/2024 2149	Method: HS/GC/MS	Deviations from SOP:
Analyst: KF	Instrument: Agilent 7890/5975	None

<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action Level</u> (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action Level</u> (µg/g)
Acetone (67-64-1)	-	36.8	73.7	5000	n-Heptane (142-82-5)	-	36.8	73.7	5000
Acetonitrile (75-5-8)	-	36.8	73.7	410	n-Hexane (110-54-3)	-	12.9	25.8	290
Benzene (71-43-2)	-	0.368	0.737	2	Isobutane (75-28-5)	-	36.8	73.7	5000
n-Butane (106-97-2)	-	36.8	73.7	5000	Isopropanol (67-63-0)	-	36.8	73.7	5000
1-Butanol (71-36-3)	-	36.8	73.7	5000	Isopropyl acetate (108-21-4)	-	36.8	73.7	5000
2-Butanol (78-92-2)	-	36.8	73.7	5000	Isopropyl benzene (98-82-8)	-	3.68	7.37	70
2-Butanone (78-93-3)	-	36.8	73.7	5000	Methanol (67-56-1)	-	36.8	73.7	3000
Cyclohexane (110-82-7)	-	36.8	73.7	3880	2-Methylbutane (78-78-4)	-	36.8	73.7	5000
1,2-Dimethoxyethane (110-71-4)	-	3.68	7.37	100	Methylene chloride (75-9-2)	-	36.8	73.7	600
N,N-Dimethylacetamide (127-19-5)	-	36.8	73.7	1090	2-Methylpentane (107-83-5)	-	12.9	25.8	290
2,2-Dimethylbutane (75-83-2)	-	12.9	25.8	290	3-Methylpentane (96-10-0)	-	12.9	25.8	290
2,3-Dimethylbutane (79-29-8)	-	12.9	25.8	290	n-Pentane (109-66-0)	-	36.8	73.7	5000
N,N-Dimethylformamide (68-12-2)	-	36.8	73.7	880	1-Pentanol (71-41-0)	-	36.8	73.7	5000
Dimethylsulfoxide (67-68-5)	-	36.8	73.7	5000	n-Propane (74-98-6)	-	36.8	73.7	5000
1,4-Dioxane (123-91-1)	-	36.8	73.7	380	1-Propanol (71-23-8)	-	36.8	73.7	5000
Ethanol (64-17-5)	-	36.8	73.7	5000	Pyridine (110-86-1)	-	12.9	25.8	200
2-Ethoxyethanol (110-80-5)	-	12.9	25.8	160	Tetrahydrofuran (109-99-9)	-	36.8	73.7	720
Ethyl ether (60-29-7)	-	36.8	73.7	5000	Tetramethylene sulfone (126-33-0)	-	12.9	25.8	160
Ethyl acetate (141-78-6)	-	36.8	73.7	5000	Toluene (108-88-3)	-	36.8	73.7	890
Ethyl benzene (100-41-4)	-	36.8	73.7	2170	o-Xylene (95-47-6)	-	36.8	73.7	2170
Ethylene glycol (107-21-1)	-	36.8	73.7	620	m,p-Xylene (108-38-3 or 106-42-3)	-	36.8	73.7	2170
Ethylene oxide (75-21-8)	-	3.68	7.37	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL

RESULT > AL

"-" not detected above
1/2 Action Level

"*" - o,m,p-Xylene and
Ethylbenzene

Action levels are
referenced from the State of
Arkansas
MMJ testing
guidelines.

A value of "-"
for the action level
means that analyte
is not currently
regulated by the
regulations referenced above.

<u>Solvent</u>	<u>Synonym(s)</u>	<u>Solvent</u>	<u>Synonym(s)</u>
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 12/13/2024 1405

Analyst: KF

Method: LC/MS/MS

Instrument: Shimadzu LC-8050

Deviations from SOP:

None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0451	0.361	0.5	Kresoxim-methyl (143390-89-0)	-	0.0451	0.361	0.4
Acephate (30560-19-1)	-	0.0451	0.361	0.4	Malathion (121-75-5)	-	0.0451	0.361	0.2
Acetaminophen (57960-19-7)	-	0.0451	0.361	2	Metalaxyl (57837-19-1)	-	0.0451	0.361	0.2
Acetamiprid (135410-20-7)	-	0.0451	0.361	0.2	Methiocarb (2032-65-7)	-	0.0451	0.361	0.2
Aldicarb (116-06-3)	-	0.0451	0.361	0.4	Methomyl (16752-77-5)	-	0.0451	0.361	0.4
Azoxystrobin (131860-33-8)	-	0.0451	0.361	0.2	Methyl parathion (298-0-0)	-	0.0451	0.361	0.2
Bifenazate (149877-41-8)	-	0.0451	0.361	0.2	MGK 264 (113-48-4)	-	0.0451	0.361	0.2
Bifenthrin (82657-04-3)	-	0.0451	0.361	0.2	Myclobutanil (88671-89-0)	-	0.0451	0.361	0.2
Boscalid (188425-85-6)	-	0.0451	0.361	0.4	Naled (300-76-5)	-	0.0451	0.361	0.5
Carbaryl (63-25-2)	-	0.0451	0.361	0.2	Oxamyl (23135-22-0)	-	0.0451	0.361	1
Carbofuran (1563-66-2)	-	0.0451	0.361	0.2	Paclobutrazol (76738-62-0)	-	0.0451	0.361	0.4
Chlorantraniliprole (800008-45-7)	-	0.0451	0.361	0.2	Permethrins (52645-53-1)	-	0.0451	0.361	0.2
Chlorfenapyr (122453-73-0)	-	0.0451	0.361	1	Phosmet (732-11-6)	-	0.0451	0.361	0.2
Chlorpyrifos (2921-88-2)	-	0.0451	0.361	0.2	Piperonyl butoxide (51-03-6)	-	0.0451	0.361	2
Clofentezine (74115-24-5)	-	0.0451	0.361	0.2	Prallethrin (2331-36-9)	-	0.0451	0.361	0.2
Cyfluthrin (68359-37-5)	-	0.0451	0.361	1	Propiconazole (60207-90-1))	-	0.0451	0.361	0.4
Cypermethrin (52315-07-8)	-	0.0451	0.361	1	Propoxur (114-26-1)	-	0.0451	0.361	0.2
Daminozide (1596-84-5)	-	0.0451	0.361	1	Pyrethrins (8003-34-7)	-	0.0451	0.361	1
DDVP (62-73-7)	-	0.0451	0.361	0.1	Pyridaben (96489-71-3)	-	0.0451	0.361	0.2
Diazinon (333-41-5)	-	0.0451	0.361	0.2	Spinosad (168316-95-8)	-	0.0451	0.361	0.2
Dimethoate (60-51-5)	-	0.0451	0.361	0.2	Spiromesifen (283594-90-1)	-	0.0451	0.361	0.2
Ethoprophos (13194-48-4)	-	0.0451	0.361	0.2	Spirotetramat (203313-25-1)	-	0.0451	0.361	0.2
Etofenprox (80844-07-1)	-	0.0451	0.361	0.4	Spiroxamine (118134-30-8)	-	0.0451	0.361	0.4
Etoxazole (153233-91-1)	-	0.0451	0.361	0.2	Tebuconazole (80443-41-0)	-	0.0451	0.361	0.4
Fenoxycarb (72490-01-8)	-	0.0451	0.361	0.2	Thiacloprid (111988-49-9)	-	0.0451	0.361	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0451	0.361	0.4	Thiamethoxam (153719-23-4)	-	0.0451	0.361	0.2
Fipronil (120068-37-3)	-	0.0451	0.361	0.4	Trifloxystrobin (141517-21-7)	-	0.0451	0.361	0.2
Flonicamid (158062-67-0)	-	0.0451	0.361	1					
Fludioxinil (131341-86-1)	-	0.0451	0.361	0.4					
Hexythiazox (78587-05-0)	-	0.0451	0.361	1					
Imazalil (35554-44-0)	-	0.0451	0.361	0.2					
Imidacloprid (138261-41-3)	-	0.0451	0.361	0.4					



Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ
"- " not detected above
LOD

Permethrins measured as the
cumulative residue of the *cis*- and
trans- permethrin isomers.

Pyrethrins measured as the
cumulative residue of the
pyrethrin I, cinerin I, and jasmolin
I isomers.

Action levels are
referenced from the State of
Arkansas
MMJ testing
guidelines.

A value of "-" for the action level
means that analyte is not
currently regulated by the
regulations referenced above.

Disclaimer: This information is
provided as a service and makes
no claims of efficacy and/or safety
of this product. Results are
applicable only for the sample(s)
analyzed and for the specific
analysis conducted. This report is
for informational purposes only
and should not be used to
diagnose, treat, or prevent any
medical-related symptoms. The
statements and results herein have
not been approved and/or
endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Order ID: OR11338	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADH 113	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 12/13/2024 1336

Method: ICP/MS

Deviations from SOP:

Instrument: Agilent 7500ce

None

Analyst: KF

Heavy Metal	Result (µg/kg)	LOD (µg/kg)	LOQ (µg/kg)	Action Level (µg/kg)
Arsenic (As)	-	58.4	92.4	200
Cadmium (Cd)	-	58.4	92.4	200
Lead (Pb)	-	58.4	92.4	500
Mercury (Hg)	-	58.4	92.4	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA39655)

Testing Location:	Customer ID: 2168	Sample ID: SA39655	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13245870915	Mass: 8ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/12/2024
License: ADA 05_H273	License: 00065C	E20241212USDV01	Date Received: 12/12/2024
Cultivar (Strain) or Sample Description: Unkle Sink Disposable Distillate .5g Vape			Date Completed: 12/14/2024

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 12/13/2024 1140	Method: Hardy Diagnostics CompactDry	Deviations from SOP:
Analyst: PW	Instrument: Thermo Incubator	None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	-
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit,
AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

