







### SUMMARY OF ANALYSIS (SAMPLE ID: SA33693)

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADH 113	License: 00065C	E20221128BBFHLR02	Date Received: 12/14/2022
Cultivar (Strain) or Sample De	Date Completed: 12/21/2022		

\*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture Content (%)	Water Activity (aw)	PASS/FAIL
Not Tested	Not Tested	PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

		_
<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
THCA	30.3	303
Δ9-THC	29.7	297
CBGA	3.51	35.1
TOTAL CBD	-	-
TOTAL THC	56.3	563
TOTAL CANNABINOIDS	67.8	678
<u>Terpenes (Top 5)</u>	<u>(%)</u>	µg∕g
<u>Terpenes (Top 5)</u> Terpinolene	<u>(%)</u> 3.14	<mark>µg/g</mark> 31400
Terpinolene	3.14	31400
Terpinolene β-Myrcene	3.14 1.62	31400 16200
Terpinolene β-Myrcene d-Limonene	3.14 1.62 0.973	31400 16200 9730

<u>Contaminants</u>	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
<b>Residual Solvents:</b>	PASS





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











### **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLR02	Date Received: 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Resin .5g Cart Date Completed: 12/21/2022						

### CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 12/15/2022 1925 Analyst: PW Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	LOQ (mg/g)	<u>Result</u> (mg/ mL)	<u>Per</u> <u>Serving</u> (mg)	<u>Per</u> g <u>Unit</u> (mg)
CBC	-	-	-	2.24	-	-	-
CBCA	-	-	-	2.24	-	-	-
CBD	-	-	-	2.24	-	-	-
CBDA	-	-	-	2.24	-	-	-
CBDV	-	-	-	2.24	-	-	-
CBDVA	-	-	-	2.24	-	-	-
CBG	1.25	0.113	12.5	2.24	-	12.5	12.5
CBGA	3.51	0.316	35.1	2.24	-	35.1	35.1
CBL	-	-	-	2.24	-	-	-
CBN	-	-	-	2.24	-	-	-
CBNA	-	-	-	2.24	-	-	-
<b>Δ9-THC</b>	29.7	2.67	297	2.24	-	297	297
$\Delta 8$ -THC	-	-	-	2.24	-	-	-
THCA	30.3	2.73	303	2.24	-	303	303
THCV	-	-	-	2.24	-	-	-
THCVA	3.03	0.273	30.3	2.24	-	30.3	30.3
TOTAL	67.8	6.10	678		-	678	678
TOTAL CBC	-	-	-		-	-	-
TOTAL CBD	-	-	-		-	-	-
TOTAL CBDV	-	-	-		-	-	-
TOTAL CBG	4.33	0.390	43.3		-	43.3	43.3
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	56.3	5.07	563		-	563	563
TOTAL THCV	2.63	0.237	26.3		-	26.3	26.3


\* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

*Abbreviations:* DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



#### SERVING MASS (g): 1.00 SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC Total CBD = (CBDA x 0.877) + CBD Total CBDV = (CBDVA x 0.867) + CBDV Total CBG = (CBGA x 0.878) + CBG Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) +  $\Delta$ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

Kyle W. Felling, Ph.D. atory Directo

**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











## **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**


Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLR02	Date Received: 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Resin .5g Cart Date Completed: 12/21/2022						

Analysis Date/Time:12/18/2022 1553 Analyst: KF

### **TERPENOID PROFILE**

Method: GC/MS Instrument: Agilent 7890/5975 <u>Result</u>

#### **Deviations from SOP:** None















### **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary			
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate			
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g			
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022			
License: ADH 113	License: 00065C	E20221128BBFHLR02	<b>Date Received:</b> 12/14/2022			
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Resin .5g Cart Date Completed: 12/21/2						

### **RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)**

Analysis Date/Time: 12/15/2022 2342		Ν	Method: HS/GC/MS			<b>Deviations from SOP:</b>				
Analyst: KF				Ι	nstrument: Agilent 78	90/5975	5 None			
<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> <u>Level</u> (μg/g)	
Acetone (67-64-1)	-	37.7	75.4	5000	n-Heptane (142-82-5)	-	37.7	75.4	5000	
Acetonitrile (75-5-8)	-	37.7	75.4	410	n-Hexane (110-54-3)	-	13.2	26.4	290	
Benzene (71-43-2)	-	0.377	0.754	2	Isobutane (75-28-5)	-	37.7	75.4	5000	
n-Butane (106-97-2)	605	37.7	75.4	5000	Isopropanol (67-63-0)	-	37.7	75.4	5000	
1-Butanol (71-36-3)	-	37.7	75.4	5000	Isopropyl acetate	_	37.7	75.4	5000	
2-Butanol (78-92-2)	-	37.7	75.4	5000	(108-21-4)		57.7	/ 5.4	5000	
2-Butanone (78-93-3)	-	37.7	75.4	5000	Isopropyl benzene (98-82-8)	-	3.77	7.54	70	
Cyclohexane (110-82-7)	-	37.7	75.4	3880	(56-62-6) Methanol (67-56-1)		37.7	75.4	3000	Color Key
1,2-Dimethoxyethane	_	3.77	7.54	100	2-Methylbutane (78-78-4)	-	37.7	75.4	5000	
(110-71-4) N,N-Dimethylacetamide	_	37.7	75.4	1090	Methylene chloride (75-9-2)	-	37.7	75.4	600	RESULT < AL RESULT > AL
(127-19-5) 2,2-Dimethylbutane (75-83-2)	_	13.2	26.4	290	2-Methylpentane (107-83-5)	-	13.2	26.4	290	"DET" detected less than LOQ
2,3-Dimethylbutane					3-Methylpentane (96-10-0)	_	13.2	26.4	290	"-" not detected above
(79-29-8)	-	13.2	26.4	290	n-Pentane (109-66-0)	-	37.7	75.4	5000	LOD
N,N-Dimethylformamide			/		1-Pentanol (71-41-0)	_	37.7	75.4	5000	"*" V
(68-12-2)	-	37.7	75.4	880	n-Propane (74-98-6)	-	37.7	75.4	5000	"*" - o,m,p-Xylene and Ethylbenzene
Dimethylsulfoxide (67-68-5)	-	37.7	75.4	5000	1-Propanol (71-23-8)	-	37.7	75.4	5000	Action levels are
1,4-Dioxane (123-91-1)	-	37.7	75.4	380	Pyridine (110-86-1)	-	13.2	26.4	200	referenced from the State of
Ethanol (64-17-5)	-	37.7	75.4	5000	Tetrahydrofuran (109-99-9)	-	37.7	75.4	720	Arkansas
2-Ethoxyethanol (110-80-5)	-	13.2	26.4	160	Tetramethylene sulfone (126-33-0)	-	13.2	26.4	160	MMJ testing
Ethyl ether (60-29-7)	-	37.7	75.4	5000	Toluene (108-88-3)	_	37.7	75.4	890	guidelines.
Ethyl acetate (141-78-6)	-	37.7	75.4	5000	o-Xylene (95-47-6)	_	37.7	75.4	2170	A value of "-"
Ethyl benzene (100-41-4)	-	37.7	75.4	2170	m,p-Xylene (108-38-3 or					for the action level
Ethylene glycol (107-21-1)	-	37.7	75.4	620	106-42-3)	-	37.7	75.4	2170	means that analyte
Ethylene oxide (75-21-8)	-	3.77	7.54	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170	is not currently regulated by the regulations referenced above.
Solvent		Synonym(s	5)		Solvent	Sy	ynonym(s)			
Acetonitrile		Methyl Cya	nide, ACN		Ethylene glycol	1,	2-Ethanedio	l		
1-Butanol		n-Butanol,	Butyl Alcol	hol	Isobutane	2-	Methylpropa	ane		
2-Butanol		sec-Butyl a	lcohol		Isopropanol	2-	Propanol, IP	4		
2-Butanone		Methyl ethy	yl ketone, N	1EK	Isopropyl Acetate	A	cetic acid iso	propyl este	r	
1,2-Dimethoxyethane		Monoglym	e		Methanol	М	lethyl alcoho	1		
2,3-Dimethylbutane		Neohexane			2-Methylbutane	Is	opentane			
2,3-Dimethylbutane		Diisopropy	rl		Methylene chloride	Di	ichlorometha	ane		
N,N-Dimethylformamide		DMF			2-Methylpentane	Is	ohexane			
Dimethysufoxide		DMSO			1-Pentanol	n-	Amyl alcoho	ol		
2-Ethoxyethanol		Cellosolve,	Ethyl glyc	ol	1-Propanol	Pr	opyl alcohol			
Ethyl ether		Diethyl eth	er, Ether		Tetrahydrofuran	TI	HF			
Ethyl acetate		EtOAc			Tetramethylene sulfone	Su	ılfolane			
Ethyl benzene		Phenyletha	ne		Xylene	D	imethylbenz	ene		

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











**Deviations from SOP:** 

None

## **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary				
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate				
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g				
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022				
License: ADH 113	License: 00065C	E20221128BBFHLR02	<b>Date Received:</b> 12/14/2022				
Cultivar (Strain) or Sample Description: Ben's Buffalo Indica Hybrid Live Resin .5g Cart Date Completed: 12/21/2022							

### **PESTICIDES PROFILE (SOP: SOP-PEST-001)**

### Analysis Date/Time: 12/18/2022 1344 Analyst: KF

### Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0192	0.153	0.5	Kresoxim-methyl	_	0.0192	0.153	0.4	
Acephate (30560-19-1)	-	0.0192	0.153	0.4	(143390-89-0)					
Acequinocyl (57960-19-7)	-	0.0192	0.153	2	Malathion (121-75-5)	-	0.0192	0.153	0.2	
Acetamiprid (135410-20-7)	-	0.0192	0.153	0.2	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)	-	0.0192 0.0192	0.153 0.153	0.2 0.2	<u>Color Key</u>
Aldicarb (116-06-3)	-	0.0192	0.153	0.4	Methomyl (16752-77-5)	-	0.0192	0.153	0.4	<b>RESULT &lt; AL</b>
Azoxystrobin (131860-33-8)	-	0.0192	0.153	0.2	Methyl parathion (298-0-0)	-	0.0192	0.153	0.2	RESULT > AL
Bifenazate (149877-41-8)	-	0.0192	0.153	0.2	MGK 264 (113-48-4)	-	0.0192	0.153	0.2	"DET" detected less than LOQ
Bifenthrin (82657-04-3)	-	0.0192	0.153	0.2	Myclobutanil	_	0.0192	0.153	0.2	"-" not detected above
Boscalid (188425-85-6)	-	0.0192	0.153	0.4	(88671-89-0)					LOD
Carbaryl (63-25-2)	-	0.0192	0.153	0.2	Naled (300-76-5)	-	0.0192	0.153	0.5	Permethrins measured as the
Carbofuran (1563-66-2)	-	0.0192	0.153	0.2	Oxamyl (23135-22-0)	-	0.0192	0.153	1	cumulative residue of the <i>cis</i> - and
Chlorantraniliprole (800008-45-7)	-	0.0192	0.153	0.2	Paclobutrazol (76738-62-0)	-	0.0192	0.153	0.4	trans- permethrin isomers.
Chlorfenapyr	_	0.0192	0.153	1	Permethrins (52645-53-1)	-	0.0192	0.153	0.2	Pyrethrins measured as the cumulative residue of the
(122453-73-0)	-		0.155	1	<sup>1</sup> Phosmet (732-11-6)	-	0.0192	0.153	0.2	pyrethrin I, cinerin I, and jasmolin
Chlorpyrifos (2921-88-2)	-	0.0192	0.153	0.2	Piperonyl butoxide	-	0.0192	0.153	2	I isomers.
Clofentezine (74115-24-5)	-	0.0192	0.153	0.2	(51-03-6) Prallethrins (2331-36-9)	_	0.0192	0.153	0.2	Action levels are referenced from
Cyfluthrin (68359-37-5)	-	0.0192	0.153	1	Propiconazole	-				the
Cypermethrin (52315-07-8)	-	0.0192	0.153	1	(60207-90-1))	-	0.0192	0.153	0.4	State of Arkansas MMJ testing guidelines.
Daminozide (1596-84-5)	-	0.0192	0.153	1	Propoxur (114-26-1)	-	0.0192	0.153	0.2	A value of "-" for the action level
DDVP (62-73-7)	-	0.0192	0.153	0.1	Pyrethrins (8003-34-7)	-	0.0192	0.153	1	means that analyte is not
Diazinon (333-41-5)	-	0.0192	0.153	0.2	Pyridaben (96489-71-3)	-	0.0192	0.153	0.2	currently regulated by the regulations referenced above.
Dimethoate (60-51-5)	-	0.0192	0.153	0.2	Spinosad (168316-95-8)	-	0.0192	0.153	0.2	
Ethoprophos (13194-48-4)	-	0.0192	0.153	0.2	Spiromesifen (283594-90-1)	-	0.0192	0.153	0.2	Disclaimer: This information is
Etofenprox (80844-07-1)	-	0.0192	0.153	0.4	Spirotetramat					provided as a service and makes no claims of efficacy and/or safety
Etoxazole (153233-91-1)	-	0.0192	0.153	0.2	(203313-25-1)	-	0.0192	0.153	0.2	of this product. Results are
Fenoxycarb (72490-01-8)	-	0.0192	0.153	0.2	Spiroxamine	_	0.0192	0.153	0.4	applicable only for the sample(s) analyzed and for the specific
(E)-Fenpyroximate (134098-61-6)	-	0.0192	0.153	0.4	(118134-30-8) Tebuconazole		0.0192	0.153	0.4	analysis conducted. This report is for informational purposes only
Fipronil (120068-37-3)	-	0.0192	0.153	0.4	(80443-41-0)		0.0152	0.155	0.4	and should not be used to
Flonicamid (158062-67-0)	-	0.0192	0.153	1	Thiacloprid (111988-49-9)	-	0.0192	0.153	0.2	diagnose, treat, or prevent any medical-related symptoms. The
Fludioxinil (131341-86-1)	-	0.0192	0.153	0.4	(111988-49-9) Thiamethoxam					statements and results herein have
Hexythiazox (78587-05-0)	-	0.0192	0.153	1	(153719-23-4)	-	0.0192	0.153	0.2	not been approved and/or endorsed by the FDA.
Imazalil (35554-44-0)	-	0.0192	0.153	0.2	Trifloxystrobin		0.0192	0.150	0.2	endoised by the FDA.
Imidacloprid (138261-41-3)	-	0.0192	0.153	0.4	(141517-21-7)	-	0.0192	0.153	0.2	

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

-					
Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	<u>Synonym(s)</u>
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		



**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**

Testing Location:	Customer ID: 2168	Order ID: OR10217	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADH 113	License: 00065C	E20221128BBFHLR02	Date Received: 12/14/2022
Cultivar (Strain) or Sample D	Date Completed: 12/21/2022		

### HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/T Analysis Date/T Analyst: KF	<b>ïme:</b> 12/21/2022 ( <b>ïme:</b> - (DMA)	)742 (ICP/OES)		<b>hod:</b> ICP/OES <b>rument:</b> Agilent 720-E	Deviations from SOP:SNone
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	57.9	91.7	200	
Cadmium (Cd)	-	57.9	91.7	200	
Lead (Pb)	-	57.9	91.7	500	
Mercury (Hg)	-	57.9	91.7	100	

*Abbreviations:* ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

### <u>Color Key</u>



"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA33693)**


Testing Location:	Customer ID: 2168	Sample ID: SA33693	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13246998008	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 12/14/2022
License: ADA 05_H273	License: 00065C	E20221128BBFHLR02	Date Received: 12/14/2022
Cultivar (Strain) or Sample	<b>Date Completed:</b> 12/21/2022		

### MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 2022121 Analyst: PW		ardy Diagnostics CompactDry <b>t:</b> Thermo Incubator	<b>Deviations from SOP:</b> None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT	-	
Pseudomonas aeruginosa	NT	1	
Salmonella spp.	NT	-	
Staphylococcus aureus	NT	-	

*Abbreviations*: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



