

SUMMARY OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location:	Customer ID: 2168	Order ID: OR10256	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADH 113	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023
Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart			Date Completed: 01/18/2023

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)

Not Tested

Water Activity (aw)

Not Tested

PASS/FAIL

PASS

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.


Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

Cannabinoids (Top 3)	(%)	mg/g
THCA	42.7	427
Δ9-THC	24.0	240
CBL	1.97	19.7
TOTAL CBD	-	-
TOTAL THC	61.4	614
TOTAL CANNABINOIDS	72.3	723

Terpenes (Top 5)	(%)	µg/g
β-Caryophyllene	3.75	37500
d-Limonene	2.62	26200
α-Humulene	1.36	13600
β-Myrcene	0.981	9810
β-Ocimene	0.597	5970
TOTAL TERPENES	10.5	105000

Contaminants	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location:	Customer ID: 2168	Order ID: OR10256	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADH 113	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023

Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart **Date Completed:** 01/18/2023

CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 1/13/2023 1427

Method: HPLC/DAD


Moisture Content (%): -

Analyst: PW

Instrument: Agilent 1100

Water Activity (aw): -

<u>Cannabinoid</u>	<u>Result</u> (%)	<u>UM</u> (+/-%)	<u>Result</u> (mg/g)	<u>LOQ</u> (mg/g)	<u>Result</u> (mg/mL)	<u>Per</u> <u>Serving</u> (mg)	<u>Per</u> <u>Unit</u> (mg)
CBC	-	-	-	2.82	-	-	-
CBCA	1.68	0.135	16.8	8.77	-	16.8	16.8
CBD	-	-	-	19.9	-	-	-
CBDA	-	-	-	7.34	-	-	-
CBDV	-	-	-	3.20	-	-	-
CBDVA	-	-	-	8.52	-	-	-
CBG	DET	-	DET	12.9	-	-	-
CBGA	1.52	0.137	15.2	9.27	-	15.2	15.2
CBL	1.97	0.295	19.7	14.9	-	19.7	19.7
CBN	-	-	-	6.87	-	-	-
CBNA	-	-	-	7.40	-	-	-
Δ9-THC	24.0	2.16	240	8.22	-	240	240
Δ8-THC	-	-	-	12.8	-	-	-
THCA	42.7	3.84	427	4.47	-	427	427
THCV	-	-	-	10.7	-	-	-
THCVA	0.457	0.0137	4.57	3.41	-	4.57	4.57
TOTAL	72.3	6.58	723		-	723	723
TOTAL CBC	1.48	0.118	14.8		-	14.8	14.8
TOTAL CBD	-	-	-		-	-	-
TOTAL CBDV	-	-	-		-	-	-
TOTAL CBG	1.33	0.120	13.3		-	13.3	13.3
TOTAL CBN	-	-	-		-	-	-
TOTAL THC	61.4	5.53	614		-	614	614
TOTAL THCV	0.396	0.0119	3.96		-	3.96	3.96



SERVING MASS (g): 1.00
SERVINGS/UNIT: 1

"-" Not detected above LOD.

Deviations from standard operating procedure:
None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total CBC = (CBCA x 0.877) + CBC
Total CBD = (CBDA x 0.877) + CBD
Total CBDV = (CBDVA x 0.867) + CBDV
Total CBG = (CBGA x 0.878) + CBG
Total CBN = (CBNA x 0.876) + CBN
Total THC = (THCA x 0.877) + Δ9-THC
Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.

* CBCA, CBDVA, CBL, CBNA, and THCVA are in process of being added to our accreditation scope.

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography,
RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation,
DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation,
UM - Measurement Uncertainty

This information is provided as a service and makes no claims of efficacy and/or safety of this product.
Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.
This report is for informational purposes only and should not be used to diagnose, treat, or prevent any
medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location:	Customer ID: 2168	Order ID: OR10256	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADH 113	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023
Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart			Date Completed: 01/18/2023

TERPENOID PROFILE

Analysis Date/Time: 01/17/2023 0810

Method: GC/MS

Deviations from SOP:

Analyst: KF

Instrument: Agilent 7890/5975

None

Terpene	Result (µg/g)	Result (%)	
α-Bisabolol	839	0.0839	
Camphene	870	0.0870	
δ-3-Carene	-	-	
β-Caryophyllene	37500	3.75	█
Caryophyllene oxide	-	-	
p-Cymene	-	-	
Eucalyptol	-	-	
Geraniol	-	-	
Guaiol	1910	0.191	
α-Humulene	13600	1.36	█
Isopulegol	-	-	
d-Limonene	26200	2.62	█
Linalool	1120	0.112	
β-Myrcene	9810	0.981	█
cis-Nerolidol	-	-	
trans-Nerolidol	-	-	
α-Ocimene	-	-	
β-Ocimene	5970	0.597	█
α-Pinene	2970	0.297	
β-Pinene	3890	0.389	█
α-Terpinene	-	-	
γ-Terpinene	-	-	
Terpinolene	702	0.0702	
TOTAL	105000	10.5	



Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

"-" Not detected above RL.

Reporting Limit (µg/g): 44.6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)


Testing Location:	Customer ID: 2168	Order ID: OR10256	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADH 113	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023

Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart **Date Completed:** 01/18/2023

RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)

Analysis Date/Time: 1/16/2023 1651	Method: HS/GC/MS	Deviations from SOP:
Analyst: KF	Instrument: Agilent 7890/5975	None

<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action Level</u> (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action Level</u> (µg/g)
Acetone (67-64-1)	-	37.0	74.0	5000	n-Heptane (142-82-5)	-	37.0	74.0	5000
Acetonitrile (75-5-8)	-	37.0	74.0	410	n-Hexane (110-54-3)	-	12.9	25.9	290
Benzene (71-43-2)	-	0.370	0.740	2	Isobutane (75-28-5)	-	37.0	74.0	5000
n-Butane (106-97-2)	987	37.0	74.0	5000	Isopropanol (67-63-0)	-	37.0	74.0	5000
1-Butanol (71-36-3)	-	37.0	74.0	5000	Isopropyl acetate (108-21-4)	-	37.0	74.0	5000
2-Butanol (78-92-2)	-	37.0	74.0	5000	Isopropyl benzene (98-82-8)	-	3.70	7.40	70
2-Butanone (78-93-3)	-	37.0	74.0	5000	Methanol (67-56-1)	-	37.0	74.0	3000
Cyclohexane (110-82-7)	-	37.0	74.0	3880	2-Methylbutane (78-78-4)	-	37.0	74.0	5000
1,2-Dimethoxyethane (110-71-4)	-	3.70	7.40	100	Methylene chloride (75-9-2)	-	37.0	74.0	600
N,N-Dimethylacetamide (127-19-5)	-	37.0	74.0	1090	2-Methylpentane (107-83-5)	-	12.9	25.9	290
2,2-Dimethylbutane (75-83-2)	-	12.9	25.9	290	3-Methylpentane (96-10-0)	-	12.9	25.9	290
2,3-Dimethylbutane (79-29-8)	-	12.9	25.9	290	n-Pentane (109-66-0)	-	37.0	74.0	5000
N,N-Dimethylformamide (68-12-2)	-	37.0	74.0	880	1-Pentanol (71-41-0)	-	37.0	74.0	5000
Dimethylsulfoxide (67-68-5)	-	37.0	74.0	5000	n-Propane (74-98-6)	-	37.0	74.0	5000
1,4-Dioxane (123-91-1)	-	37.0	74.0	380	1-Propanol (71-23-8)	-	37.0	74.0	5000
Ethanol (64-17-5)	-	37.0	74.0	5000	Pyridine (110-86-1)	-	12.9	25.9	200
2-Ethoxyethanol (110-80-5)	-	12.9	25.9	160	Tetrahydrofuran (109-99-9)	-	37.0	74.0	720
Ethyl ether (60-29-7)	-	37.0	74.0	5000	Tetramethylene sulfone (126-33-0)	-	12.9	25.9	160
Ethyl acetate (141-78-6)	-	37.0	74.0	5000	Toluene (108-88-3)	-	37.0	74.0	890
Ethyl benzene (100-41-4)	-	37.0	74.0	2170	o-Xylene (95-47-6)	-	37.0	74.0	2170
Ethylene glycol (107-21-1)	-	37.0	74.0	620	m,p-Xylene (108-38-3 or 106-42-3)	-	37.0	74.0	2170
Ethylene oxide (75-21-8)	-	3.70	7.40	50	Xylenes* (1330-20-7)	-	43.3	86.7	2170



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

"*" - o,m,p-Xylene and Ethylbenzene

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

<u>Solvent</u>	<u>Synonym(s)</u>	<u>Solvent</u>	<u>Synonym(s)</u>
Acetonitrile	Methyl Cyanide, ACN	Ethylene glycol	1,2-Ethanediol
1-Butanol	n-Butanol, Butyl Alcohol	Isobutane	2-Methylpropane
2-Butanol	sec-Butyl alcohol	Isopropanol	2-Propanol, IPA
2-Butanone	Methyl ethyl ketone, MEK	Isopropyl Acetate	Acetic acid isopropyl ester
1,2-Dimethoxyethane	Monoglyme	Methanol	Methyl alcohol
2,3-Dimethylbutane	Neohexane	2-Methylbutane	Isopentane
2,3-Dimethylbutane	Diisopropyl	Methylene chloride	Dichloromethane
N,N-Dimethylformamide	DMF	2-Methylpentane	Isohexane
Dimethylsulfoxide	DMSO	1-Pentanol	n-Amyl alcohol
2-Ethoxyethanol	Cellosolve, Ethyl glycol	1-Propanol	Propyl alcohol
Ethyl ether	Diethyl ether, Ether	Tetrahydrofuran	THF
Ethyl acetate	EtOAc	Tetramethylene sulfone	Sulfolane
Ethyl benzene	Phenylethane	Xylene	Dimethylbenzene

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location: Arkansas 232 S. Broadview St. Greenbrier, AR 72058 License: ADH 113	Customer ID: 2168 River Valley Relief MIPS 5601 Old Greenwood Rd Suite C Fort Smith, AR 72903 License: 00065C	Order ID: OR10256 Lot Number: M00065C13249476147 Production Run: E20230109WCKLC01	Sample Type: Primary Matrix: Concentrate Mass: 4g Date Collected: 01/11/2023 Date Received: 01/11/2023
----------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------

Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart **Date Completed:** 01/18/2023

PESTICIDES PROFILE (SOP: SOP-PEST-001)

Analysis Date/Time: 01/16/2023 1520

Analyst: KF

Method: LC/MS/MS

Instrument: Shimadzu LC-8050

Deviations from SOP:

None

Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)	Pesticide	Result (µg/g)	LOD (µg/g)	LOQ (µg/g)	Action Level (µg/g)
Abamectin (71751-41-2)	-	0.0446	0.357	0.5	Kresoxim-methyl (143390-89-0)	-	0.0446	0.357	0.4
Acephate (30560-19-1)	-	0.0446	0.357	0.4	Malathion (121-75-5)	-	0.0446	0.357	0.2
Acetaminophen (57960-19-7)	-	0.0446	0.357	2	Metalaxyl (57837-19-1)	-	0.0446	0.357	0.2
Acetamiprid (135410-20-7)	-	0.0446	0.357	0.2	Methiocarb (2032-65-7)	-	0.0446	0.357	0.2
Aldicarb (116-06-3)	-	0.0446	0.357	0.4	Methomyl (16752-77-5)	-	0.0446	0.357	0.4
Azoxystrobin (131860-33-8)	-	0.0446	0.357	0.2	Methyl parathion (298-0-0)	-	0.0446	0.357	0.2
Bifenazate (149877-41-8)	-	0.0446	0.357	0.2	MGK 264 (113-48-4)	-	0.0446	0.357	0.2
Bifenthrin (82657-04-3)	-	0.0446	0.357	0.2	Myclobutanil (88671-89-0)	-	0.0446	0.357	0.2
Boscalid (188425-85-6)	-	0.0446	0.357	0.4	Naled (300-76-5)	-	0.0446	0.357	0.5
Carbaryl (63-25-2)	-	0.0446	0.357	0.2	Oxamyl (23135-22-0)	-	0.0446	0.357	1
Carbofuran (1563-66-2)	-	0.0446	0.357	0.2	Paclobutrazol (76738-62-0)	-	0.0446	0.357	0.4
Chlorantraniliprole (800008-45-7)	-	0.0446	0.357	0.2	Permethrins (52645-53-1)	-	0.0446	0.357	0.2
Chlorfenapyr (122453-73-0)	-	0.0446	0.357	1	Phosmet (732-11-6)	-	0.0446	0.357	0.2
Chlorpyrifos (2921-88-2)	-	0.0446	0.357	0.2	Piperonyl butoxide (51-03-6)	-	0.0446	0.357	2
Clofentezine (74115-24-5)	-	0.0446	0.357	0.2	Prallethrin (2331-36-9)	-	0.0446	0.357	0.2
Cyfluthrin (68359-37-5)	-	0.0446	0.357	1	Propiconazole (60207-90-1)	-	0.0446	0.357	0.4
Cypermethrin (52315-07-8)	-	0.0446	0.357	1	Propoxur (114-26-1)	-	0.0446	0.357	0.2
Daminozide (1596-84-5)	-	0.0446	0.357	1	Pyrethrins (8003-34-7)	-	0.0446	0.357	1
DDVP (62-73-7)	-	0.0446	0.357	0.1	Pyridaben (96489-71-3)	-	0.0446	0.357	0.2
Diazinon (333-41-5)	-	0.0446	0.357	0.2	Spinosad (168316-95-8)	-	0.0446	0.357	0.2
Dimethoate (60-51-5)	-	0.0446	0.357	0.2	Spiromesifen (283594-90-1)	-	0.0446	0.357	0.2
Ethoprophos (13194-48-4)	-	0.0446	0.357	0.2	Spirotetramat (203313-25-1)	-	0.0446	0.357	0.2
Etofenprox (80844-07-1)	-	0.0446	0.357	0.4	Spiroxamine (118134-30-8)	-	0.0446	0.357	0.4
Etoxazole (153233-91-1)	-	0.0446	0.357	0.2	Tebuconazole (80443-41-0)	-	0.0446	0.357	0.4
Fenoxycarb (72490-01-8)	-	0.0446	0.357	0.2	Thiacloprid (111988-49-9)	-	0.0446	0.357	0.2
(E)-Fenpyroximate (134098-61-6)	-	0.0446	0.357	0.4	Thiamethoxam (153719-23-4)	-	0.0446	0.357	0.2
Fipronil (120068-37-3)	-	0.0446	0.357	0.4	Trifloxystrobin (141517-21-7)	-	0.0446	0.357	0.2
Flonicamid (158062-67-0)	-	0.0446	0.357	1					
Fludioxinil (131341-86-1)	-	0.0446	0.357	0.4					
Hexythiazox (78587-05-0)	-	0.0446	0.357	1					
Imazalil (35554-44-0)	-	0.0446	0.357	0.2					
Imidacloprid (138261-41-3)	-	0.0446	0.357	0.4					



Color Key

RESULT < AL

RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Permethrins measured as the cumulative residue of the *cis*- and *trans*- permethrin isomers.

Pyrethrins measured as the cumulative residue of the pyrethrin I, cinerin I, and jasmolin I isomers.

Action levels are referenced from the State of Arkansas MMJ testing guidelines.

A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	Synonym(s)	Pesticide	Synonym(s)	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director




CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location:	Customer ID: 2168	Order ID: OR10256	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADH 113	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023
Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart			Date Completed: 01/18/2023

HEAVY METAL PROFILE (SOP: SOP-ICP-200.7)

Analysis Date/Time: 01/17/2023 1427 (ICP/OES)	Method: ICP/OES	Deviations from SOP:
Analysis Date/Time: - (DMA)	Instrument: Agilent 720-ES	None
Analyst: KF		

Heavy Metal	Result (µg/kg)	LOD (µg/kg)	LOQ (µg/kg)	Action Level (µg/kg)
Arsenic (As)	-	57.5	91.0	200
Cadmium (Cd)	-	57.5	91.0	200
Lead (Pb)	-	57.5	91.0	500
Mercury (Hg)	-	57.5	91.0	100



Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy,
DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation

Color Key

RESULT < AL
RESULT > AL

"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA34085)

Testing Location:	Customer ID: 2168	Sample ID: SA34085	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13249476147	Mass: 4g
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 01/11/2023
License: ADA 05_H273	License: 00065C	E20230109WCKLC01	Date Received: 01/11/2023
Cultivar (Strain) or Sample Description: Wedding Cake Indica Hybrid Live Resin .5g Cart			Date Completed: 01/18/2023

MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 20230117 0945	Method: Hardy Diagnostics CompactDry	Deviations from SOP:
Analyst: PW	Instrument: Thermo Incubator	None

Bacteria/Microbe	Result (CFU/g)	Action Level (CFU/g)
Aerobic Plate Count	NT	-
Coliforms, Total	Absent	1
Escherichia Coli (E. Coli)	Absent	100
Mold/Yeast	NT	-
Pseudomonas aeruginosa	NT	1
Salmonella spp.	NT	-
Staphylococcus aureus	NT	-



Abbreviations: EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested
Absent - Not Detected Above RL, Present - Detected Above RL

Color Key

RESULT < AL

RESULT > AL

Reporting Limit (CFU/g)

1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines.
A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

Disclaimer: This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

