



### SUMMARY OF ANALYSIS (SAMPLE ID: SA40274)

Testing Location:	Customer ID: 2168	<b>Order ID:</b> OR11449	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample De	Date Completed:02/20/2025		

\*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed. All contaminant action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture Content (%)	Water Activity (aw)	PASS/FAIL	
Not Tested	Not Tested	PASS	

Moisture content/water activity action levels are referenced from the State of Arkansas MMJ testing guidelines.

Moisture content levels less than 15% are recommended but the sample does not fail. Water activity levels must be less than 0.65aw.

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
Δ9-ΤΗϹ	74.1	741
CBG	2.51	25.1
CBC	0.859	8.59
TOTAL CBD	0.000	0.000
TOTAL THC	74.1	741
TOTAL CANNABINOIDS	78.7	787
<u>Terpenes (Top 5)</u>	<u>(%)</u>	<u>µg/g</u>
<u>Terpenes (Top 5)</u> β-Caryophyllene	<u>(%)</u> 2.09	<u>µg/g</u> 20900
β-Caryophyllene	2.09	20900
β-Caryophyllene β-Myrcene	2.09 1.71	20900 17100
β-Caryophyllene β-Myrcene d-Limonene	2.09 1.71 1.45	20900 17100 14500

<u>Contaminants</u>	PASS/FAIL
Heavy Metals:	PASS
Microbiology:	PASS
Pesticides:	PASS
Residual Solvents:	PASS





Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











Testing Location:	Customer ID: 2168	Order ID: OR11449	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample De	Date Completed:02/20/2025		

#### CANNABINOID (POTENCY) PROFILE (SOP: SOP-CANN-001)

Analysis Date/Time: 02/18/2025 1147 Analyst: PW

Method: HPLC/DAD Instrument: Agilent 1100

<u>Cannabinoid</u>	<u>Result</u> ( <u>%)</u>	<u>Result</u> (mg/g)	<u>LOD</u> (mg/g)	<u>LOQ</u> (mg/g)	<u>Result</u> (mg/ <u>mL)</u>	<u>Per</u> Serving (mg)	<u>Per</u> <u>Unit</u> (mg)	
CBC	0.859	8.59	0.103	0.241	-	8.59	8.59	
CBCA	ND	ND	0.320	0.748	-	0.000	0.000	
CBD	DET	DET	0.728	1.70	-	0.000	0.000	
CBDA	ND	ND	0.268	0.626	-	0.000	0.000	
CBDV	ND	ND	0.117	0.272	-	0.000	0.000	
CBDVA	ND	ND	0.311	0.727	-	0.000	0.000	
CBG	2.51	25.1	0.473	1.10	-	25.1	25.1	
CBGA	ND	ND	0.670	0.790	-	0.000	0.000	
CBL	ND	ND	0.546	1.27	-	0.000	0.000	
CBN	0.796	7.96	0.251	0.586	-	7.96	7.96	
CBNA	ND	ND	0.271	0.631	-	0.000	0.000	
CBT	ND	ND	0.393	0.916	-	0.000	0.000	"_
Δ9-ΤΗC	74.1	741	0.301	0.701	-	741	741	-
$\Delta 8$ -THC	ND	ND	0.469	1.09	-	0.000	0.000	D
THCA	ND	ND	0.163	0.381	-	0.000	0.000	Ν
THCV	0.421	4.21	0.391	0.912	-	4.21	4.21	Re
THCVA	ND	ND	0.125	0.291	-	0.000	0.000	Re
TOTAL	78.7	787			-	787	787	Sc
TOTAL CBC	0.859	8.59			-	8.59	8.59	
TOTAL CBD	0.000	0.000			-	0.000	0.000	Va
TOTAL CBDV	0.000	0.000			-	0.000	0.000	CC
TOTAL CBG	2.51	25.1			-	25.1	25.1	
TOTAL CBN	0.796	7.96			-	7.96	7.96	To
TOTAL THC	74.1	741			-	741	741	To
TOTAL THCV	0.421	4.21			-	4.21	4.21	To To

Abbreviations: DAD - Diode Array Detector, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation, DET - Detected (less than LOQ), LOD - Limit of Detection, LOQ - Limit of Quantitation, ND - Not Detected (less than LOD)

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

Moisture Content (%): -Water Activity (aw): -



SERVING MASS (g): 1.00 SERVINGS/UNIT: 1

'-" Not reported for this sample.

Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110% Replicate Uncertainties: <5% RSD, <20% RPD Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Fotal CBC = (CBCA x 0.877) + CBC $Total CBD = (CBDA \ge 0.877) + CBD$ Fotal CBDV = (CBDVA x 0.867) + CBDVTotal CBG =  $(CBGA \times 0.878) + CBG$ Total CBN = (CBNA x 0.876) + CBN Total THC = (THCA x 0.877) +  $\Delta$ 9-THC Total THCV = (THCVA x 0.867) + THCV

Percentage results are reported by mass.

mg/g results are reported as mass component per mass material.




> **REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











Testing Location:	Customer ID: 2168	<b>Order ID:</b> OR11449	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample	Date Completed:02/20/2025		

### **TERPENOID PROFILE**

Analysis Date/Time:0 Analyst: KF	2/19/2025 2032	<b>Method:</b> GC/MS <b>Instrument:</b> Agilent 7890/5975			
<u>Terpene</u>	<u>Result</u> (µg/g)	<u>Result</u> (%)			
α-Bisabolol	3040	0.304			
Camphene	ND	-			
δ-3-Carene	ND	-			
β-Caryophyllene	20900	2.09			
Caryophyllene oxide	338	0.0338			
p-Cymene	ND	-			
Eucalyptol	ND	-			
Geraniol	ND	-			
Guaiol	<loq< td=""><td>-</td><td></td></loq<>	-			
α-Humulene	7020	0.702			
Isopulegol	ND	-			
d-Limonene	14500	1.45			
Linalool	5090	0.509			
β-Myrcene	17100	1.71			
cis-Nerolidol	ND	-			
trans-Nerolidol	1790	0.179			
α-Ocimene	ND	-			
β-Ocimene	191	0.0191			
α-Pinene	1220	0.122			
β-Pinene	1320	0.132			
α-Terpinene	ND	-			
γ-Terpinene	ND	-			
Terpinolene	145	0.0145			
TOTAL	72600	7.26			



**Deviations from SOP:** 

None

Abbreviations: GC - Gas Chromatography, MS - Mass Spectrometry, RL - Reporting Limit Abbreviations: ND - Not Detected. . LOD - Limit of Detection, LOQ - Limit of Quantitation

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any

medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

#### Reporting Limit (µg/g): 45.3


"-" Not detected above LOD.













Testing Location:	Customer ID: 2168	<b>Order ID:</b> OR11449	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample	Date Completed:02/20/2025		

#### **RESIDUAL SOLVENT PROFILE (SOP: SOP-RS-001)**

Analysis Date/Time:	halysis Date/Time: 02/17/2025 1628 Method: HS/GC/MS			<b>Deviations from SOP:</b>						
Analyst: KF				1	nstrument: Agilent 78	Agilent 7890/5975 None				
<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Solvent</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Acetone (67-64-1)	-	40.0	80.0	5000	n-Heptane (142-82-5)	-	40.0	80.0	5000	
Acetonitrile (75-5-8)	-	40.0	80.0	410	n-Hexane (110-54-3)	-	14.0	28.0	290	
Benzene (71-43-2)	-	0.400	0.800	2	Isobutane (75-28-5)	-	40.0	80.0	5000	
n-Butane (106-97-2)	-	40.0	80.0	5000	Isopropanol (67-63-0)	-	40.0	80.0	5000	
1-Butanol (71-36-3)	-	40.0	80.0	5000	Isopropyl acetate	_	40.0	80.0	5000	
2-Butanol (78-92-2)	-	40.0	80.0	5000	(108-21-4)		40.0	00.0	5000	
2-Butanone (78-93-3)	-	40.0	80.0	5000	Isopropyl benzene (98-82-8)	-	4.00	8.00	70	
Cyclohexane (110-82-7)	-	40.0	80.0	3880	(98-82-8) Methanol (67-56-1)		40.0	80.0	3000	Color Key
1,2-Dimethoxyethane (110-71-4)	-	4.00	8.00	100	2-Methylbutane (78-78-4)	-	40.0	80.0	5000	RESULT < AL
N,N-Dimethylacetamide (127-19-5)	-	40.0	80.0	1090	Methylene chloride (75-9-2)	-	40.0	80.0	600	<b>RESULT &gt; AL</b>
2,2-Dimethylbutane (75-83-2)	-	14.0	28.0	290	2-Methylpentane (107-83-5)	-	14.0	28.0	290	"-" not detected above 1/2 Action Level
2,3-Dimethylbutane			20.0	200	3-Methylpentane (96-10-0)	-	14.0	28.0	290	
(79-29-8)	-	14.0	28.0	290	n-Pentane (109-66-0)	-	40.0	80.0	5000	"*" - o,m,p-Xylene and
N,N-Dimethylformamide (68-12-2)	-	40.0	80.0	880	1-Pentanol (71-41-0) n-Propane (74-98-6)	-	40.0 40.0	80.0 80.0	5000 5000	Ethylbenzene
Dimethylsulfoxide		40.0	80.0	5000	1-Propanol (71-23-8)	-	40.0	80.0	5000	Action levels are referenced from the State or
(67-68-5)	-	40.0	80.0	5000	Pyridine (110-86-1)	-	40.0 14.0	28.0	200	Arkansas
1,4-Dioxane (123-91-1)	-	40.0	80.0	380	Tetrahydrofuran (109-99-9)		40.0	80.0	720	MMJ testing
Ethanol (64-17-5)	-	40.0	80.0	5000	Tetramethylene sulfone					guidelines.
2-Ethoxyethanol (110-80-5)	-	14.0	28.0	160	(126-33-0)	-	14.0	28.0	160	A value of "-"
Ethyl ether (60-29-7)	-	40.0	80.0	5000	Toluene (108-88-3)	-	40.0	80.0	890	for the action level
Ethyl acetate (141-78-6)	-	40.0	80.0	5000	o-Xylene (95-47-6)	-	40.0	80.0	2170	means that analyte
Ethyl benzene (100-41-4)	-	40.0	80.0	2170	m,p-Xylene (108-38-3 or		40.0	80.0	2170	is not currently
Ethylene glycol (107-21-1) Ethylene oxide (75-21-8)	-	40.0 4.00	80.0 8.00	620 50	106-42-3) Xylenes* (1330-20-7)		40.0	86.7	2170	regulated by the regulations referenced above
						6-	•			
<u>Solvent</u> Acetonitrile		Synonym(s			Solvent		y <b>nonym(s)</b> D. Ethanodiol	1		
		Methyl Cya			Ethylene glycol		2-Ethanedio			
1-Butanol		n-Butanol,		noi	Isobutane		Methylpropa			
2-Butanol		sec-Butyl a		(F) //	Isopropanol		Propanol, IP			
2-Butanone		Methyl eth	-	/IEK	Isopropyl Acetate		cetic acid iso		-	
1,2-Dimethoxyethane		Monoglym			Methanol		ethyl alcoho	1		
2,3-Dimethylbutane		Neohexane			2-Methylbutane		opentane			
2,3-Dimethylbutane		Diisopropy	/1		Methylene chloride		ichlorometha	ine		
N,N-Dimethylformamide		DMF			2-Methylpentane		ohexane	,		
Dimethysufoxide		DMSO		,	1-Pentanol		Amyl alcoho			
2-Ethoxyethanol		Cellosolve		201	1-Propanol		opyl alcohol			
Ethyl ether		Diethyl eth	ier, Ether		Tetrahydrofuran		HF			
Ethyl acetate		EtOAc			Tetramethylene sulfone	Su	ılfolane			

Abbreviations: HS-Headspace, GC-Gas Chromatography, MS-Mass Spectrometry, RL-Reporting Limit, AL-Action Level, CAS-Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

Xylene

Phenylethane



Ethyl benzene


**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC

Dimethylbenzene









**Deviations from SOP:** 

None



# **CERTIFICATE OF ANALYSIS (SAMPLE ID: SA40274)**

Testing Location:	Customer ID: 2168	Order ID: OR11449	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample D	Date Completed:02/20/2025		

### **PESTICIDES PROFILE (SOP: SOP-PEST-001)**

Analysis Date/Time: 02/18/2025 1211 Analyst: KF

#### Method: LC/MS/MS Instrument: Shimadzu LC-8050

<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	<u>Pesticide</u>	<u>Result</u> (µg/g)	<u>LOD</u> (µg/g)	<u>LOQ</u> (µg/g)	<u>Action</u> Level (µg/g)	
Abamectin (71751-41-2)	-	0.0450	0.360	0.5	Kresoxim-methyl		0.0450	0.360	0.4	
Acephate (30560-19-1)	-	0.0450	0.360	0.4	(143390-89-0)					
Acequinocyl (57960-19-7)	DET	0.0450	0.360	2	Malathion (121-75-5)	-	0.0450	0.360	0.2	
Acetamiprid (135410-20-7)	-	0.0450	0.360	0.2	Metalaxyl (57837-19-1) Methiocarb (2032-65-7)	-	0.0450 0.0450	0.360 0.360	0.2 0.2	<u>Color Key</u>
Aldicarb (116-06-3)	-	0.0450	0.360	0.4	Methomyl (16752-77-5)	-	0.0450	0.360	0.4	<b>RESULT &lt; AL</b>
Azoxystrobin (131860-33-8)	-	0.0450	0.360	0.2	Methyl parathion (298-0-0)	-	0.0450	0.360	0.2	<b>RESULT &gt; AL</b>
Bifenazate (149877-41-8)	-	0.0450	0.360	0.2	MGK 264 (113-48-4)	-	0.0450	0.360	0.2	"DET" detected less than LOQ
Bifenthrin (82657-04-3)	-	0.0450	0.360	0.2	Myclobutanil	_	0.0450	0.360	0.2	"-" not detected above
Boscalid (188425-85-6)	-	0.0450	0.360	0.4	(88671-89-0)					LOD
Carbaryl (63-25-2)	-	0.0450	0.360	0.2	Naled (300-76-5)	-	0.0450	0.360	0.5	Permethrins measured as the
Carbofuran (1563-66-2)	-	0.0450	0.360	0.2	Oxamyl (23135-22-0)	-	0.0450	0.360	1	cumulative residue of the <i>cis</i> - and
Chlorantraniliprole (800008-45-7)	-	0.0450	0.360	0.2	Paclobutrazol (76738-62-0)	-	0.0450	0.360	0.4	trans- permethrin isomers.
Chlorfenapyr		0.0450	0.360	1	Permethrins (52645-53-1)	-	0.0450	0.360	0.2	Pyrethrins measured as the cumulative residue of the
(122453-73-0)	-	0.0430	0.300	1	Phosmet (732-11-6)	-	0.0450	0.360	0.2	pyrethrin I, cinerin I, and jasmolin
Chlorpyrifos (2921-88-2)	-	0.0450	0.360	0.2	Piperonyl butoxide	_	0.0450	0.360	2	I isomers.
Clofentezine (74115-24-5)	-	0.0450	0.360	0.2	(51-03-6) Duallathaine (2221-26-0)		0.0450	0.200	0.2	Action levels are
Cyfluthrin (68359-37-5)	DET	0.0450	0.360	1	Prallethrins (2331-36-9)	-	0.0450	0.360	0.2	referenced from the State of
Cypermethrin (52315-07-8)	-	0.0450	0.360	1	Propiconazole (60207-90-1))	-	0.0450	0.360	0.4	Arkansas MMJ testing
Daminozide (1596-84-5)	-	0.0450	0.360	1	Propoxur (114-26-1)	-	0.0450	0.360	0.2	guidelines.
DDVP (62-73-7)	-	0.0450	0.360	0.1	Pyrethrins (8003-34-7)	-	0.0450	0.360	1	A value of "-" for the action level
Diazinon (333-41-5)	-	0.0450	0.360	0.2	Pyridaben (96489-71-3)	-	0.0450	0.360	0.2	means that analyte is not currently regulated by the
Dimethoate (60-51-5)	-	0.0450	0.360	0.2	Spinosad (168316-95-8)	-	0.0450	0.360	0.2	regulations referenced above.
Ethoprophos (13194-48-4)	-	0.0450	0.360	0.2	Spiromesifen (283594-90-1)	-	0.0450	0.360	0.2	
Etofenprox (80844-07-1)	-	0.0450	0.360	0.4	Spirotetramat					<i>Disclaimer</i> : This information is provided as a service and makes
Etoxazole (153233-91-1)	-	0.0450	0.360	0.2	(203313-25-1)	-	0.0450	0.360	0.2	no claims of efficacy and/or safety
Fenoxycarb (72490-01-8)	-	0.0450	0.360	0.2	Spiroxamine	_	0.0450	0.360	0.4	of this product. Results are applicable only for the sample(s)
(E)-Fenpyroximate (134098-61-6)	-	0.0450	0.360	0.4	(118134-30-8) Tebuconazole	-				analyzed and for the specific analysis conducted. This report is
Fipronil (120068-37-3)	-	0.0450	0.360	0.4	(80443-41-0)	-	0.0450	0.360	0.4	for informational purposes only
Flonicamid (158062-67-0)	-	0.0450	0.360	1	Thiacloprid	_	0.0450	0.360	0.2	and should not be used to diagnose, treat, or prevent any
Fludioxinil (131341-86-1)	-	0.0450	0.360	0.4	(111988-49-9)					medical-related symptoms. The
Hexythiazox (78587-05-0)	-	0.0450	0.360	1	Thiamethoxam (153719-23-4)	-	0.0450	0.360	0.2	statements and results herein have
Imazalil (35554-44-0)	-	0.0450	0.360	0.2	Trifloxystrobin					not been approved and/or endorsed by the FDA.
Imidacloprid (138261-41-3)	-	0.0450	0.360	0.4	(141517-21-7)	-	0.0450	0.360	0.2	

Abbreviations: LC - Liquid Chromatography, MS - Mass Spectrometry, RL - Reporting Limit, AL - Action Level, CAS - Chemical Abstract Services, LOD - Limit of Detection, LOQ - Limit of Quantification

Pesticide	<u>Synonym(s)</u>	Pesticide	<u>Synonym(s)</u>	Pesticide	Synonym(s)
Cyfluthrin	Baythroid	Myclobutanil	Systhane	Propiconazole	Tilt
DDVP	Dichlorvos	Naled	Dibrom	Propoxur	Baygon
Ethoprophos	Prophos	Phosmet	Imidan		




**REPORT OF LABORATORY ANALYSIS** This report shall not be reproduced, except in full, without the written consent of Felling Analytical Services and Technology (F.A.S.T.), LLC











Testing Location:	Customer ID: 2168	Order ID: OR11449	Sample Type: Primary
Arkansas	<b>River Valley Relief MIPS</b>	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADH 113	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
<b>Cultivar (Strain) or Sample Description:</b> ArkanRAW Full Spectrum Raw Cannabis Oil 1g Applicator			Date Completed:02/20/2025

#### HEAVY METAL PROFILE (SOP: SOP-ICP-200.6)

Analysis Date/Time: 02/19/2025 1220		Method: IC Instrumen	CP/MS t: Agilent 7700x	<b>Deviations from SOP:</b> None	
Analyst: KF				C	
<u>Heavy Metal</u>	<u>Result</u> (µg/kg)	<u>LOD</u> (µg/kg)	<u>LOQ</u> (µg/kg)	<u>Action Level</u> (µg/kg)	
Arsenic (As)	-	59.6	94.4	200	
Cadmium (Cd)	-	59.6	94.4	200	A A A A A A A A A A A A A A A A A A A
Lead (Pb)	-	59.6	94.4	500	
Mercury (Hg)	-	59.6	94.4	100	

Abbreviations: ICP - Inductively-Coupled Plasma, OES - Optical Emission Spectroscopy, DMA - Direct Mercury Analyzer, RL - Reporting Limit, AL - Action Level, LOD - Limit of Detection, LOQ - Limit of Quantitation





"DET" detected less than LOQ

"-" not detected above LOD

Action levels for heavy metals are referenced from the State of Arkansas MMJ testing guidelines.


*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.













Testing Location:	Customer ID: 2168	Sample ID: SA40274	Sample Type: Primary
Arkansas	River Valley Relief MIPS	Lot Number:	Matrix: Concentrate
232 S. Broadview St.	5601 Old Greenwood Rd Suite C	M00065C13357938987	Mass: 4ea
Greenbrier, AR 72058	Fort Smith, AR 72903	Production Run:	Date Collected: 02/17/2025
License: ADA 05_H273	License: 00065C	E20250213RAW26	Date Received: 02/17/2025
Cultivar (Strain) or Sample D	Date Completed:02/20/2025		

### MICROBIOLOGICAL PROFILE (SOP: SOP-Micro-001)

Analysis Date/Time: 02/13/20 Analyst: PW		Hardy Diagnostics Compac nt: Thermo Incubator	Deviations from SOP: None
Bacteria/Microbe	<u>Result</u> (CFU/g)	<u>Action Level</u> (CFU/g)	
Aerobic Plate Count	NT	-	
Coliforms, Total	Absent	1	Sector Contractions
Escherichia Coli (E. Coli)	Absent	100	
Mold/Yeast	NT	-	
Pseudomonas aeruginosa	NT	-	
Salmonella spp.	NT	-	
Staphylococcus aureus	NT	-	

*Abbreviations:* EC - Escherichia Coli, CFU - Colony-Forming Unit, RL - Reporting Limit, AL - Action Level, TNTC - Too Numerous To Count, NT - Not Tested Absent - Not Detected Above RL, Present - Detected Above RL





1

Action levels for microbiology are referenced from the State of Arkansas MMJ testing guidelines. A value of "-" for the action level means that analyte is not currently regulated by the regulations referenced above.

*Disclaimer:* This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.



